



NSAI
Standards

Irish Standard
I.S. EN 1993-1-5:2006&AC:2009&A1:2017

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

I.S. EN 1993-1-5:2006&AC:2009&A1:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN 1993-1-5:2006/A1:2017

EN 1993-1-5:2006/AC:2009

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 1993-1-5:2006

Published:

2006-10-25

This document was published under the authority of the NSAI and comes into effect on:

2017-12-19

ICS number:

91.010.30

91.080.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 1993-1-5:2006&AC:2009&A1:2017 is the adopted Irish version of the European Document EN 1993-1-5:2006, Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

NSAI adopts all Eurocodes as Irish Standards.

Eurocodes permit certain design parameters to be selected nationally. In Ireland, the selection of National Design parameters (NDP's) is the responsibility of the Eurocodes Consultative Committee (NSAI TC 015). National Annexes are developed in accordance with CEN and NSAI procedures and include a public consultation process.

Where NSAI TC 015 considers it appropriate, NDP's are agreed and listed in Irish National Annexes to Eurocodes.

Eurocodes must always be used in conjunction with the accompanying National Annex (NA), where available. For example, I.S. EN 1991-1-4, Eurocode 1: Actions on structures – Part 1-4: General actions – Wind actions is to be used in conjunction with NA to I.S. EN 1991-1-4.

National annexes are reviewed as necessary e.g. when a new edition, an amendment or a corrigendum to a Eurocode is issued. The national annex identifies what amendments/corrigenda are addressed. The user should check that the National Annex addresses the latest changes to the Eurocode. Previews of all documents are available on www.standards.ie. Any questions should be directed to NSAI.

Where an Irish National Annex to a Eurocode has not been prepared, the user must make sure that the general requirements of I.S. EN 1990 and the accompanying Irish National Annex are complied with.

Where a Eurocode has been changed (revised/amended/corrected) and the National Annex has yet to be revised to account for the change(s), the National Annex for the previous version is available. Engineering judgement must be applied if using guidance contained therein. Where no National Annex exists, and NSAI TC 015 considers it appropriate to develop one, NDP's will be agreed and listed in new Irish National Annexes to Eurocodes. In the interim, Engineering Judgement must be applied e.g. when selecting appropriate parameters for NDP's..

Information on Eurocodes and the related national annexes is available from www.n Sai.ie.

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 1993-1-5:2006/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2017

ICS 91.010.30; 91.080.13

English Version

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

Eurocode 3 - Calcul des structures en acier - Partie 1-5 :
Plaques planes

Eurocode 3 - Bemessung und Konstruktion von
Stahlbauten - Teil 1-5: Plattenförmige Bauteile

This amendment A1 modifies the European Standard EN 1993-1-5:2006; it was approved by CEN on 17 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 1993-1-5:2006/A1:2017 (E)

Contents		Page
European foreword.....		3
1	Modification to 6.5, Effective loaded length	4
2	Modifications to Clause 10, Reduced stress method	4

European foreword

This document (EN 1993-1-5:2006/A1:2017) has been prepared by Technical Committee CEN/TC 250 “Structural Eurocodes”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EUROPEAN STANDARD

EN 1993-1-5:2006/AC

NORME EUROPÉENNE

April 2009

EUROPÄISCHE NORM

Avril 2009

April 2009

ICS 91.010.30; 91.080.10

English version
Version Française
Deutsche Fassung

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural
elements

Eurocode 3 - Calcul des structures en acier
- Partie 1-5: Plaques planes

Eurocode 3 - Bemessung und Konstruktion
von Stahlbauten - Teil 1-5: Plattenförmige
Bauteile

This corrigendum becomes effective on 1 April 2009 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 1 avril 2009 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 1. April 2009 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2009 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux
membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern
von CEN vorbehalten.

Ref. No.: EN 1993-1-5:2006/AC:2009 D/E/F

EN 1993-1-5:2006/AC:2009 (E)

1) Modification to Subclause 1.4

Change the definition for "b_w" into: "clear width between welds for welded sections or between ends of radii for rolled sections".

2) Modification to Subclause 2.3

Paragraph '(2)', change "if the condition in 3.1 is fulfilled" into: "if the condition in 2.2(5) is fulfilled".

3) Modification to Subclause 2.6

Paragraph '(1)', 'NOTE', delete: "plate".

4) Modifications to Subclause 3.2.1

Title of the subclause, change "Effective width" into: "Effective^s width".

Paragraph '(1)', change in the last sentence "This effective width may" into: "This effective^s width may".

5) Modification to Subclause 3.2.2

Paragraph '(1)', 'Figure 3.3', change "with the effective width" into: "with the effective^s width".

6) Modifications to Subclause 3.2.3

Paragraph '(1)', Equation '(3.2)', change "a_{st,i}" into: "a_{st,1}".

Paragraph '(1)', Equation '(3.2)', first line of the paragraph beginning with 'where:', change "area of the stiffeners smeared" into: "area of the directly loaded stiffeners divided".

Paragraph '(1)', Equation '(3.2)', 2nd sentence under 'where:', change "This may be taken, conservatively, as the area of the stiffeners divided by the spacing s_{st}" into: "This may be taken as the area of a stiffener smeared over the length of the spacing s_{st}".

Paragraph '(1)', Equation '(3.2)', add to the list under 'where:':

"

s_e is the length of the stiff bearing;

s_{st} is the spacing of stiffeners;

".

7) Modification to Subclause 4.2

Paragraph '(1)', change "using the effective areas" into: "using the effective^p areas".

8) Modification to Subclause 4.3

Paragraph '(6)', entry 'b)', delete: "(rather than f_{yw})".

9) Modifications to Subclause 4.4

Paragraph '(2)', Equation '(4.2)', change " $\bar{\lambda}_p \leq 0,673$ " into: " $\bar{\lambda}_p \leq 0,5 + \sqrt{0,085 - 0,055\psi}$ ".

Paragraph '(2)', Equation '(4.2)', change " $\bar{\lambda}_p > 0,673$ " into: " $\bar{\lambda}_p > 0,5 + \sqrt{0,085 - 0,055\psi}$ ".

Paragraph '(2)', Equation '(4.2)', delete: ", where $(3 + \psi) \geq 0$ ".

'Table 4.1', second row from the bottom, change " $-1 > \psi > -3$ " into: " $-1 > \psi \geq -3$ ".

10) Modifications to Subclause 4.5.1

Paragraph '(2)', last line, change " ρ " into: " ρ_c ".

Paragraph '(3)', change "section areas" into: "section area".

11) Modification to Subclause 4.5.3

Paragraph '(3)', 'NOTE', change " b_{s11} " into: " $b_{s\ell,1}$ ".

12) Modifications to Subclause 4.6

Paragraph '(1)', change "for uniaxial bending" into: "for compression and uniaxial bending".

Paragraph '(1)', 'NOTE', change " e_{yN} " into: " $e_{y,N}$ ".

Paragraph '(1)', 'NOTE', change " e_{zN} " into: " $e_{z,N}$ ".

13) Modifications to Subclause 5.3

Paragraph '(3)', first line, change "slenderness parameter" into: "modified slenderness".

Paragraph '(3)', 'NOTE 2', change "slenderness parameter" into: "modified slenderness".

Paragraph '(5)', change two times "slenderness parameter" into: "modified slenderness".

14) Modifications to Subclause 6.5

Paragraph '(3)', change "equations (6.11), (6.12) and (6.13)" into: "equations (6.11) and (6.12)".

Paragraph '(3)', Equation '(6.13)', add before ' $I_e = \dots(6.13)$ ' the word: "where".

15) Modification to Subclause 6.6

Paragraph '(1)', change the reference to "6.2(2)" into: "6.2(1)".

16) Modification to Subclause 7.1

Paragraph '(1)', add after the equation for ' $\bar{\eta}_3$ ': "for $V_{bw,Rd}$ see expression (5.2)."

EN 1993-1-5:2006/AC:2009 (E)

17) Modification to Subclause 9.2.4

'Figure 9.4', change " $\leq \frac{h_s}{4}$ " into: " $\leq \frac{h_s}{4}$ ".

18) Modifications to Clause 10

Paragraph '(3)', change "plate slenderness" into: "modified plate slenderness".

Paragraph '(5)', entry 'a)', change "slenderness" into: "modified plate slenderness".

Paragraph '(5)', entry 'a)', change reference to "5.2(1)" into: "5.3(1)".

Paragraph '(6)', below Equation '(10.6)', change " $\tau_{cr,\tau}$ " into: " τ_{cr} ".

Paragraph '(6)', below Equation '(10.6)', change " $\tau_{\tau,Ed}$ " into: " τ_{Ed} ".

19) Modifications to Clause A.1

Paragraph '(2)', 'NOTE 3', change "the width b in" into: "the width *b* in".

Paragraph '(2)', below Equation '(A.2)', change " $\delta = \frac{\sum A_{sl}}{A_p}$ " into: " $\delta = \frac{A_{sl}}{A_p}$ ".

Paragraph '(2)', below Equation '(A.2)', under "where:", change " $= \frac{bt^3}{12(1-\nu^2)} = \frac{bt^3}{10,92}$ " into:
" $= \frac{bt^3}{12(1-\nu^2)} = \frac{bt^3}{10,92}$ ".

Paragraph '(2)', below Equation '(A.2)', under "where:", change " $\sum A_{sl}$ " into: " A_{sl} ".

Paragraph '(2)', 'Figure A.1', change in the top right text "stiffeners" into: "stiffener".

Paragraph '(2)', 'Figure A.1', change in the top right text "columns" into: "column".

Paragraph '(2)', 'Figure A.1', change in the figure " $b_{s1,1}$ " into: " $b_{sl,1}$ ".

20) Modifications to Subclause A.2.1

Paragraph '(6)', 'Figure A.2', change " $A_{s1,1}$ " into: " $A_{sl,1}$ ".

Paragraph '(7)', list entry 'a)', change " I_{sl} " into: " I_{sl} ".

21) Modification to Subclause A.2.2

Paragraph '(1)', Equation '(A.4)', second line of the equation, change " $a \leq a_c$ " into: " $a < a_c$ ".

Paragraph '(1)', delete the final 'NOTE'.

22) Modification to Clause A.3

Paragraph '(1)', below Equation '(A.5)', under "where:", change "For webs with two or more" into: "For webs with".

23) Modifications to Clause B.2

Paragraph '(1)', change " α_{crit} " into: " α_{cr} ".

Paragraph '(1)', definition of " α_{cr} ", change "elastic critical resistance" into: "elastic critical loading".

24) Modification to Clause D.1

'Figure D.1', left-hand sketch, delete symbol " b_t ".

25) Modifications to Subclause D.2.1

Paragraph '(1)', first line, and Equation '(D.1)', change two times " M_{Rd} " into: " $M_{y,Rd}$ ".

Paragraph '(2)', change "The buckling factor k_σ should be taken as the larger of:" into: " The buckling factor k_σ should be taken as the larger of a) and b):".

Paragraph '(2)', list entry 'b)', delete "where $b = \frac{b_1}{2}$ ".

26) Modifications to Subclause D.2.2

Paragraph '(1)', first line and Equation '(D.4)', change " V_{Rd} " into: " $V_{bw,Rd}$ ".

Equations '(D.6)' and '(D.9)', change " f_y " into: " f_{yw} ".

This page is intentionally left blank

EUROPEAN STANDARD

EN 1993-1-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2006

ICS 91.010.30; 91.080.10

Supersedes ENV 1993-1-5:1997

English Version

Eurocode 3 - Design of steel structures - Part 1-5: Plated structural elements

Eurocode 3 - Calcul des structures en acier - Partie 1-5:
Plaques planes

Eurocode 3 - Bemessung und konstruktion von Stahlbauten
- Teil 1-5: Plattenbeulen

This European Standard was approved by CEN on 13 January 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Content	Page
1 Introduction	5
1.1 Scope	5
1.2 Normative references	5
1.3 Terms and definitions	5
1.4 Symbols	6
2 Basis of design and modelling	7
2.1 General	7
2.2 Effective width models for global analysis	7
2.3 Plate buckling effects on uniform members	7
2.4 Reduced stress method	8
2.5 Non uniform members	8
2.6 Members with corrugated webs	8
3 Shear lag in member design	9
3.1 General	9
3.2 Effective ^s width for elastic shear lag	9
3.3 Shear lag at the ultimate limit state	12
4 Plate buckling effects due to direct stresses at the ultimate limit state	13
4.1 General	13
4.2 Resistance to direct stresses	13
4.3 Effective cross section	13
4.4 Plate elements without longitudinal stiffeners	15
4.5 Stiffened plate elements with longitudinal stiffeners	18
4.6 Verification	21
5 Resistance to shear	21
5.1 Basis	21
5.2 Design resistance	22
5.3 Contribution from the web	22
5.4 Contribution from flanges	25
5.5 Verification	25
6 Resistance to transverse forces	25
6.1 Basis	25
6.2 Design resistance	26
6.3 Length of stiff bearing	26
6.4 Reduction factor χ_F for effective length for resistance	27
6.5 Effective loaded length	27
6.6 Verification	28
7 Interaction	28
7.1 Interaction between shear force, bending moment and axial force	28
7.2 Interaction between transverse force, bending moment and axial force	29
8 Flange induced buckling	29
9 Stiffeners and detailing	30
9.1 General	30
9.2 Direct stresses	30
9.3 Shear	34
9.4 Transverse loads	35
10 Reduced stress method	36
Annex A (informative) Calculation of critical stresses for stiffened plates	38

Annex B (informative) Non uniform members	43
Annex C (informative) Finite Element Methods of Analysis (FEM)	45
Annex D (informative) Plate girders with corrugated webs	50
Annex E (normative) Alternative methods for determining effective cross sections	53

EN 1993-1-5: 2006 (E)

Foreword

This European Standard EN 1993-1-5, Eurocode 3: Design of steel structures Part 1.5: Plated structural elements, has been prepared by Technical Committee CEN/TC250 « Structural Eurocodes », the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by April 2007 and conflicting National Standards shall be withdrawn at latest by March 2010.

This Eurocode supersedes ENV 1993-1-5.

According to the CEN-CENELEC Internal Regulations, the National Standard Organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

National annex for EN 1993-1-5

This standard gives alternative procedures, values and recommendations with notes indicating where national choices may have to be made. The National Standard implementing EN 1993-1-5 should have a National Annex containing all Nationally Determined Parameters to be used for the design of steel structures to be constructed in the relevant country.

National choice is allowed in EN 1993-1-5 through:

- 2.2(5)
- 3.3(1)
- 4.3(6)
- 5.1(2)
- 6.4(2)
- 8(2)
- 9.1(1)
- 9.2.1(9)
- 10(1)
- 10(5)
- C.2(1)
- C.5(2)
- C.8(1)
- C.9(3)
- D.2.2(2)

1 Introduction

1.1 Scope

- (1) EN 1993-1-5 gives design requirements of stiffened and unstiffened plates which are subject to in-plane forces.
- (2) Effects due to shear lag, in-plane load introduction and plate buckling for I-section girders and box girders are covered. Also covered are plated structural components subject to in-plane loads as in tanks and silos. The effects of out-of-plane loading are outside the scope of this document.

NOTE 1: The rules in this part complement the rules for class 1, 2, 3 and 4 sections, see EN 1993-1-1.

NOTE 2: For the design of slender plates which are subject to repeated direct stress and/or shear and also fatigue due to out-of-plane bending of plate elements (breathing) see EN 1993-2 and EN 1993-6.

NOTE 3: For the effects of out-of-plane loading and for the combination of in-plane effects and out-of-plane loading effects see EN 1993-2 and EN 1993-1-7.

NOTE 4: Single plate elements may be considered as flat where the curvature radius r satisfies:

$$r \geq \frac{a^2}{t} \quad (1.1)$$

where a is the panel width

t is the plate thickness

1.2 Normative references

- (1) This European Standard incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 1993-1-1 *Eurocode 3 :Design of steel structures: Part 1-1: General rules and rules for buildings*

1.3 Terms and definitions

For the purpose of this standard, the following terms and definitions apply:

1.3.1

elastic critical stress

stress in a component at which the component becomes unstable when using small deflection elastic theory of a perfect structure

1.3.2

membrane stress

stress at mid-plane of the plate

1.3.3

gross cross-section

the total cross-sectional area of a member but excluding discontinuous longitudinal stiffeners

1.3.4

effective cross-section and effective width

the gross cross-section or width reduced for the effects of plate buckling or shear lag or both; to distinguish between their effects the word “effective” is clarified as follows:

“effective^D” denotes effects of plate buckling

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-