



NSAI
Standards

Irish Standard
I.S. EN ISO 13274:2013

Packaging - Transport packaging for dangerous goods - Plastics compatibility testing for packaging and IBCs (ISO 13274:2013)

I.S. EN ISO 13274:2013

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:

This document is based on:
EN ISO 13274:2013

Published:
27 August, 2013

This document was published
under the authority of the NSAI
and comes into effect on:
27 August, 2013

ICS number:

13.300

55.020

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

I.S. EN ISO 13274:2013

EUROPEAN STANDARD

EN ISO 13274

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2013

ICS 13.300; 55.020

English Version

Packaging - Transport packaging for dangerous goods - Plastics compatibility testing for packaging and IBCs (ISO 13274:2013)

Emballages - Emballages de transport pour marchandises
dangereuses - Essais de compatibilité des matières
plastiques pour emballages et GRVs (ISO 13274:2013)

Verpackung - Transportverpackung für gefährliche Güter -
Verträglichkeitsprüfung für Kunststoffverpackungen und
IBCs (ISO 13274:2013)

This European Standard was approved by CEN on 26 July 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
----------------------	----------

Foreword

This document (EN ISO 13274:2013) has been prepared by Technical Committee ISO/TC 122 "Packaging" in collaboration with Technical Committee CEN/TC 261 "Packaging" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2014, and conflicting national standards shall be withdrawn at the latest by February 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 13274:2013 has been approved by CEN as EN ISO 13274:2013 without any modification.

This page is intentionally left BLANK.

I.S. EN ISO 13274:2013
INTERNATIONAL
STANDARD

ISO
13274

First edition
2013-08-15

**Packaging — Transport packaging
for dangerous goods — Plastics
compatibility testing for packaging
and IBCs**

*Emballages — Emballages de transport pour marchandises
dangereuses — Essais de compatibilité des matières plastiques pour
emballages et GRVs*



Reference number
ISO 13274:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Test requirements	2
4.1 General.....	2
4.2 Conditioning.....	2
4.3 Post-conditioning inspection.....	3
4.4 Drop test.....	3
4.5 Stacking test.....	3
4.6 Hydraulic pressure test.....	3
4.7 Leakproofness test.....	3
4.8 Bottom lift test.....	3
4.9 Top lift test.....	3
4.10 Vibration test.....	3
4.11 Permeability testing.....	3
4.12 Equivalent testing.....	3
5 Selection and preparation of packagings/IBCs	4
6 Additional information to be provided for assimilation	4
7 Facilities for testing	4
8 Conditioning procedures	4
8.1 General.....	4
8.2 Ambient conditioning.....	5
8.3 Accelerated conditioning.....	5
8.4 Procedure following the conditioning period.....	5
8.5 Reuse of standard liquids.....	6
9 Test report	6
Annex A (informative) Applicability of standard liquids to polyethylene types	7
Annex B (normative) Small-scale laboratory tests to assess packaged substances against standard liquids	8
Bibliography	27

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13274 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 261, *Packaging*, in collaboration with Technical Committee ISO/TC 122, *Packaging*, Subcommittee SC 3, *Performance requirements and tests for means of packaging, packages and unit loads*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 13274 cancels and replaces ISO 16101:2004¹⁾ and ISO 23667:2007²⁾, which have been technically revised.

1) ISO 16101:2004, *Packaging — Transport packaging for dangerous goods — Plastics compatibility testing*.

2) ISO 23667:2007, *Packaging — Transport packaging for dangerous goods — Rigid plastics and plastics composite IBCs — Compatibility testing*.

Introduction

This International Standard was developed to provide requirements and test procedures to meet the compatibility provisions for plastics packagings and Intermediate Bulk Containers (IBCs) to contain liquids as set out in:

- The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) (covering most of Europe) [1] and
- Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) (covering most of Europe, parts of North Africa and the Middle East) [2].

This procedure is an alternative option to that set out in the UN Recommendations on the Transport of Dangerous Goods.

Plastics packaging/IBC material can be attacked by the chemical contents of the package. Such effects are caused by different mechanisms such as environmental stress cracking (ESC) chemical degradation and/or swelling.

The UN Recommendations and the associated modal regulations require that all packagings/IBCs be assessed for compatibility with the substances which they are to contain. The UN text makes special reference to plastics packagings/IBCs for liquids. The procedure therein contains details of testing for six months at ambient temperature with the liquid to be carried. RID/ADR permits as an alternative the use of standard liquids to which this International Standard refers.

The UN Recommendations are given legal entity not only to ADR and RID but also to:

- The International Civil Aviation Organisations Technical Instructions for the Safe Transport of Dangerous Goods by Air (ICAO Tis) (worldwide) [3] and
- The International Maritime Dangerous Goods Code (IMDG Code) (worldwide) [4].

The application of this International Standard will need to take account of the requirements of these international agreements and the relevant national regulations for domestic transport of dangerous goods as required by Directive 2008/68/EC of the European Parliament and council, as modified by Commission Directive 2012/45/EU of 3 December 2012 [5].

Although not stipulated in the UN Recommendations or the model regulations, these tests may be applied, where deemed appropriate, to polyethylene inner packaging of combination packaging.

I.S. EN ISO 13274:2013

Packaging — Transport packaging for dangerous goods — Plastics compatibility testing for packaging and IBCs

WARNING — The use of this International Standard could involve hazardous materials and equipment. This International Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This International Standard specifies the requirements and test methods for compatibility testing of plastics packagings/Intermediate Bulk Containers (IBCs) and composite packagings/IBCs with plastics inners containing liquids. The testing involves storage with the liquid to be transported. For polyethylene-based packaging, testing with a standard liquid as defined in *The European Agreement concerning the International Carriage of Dangerous Goods by Road* may be undertaken. [Annex B](#) describes small-scale laboratory tests that may be used to determine the assimilation of those products to be carried with the standard liquids.

Where there is any contradiction between this International Standard and any applicable regulation, the regulation always takes precedence.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, *Plastics — Standard atmospheres for conditioning and testing*

ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics*

ISO 1133-1, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method*

ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method*

ISO 1628-3, *Plastics — Determination of the viscosity of polymers in dilute solution using capillary viscometers — Part 3: Polyethylenes and polypropylenes*

ISO 1872-2:2007, *Plastics — Polyethylene (PE) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties*

ISO 2818, *Plastics — Preparation of test specimens by machining*

ISO 11403-3, *Plastics — Acquisition and presentation of comparable multipoint data — Part 3: Environmental influences on properties*

ISO 11542-2:1998, *Plastics — Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties*

ISO 16495:2013, *Packaging — Transport packaging for dangerous goods — Test methods*

ISO 16770, *Plastics — Determination of environmental stress cracking (ESC) of polyethylene — Full-notch creep test (FNCT)*

UNITED NATIONS. The United Nations Recommendations on the transport of dangerous goods — Model Regulations. ST/SG/A.C. 10/1/Rev.17: United Nations

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the UN Recommendations, ST/SG/A.C.10/1Rev17 and the following apply .

3.1 plastics packaging

drum and jerrican made from plastics material and composite packaging with inner plastics receptacles

3.2 plastics IBC

rigid plastics intermediate bulk container and composite intermediate bulk container with inner plastics receptacle

3.3 packaged substance

<chemical product> dangerous liquid to be transported in the packaging/IBC

Note 1 to entry: Packagings/IBCs used for solid packaged substances, which can become liquid at temperatures encountered during transport, also meet the requirements of packagings/IBCs for liquids.

3.4 standard liquid

defined liquid that is representative in its effect of a specific kind of interaction between a packaged substance and the plastics packagings/IBCs

4 Test requirements

4.1 General

Plastics packagings/IBCs selected in accordance with [Clause 5](#) shall be conditioned with the packaged substance or a standard liquid, to which the packaged substance is assimilated.

NOTE Standard liquids and their assimilations can be found in ADR [1] and RID [2].

For packaged substances which are not assimilated to a standard liquid, small scale laboratory tests (see [Annex B](#)) may be used to compare their impacts to those of standard liquids.

The packaged substance shall be less aggressive than the standard liquid to which it will be assimilated. In the event the effect is more aggressive than that of the standard liquids, the six month procedure shall be followed as given in [8.2](#), or alternatively, and with the exception of nitric acid > 55 %, the accelerated procedure, in accordance with [8.3](#). Where the six-month procedure is carried out the specifications of the packaged substance are recorded.

When the standard liquid is water, proof of chemical compatibility is not required.

4.2 Conditioning

Plastics packagings/IBCs shall be conditioned in accordance with [Clause 8](#).

4.3 Post-conditioning inspection

At the end of the conditioning period the packagings/IBCs shall be inspected for leakage. Where no leakage is apparent testing in accordance with [8.4](#) shall be performed.

4.4 Drop test

The drop test shall be performed in accordance with Annex F of ISO 16495:2013.

4.5 Stacking test

The stacking test shall be performed in accordance with Annex I of ISO 16495:2013.

4.6 Hydraulic pressure test

The hydraulic pressure test shall be performed in accordance with Annex H of ISO 16495:2013.

4.7 Leakproofness test

The leakproofness test shall be performed in accordance with Annex G of ISO 16495:2013.

4.8 Bottom lift test

The bottom lift test shall be performed in accordance with Annex K of ISO 16495:2013.

4.9 Top lift test

The top lift test shall be performed in accordance with Annex L of ISO 16495:2013.

4.10 Vibration test

The vibration test shall be performed in accordance with Annex Q of ISO 16495:2013.

4.11 Permeability testing

With the exception of composite packagings having a plastics receptacle with outer steel drum, plastics packaging shall be tested for permeability. A suitable test method can be found in ADR and RID. This test is only required when the packagings described above are intended to transport benzene, toluene, xylene or mixtures and preparations containing these substances.

NOTE Some substances can lead to permeation of the product through the (plastics) wall of the packaging. In some cases these substances give such a high degree of swelling that the required performance of the packaging is not met. In other cases the performance criteria are met, but the high degree of permeation could lead, besides the loss of product, to a dangerous situation because of vapours with dangerous explosive or toxic concentrations. Barrier materials or surface modifications can be used to decrease the amount of permeation and thus the risk of a dangerous situation.

4.12 Equivalent testing

The test methods described in this International Standard shall be considered to be the reference test methods.

Alternative methods may be used to demonstrate compliance with relevant regulations provided that:

- their equivalency to the reference method can be demonstrated;
- their use is recorded in the test report;
- prior approval is obtained from the competent authority.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-