

Irish Standard I.S. EN 16643:2016

Rubber and plastics hoses and hose assemblies - Non-bonded fluoroplastic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

© CEN 2016 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN 16643:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN 16643:2016 2016-08-17

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:
23.040.70

2016-09-03

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### National Foreword

I.S. EN 16643:2016 is the adopted Irish version of the European Document EN 16643:2016, Rubber and plastics hoses and hose assemblies - Non-bonded fluoroplastic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN 16643

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

August 2016

ICS 23.040.70

#### **English Version**

# Rubber and plastics hoses and hose assemblies - Nonbonded fluoroplastic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

Tuyaux et flexibles en caoutchouc et en matières plastiques - Tuyaux non-liés revêtus de fluoroplastique (par exemple PTFE) pour substances chimiques liquides ou gazeuses - Spécifications Gummi- und Kunststoffschläuche und schlauchleitungen - Fluorkunststoffbeschichtete (z. B. PTFE) Nicht-Verbundschläuche und -schlauchleitungen für flüssige und gasförmige Chemikalien -Anforderungen

This European Standard was approved by CEN on 15 June 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Com	ents	Page
_	oean foreword	
Intro	duction	6
1	Scope	7
2	Normative References	7
3	Terms and definitions	
4	Classification	
5	Hose assembly designs	
6 6.1	Materials and constructionGeneral	
6.2	Lining	
6.3	Helix wire (optional)	
6.4	Electrical bonding wires (optional)	
6.5	Braid reinforcement	
6.6	Cover (optional)	
7	Dimensions and tolerances	10
, 7.1	Diameters, thickness, bend radii, resistance to vacuum and lowest permitted	10
/.I	maximum working pressure requirements	10
7.2	Concentricity	18
7.3	Length of hose assemblies	
7.3.1	General	
7.3.2	Type SE and Type SC hose assemblies	
7.3.3	Type C hose assemblies	
8	Physical properties of materials used for hoses and hose assemblies	10
o 8.1	GeneralGeneral	10 19
8.2	Materials used for the lining	
8.3	Materials used for the helix wire	
8.4	Materials used for the electrical bonding wires	
8.5	Materials used for the over-braid reinforcement	
8.6	Materials used for the cover	
8.7	Materials used for end fittings and couplings	
9	Performance requirements of hoses and hose assemblies	
-		
10	Electrical properties	
10.1	General	
10.2	Electrical bonding	
10.3	Static-dissipative lining and/or static-dissipative cover	
11	Frequency of testing	22
12	Type tests	23
13	Test report	23
14	Marking	23
14.1	Hoses	
14.2	Hose assemblies	

<b>15</b>	Storage and admissible storage time	24
Annex	A (normative) Test frequency for type tests and routine tests	25
Annex	B (informative) Production acceptance tests	27
Annex	c C (normative) Proof pressure test for fluoroplastic lining	28
Annex	D (informative) Couplings and fittings	29
D.1	GeneralFluoroplastic lined end fittings	
D.2	E (normative) Yield orientation index	
	F (normative) Weep test	
Annex F.1	General	
F.2	Test pieces	
F.3	Apparatus	
F.4	Test method	31
Annex	G (informative) Resistance to chemicals conveyed	32
	H (informative) Permeability to gas	
H.1	General	
H.2 H.3	Test piecesApparatus	
11.3 H.4	Test method	
Annex	I (normative) Flame resistance test	36
I.1	Test pieces	
I.2	Apparatus	
I.3	Test method	
	J (normative) Hose flexibility - Rolling U test	
J.1 J.2	General Test pieces	
j.2 J.3	Apparatus	
j.3 J.4	Test method	
Annex	K (informative) Environmental checklist	41
Biblio	graphy	43
Table		
	1 — Dimension requirements, Type SE lining hoses without and with cover	11
	2 — Maximum working pressure requirements, Type SE lining hoses without and	
	with cover for two typical braid reinforcements	12
Table	3 — Dimension requirements, Type SC lining hoses without and with cover	13
Table	4 — Maximum working pressure requirements, Type SC lining hoses without and with cover for three typical braid reinforcements	14
Tahle	5 — Dimension requirements for manufacturing method 1, Type C lining hoses	
Labic	without and with cover	15
Table	6 — Dimension requirements for manufacturing method 2, Type C lining hoses	
	without and with cover	16

Table 7 — Maximum working pressure requirements, Type C lining hoses without and with cover for three typical braid reinforcements	17
Table 8 — Physical properties of fluoroplastic lining	19
Table 9 — Performance requirements of hoses and hose assemblies	21
Table A.1 — Test frequency for type tests and routine tests	25
Table B.1 — Production acceptance tests	27
Table H.1 — Helium test pressures and average helium permeation rates for Type SC hose linings	34
Table J.1 — Rolling U test movement	
Table K.1 — Environmental checklist	42
Figures	
Figure H.1 — Arrangement for helium permeation test	35
Figure I.1 — Arrangement for flammability test	
Figure J.1 — Rolling U test piece	39
Figure I.2 — Typical arrangement of Rolling II test equipment	40

### **European foreword**

This document (EN 16643:2016) has been prepared by Technical Committee CEN/TC 218 "Rubber and plastics hoses and hose assemblies", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2017, and conflicting national standards shall be withdrawn at the latest by February 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Annexes A, C, E, F, I and I are normative. Annexes B, D, G, H and K are informative.

WARNING – Persons using this European Standard should be familiar with normal laboratory practice. This standard does not purport to address all the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Introduction

This document has been prepared to provide minimum acceptable requirements for the satisfactory performance of non-bonded flexible fluoroplastic lined hoses and hose assemblies with various types of reinforcement, for each chemical substance conveyed.

### 1 Scope

This European Standard specifies requirements for three types of non-bonded fluoroplastic lined hoses and hose assemblies with convoluted or smooth linings designed to convey liquid or gaseous chemical substances, hereinafter termed the "chemicals conveyed". These hoses and hose assemblies can be used for pharmaceutical, biotechnology and industrial applications as detailed in Clause 5.

The hose assemblies are intended for use with chemicals conveyed in the temperature range of  $-70^{\circ}$ C to  $+260^{\circ}$ C and for a working pressure up to 205 bar<sup>1</sup>).

NOTE 1 This standard sets out requirements for these hoses and hose assemblies to ensure that users are not exposed to danger from fire or explosion and that the environment is protected against contamination or damage.

NOTE 2 Other working pressures than those given above can be agreed with the manufacturer provided the physical properties of the hose assembly materials conform to Clause 8, the hose and hose assembly performance requirements conform to Clause 9 and the hose assembly electrical properties conform to Clause 10.

NOTE 3 Other diameters than those given in this standard can be agreed with the manufacturer provided the physical properties of the hose assembly materials conform to Clause 8, the hose and hose assembly performance requirements conform to Clause 9 and the hose assembly electrical properties conform to Clause 10.

NOTE 4 This standard also provides guidance on the storage of hose assemblies (Clause 15).

NOTE 5 The attention of users is drawn to Annex G concerning the working temperature range which can be affected by the chemical(s) to be conveyed in the hoses and hose assemblies.

NOTE 6 The attention of users is drawn to Annex G concerning the selection of materials for lining, helix wire (if applicable), electrical bonding wire (if applicable), braid reinforcement and cover (if applicable) related to the chemical(s) to be conveyed by the hoses and hose assemblies.

#### 2 Normative References

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10088-3:2014, Stainless steels — Part 3: Technical delivery conditions for semi-finished products, bars, rods, wire, sections and bright products of corrosion resisting steels for general purposes

EN ISO 1402, Rubber and plastics hoses and hose assemblies — Hydrostatic testing (ISO 1402)

EN ISO 4671, Rubber and plastics hoses and hose assemblies — Methods of measurement of the dimensions of hoses and the lengths of hose assemblies (ISO 4671)

EN ISO 7233, Rubber and plastics hoses and hose assemblies — Determination of resistance to vacuum (ISO 7233)

EN ISO 8031:2009, Rubber and plastics hoses and hose assemblies — Determination of electrical resistance and conductivity (ISO 8031:2009)

EN ISO 8330, Rubber and plastics hoses and hose assemblies — Vocabulary (ISO 8330)

<sup>1)</sup> 1 bar = 0.1 MPa.



This is a free preview	<ul> <li>Purchase the entire</li> </ul>	e publication at the link below:
------------------------	---	----------------------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation