



NSAI
Standards

Irish Standard Recommendation
S.R. CEN/TR 16978:2016

Railway applications - Infrastructure - Survey on isolated defects

S.R. CEN/TR 16978:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TR 16978:2016

Published:

2016-10-05

This document was published under the authority of the NSAI and comes into effect on:

2016-10-23

ICS number:

93.100

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TR 16978:2016 is the adopted Irish version of the European Document CEN/TR 16978:2016, Railway applications - Infrastructure - Survey on isolated defects

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL REPORT

CEN/TR 16978

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

October 2016

ICS 93.100

English Version

Railway applications - Infrastructure - Survey on isolated defects

Bahnanwendungen - Infrastruktur - Überblick von Einzelfehlern

This Technical Report was approved by CEN on 23 May 2016. It has been drawn up by the Technical Committee CEN/TC 256.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Symbols and abbreviations	6
5 Methodology	7
5.1 General considerations.....	7
5.2 Collected data	7
5.2.1 Scope of survey.....	7
5.2.2 Speed classes.....	8
5.2.3 Parameters investigated	8
5.2.4 Calculation of lengths of exceedances	9
5.2.5 Data processing.....	9
6 Participating networks and involvement.....	10
6.1 Participating networks	10
6.2 Coverage	10
7 Results.....	11
7.1 General remarks.....	11
7.2 Results for longitudinal level in <i>D1</i>	11
7.3 Results for alignment in <i>D1</i>	12
7.4 Results for mean gauge over 100 m	13
7.5 Results for twist on a base of 3 m	14
7.6 Results for narrow gauge	15
7.7 Results for wide gauge	16
7.8 Results for longitudinal level in domain <i>D2</i>	17
7.9 Results for alignment in domain <i>D2</i>	18
Annex A (informative) Spread of collected data	19
A.1 General.....	19
A.2 Results for longitudinal level in <i>D1</i> with $V \leq 80$ km/h.....	19
A.3 Results for longitudinal level in <i>D1</i> with 80 km/h $< V \leq 120$ km/h	20
A.4 Results for longitudinal level in <i>D1</i> with 120 km/h $< V \leq 160$ km/h.....	21
A.5 Results for longitudinal level in <i>D1</i> with 160 km/h $< V \leq 230$ km/h.....	22
A.6 Results for longitudinal level in <i>D1</i> with 230 km/h $< V \leq 300$ km/h.....	23
A.7 Results for alignment in <i>D1</i> with $V \leq 80$ km/h.....	24
A.8 Results for alignment in <i>D1</i> with 80 km/h $< V \leq 120$ km/h	25
A.9 Results for alignment in <i>D1</i> with 120 km/h $< V \leq 160$ km/h.....	26
A.10 Results for alignment in <i>D1</i> with 160 km/h $< V \leq 230$ km/h.....	27

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-