



**NSAI**  
Standards

Irish Standard  
I.S. EN 16796-3:2016

# Energy efficiency of Industrial trucks - Test methods - Part 3: Container handling lift trucks

**I.S. EN 16796-3:2016**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 16796-3:2016

*Published:*

2016-11-02

*This document was published under the authority of the NSAI and comes into effect on:*

2016-11-21

ICS number:

53.060

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN 16796-3:2016 is the adopted Irish version of the European Document EN 16796-3:2016, Energy efficiency of Industrial trucks - Test methods - Part 3: Container handling lift trucks

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

EN 16796-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2016

---

ICS 53.060

English Version

## Energy efficiency of Industrial trucks - Test methods - Part 3: Container handling lift trucks

Efficacité énergétique des chariots de manutention -  
Méthodes d'essai - Partie 3 : Chariots élévateurs porte-  
conteneur

Energie Effizienz von Flurförderzeugen -  
Testmethoden - Teil 3: Container Stapler

This European Standard was approved by CEN on 13 August 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

| <b>Contents</b>                |                                      | Page     |
|--------------------------------|--------------------------------------|----------|
| <b>European foreword</b> ..... |                                      | <b>3</b> |
| <b>1</b>                       | <b>Scope</b> .....                   | <b>4</b> |
| <b>2</b>                       | <b>Normative references</b> .....    | <b>4</b> |
| <b>3</b>                       | <b>Terms and definitions</b> .....   | <b>4</b> |
| <b>4</b>                       | <b>Test conditions</b> .....         | <b>4</b> |
| <b>4.1</b>                     | <b>General</b> .....                 | <b>4</b> |
| <b>4.2</b>                     | <b>Laden container handler</b> ..... | <b>4</b> |
| <b>4.3</b>                     | <b>Empty container handler</b> ..... | <b>4</b> |
| <b>5</b>                       | <b>Measurement procedure</b> .....   | <b>5</b> |
| <b>5.1</b>                     | <b>General</b> .....                 | <b>5</b> |
| <b>5.2</b>                     | <b>Test set-up</b> .....             | <b>5</b> |
| <b>5.3</b>                     | <b>Operating sequence</b> .....      | <b>5</b> |
| <b>Bibliography</b> .....      |                                      | <b>7</b> |

## European foreword

This document (EN 16796-3:2016) has been prepared by Technical Committee CEN/TC 150 “Industrial Trucks - Safety”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017, and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

EN 16796 consists of the following parts, under the general title *Energy efficiency of Industrial trucks — Test methods*:

- *Part 1: General;*
- *Part 2: Operator controlled self-propelled trucks, towing tractors and burden-carrier trucks;*
- *Part 3: Container handling lift trucks.*

The following parts are under preparation:

- *Part 4: Rough-terrain trucks;*
- *Part 5: Trucks with elevating operator position and trucks specifically designed to travel with elevated loads.*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## EN 16796-3:2016 (E)

### 1 Scope

This European Standard specifies the method of energy consumption measurement for container handling lift trucks, as defined in ISO 5053-1.

This part is intended to be used in conjunction with EN 16796-1.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16796-1:2016, *Energy efficiency of Industrial trucks - Test methods - Part 1: General*

ISO 668, *Series 1 freight containers — Classification, dimensions and ratings*

ISO 5053-1, *Industrial trucks — Terminology and classification — Part 1: Types of industrial trucks*

ISO 5353, *Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point*

ISO 22915-9:2014, *Industrial trucks — Verification of stability — Part 9: Counterbalanced trucks with mast handling freight containers of 6 m (20 ft) length and longer*

ISO 22915-12:2015, *Industrial trucks — Verification of stability — Part 12: Industrial variable-reach trucks handling freight containers of 6 m (20 ft) length and longer*

### 3 Terms and definitions

For the purposes of this document the terms and definitions given in ISO 5053-1 and EN 16796-1 apply.

### 4 Test conditions

#### 4.1 General

The travelling position shall be such that the bottom of the container is no higher than 0,9 m above the seat index point (SIP) as defined in ISO 5353 (see ISO 22915-9:2014, 4.2 and ISO 22915-12:2015, 4.2), and at a height ensuring that the operator has sufficient forward visibility.

In the travelling position the boom shall be fully retracted.

Additional requirements for test conditions are given in EN 16796-1.

#### 4.2 Laden container handler

A laden container handler shall be tested with a test load of 70 % of the rated load.

#### 4.3 Empty container handler

An empty container handler shall be tested with an empty container according to ISO 668.

A container with a height of 8' 6" and a length of 20' (20 ft) shall be used in the test. (weight of 20 ft container minimum 2 200 kg)



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-