



NSAI
Standards

Irish Standard
I.S. EN 14986:2017

Design of fans working in potentially explosive atmospheres

I.S. EN 14986:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 14986:2017

Published:

2017-01-11

This document was published under the authority of the NSAI and comes into effect on:

2017-01-30

ICS number:

23.120

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 14986:2017 is the adopted Irish version of the European Document EN 14986:2017, Design of fans working in potentially explosive atmospheres

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 14986

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 23.120

Supersedes EN 14986:2007

English Version

Design of fans working in potentially explosive atmospheres

Conception des ventilateurs pour les atmosphères
explosibles

Konstruktion von Ventilatoren für den Einsatz in
explosionsgefährdeten Atmosphären

This European Standard was approved by CEN on 30 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope.....	6
2 Normative references.....	7
3 Terms and definitions	7
4 Requirements for all fans.....	8
4.1 Ignition hazard assessment.....	8
4.1.1 General.....	8
4.1.2 Normal operating conditions.....	8
4.1.3 Expected malfunction	8
4.1.4 Rare malfunction.....	8
4.2 Assignment of categories	8
4.3 Temperatures.....	9
4.3.1 General.....	9
4.3.2 Maximum surface temperature	9
4.3.3 Temperature of the conveyed atmosphere (flammable or not)	10
4.4 Mechanical design criteria.....	10
4.4.1 General.....	10
4.4.2 Clearance between rotating elements and the fan casing.....	10
4.5 Casing	11
4.5.1 General.....	11
4.5.2 Gas tightness.....	11
4.6 Impellers	11
4.7 Materials for rotating and stationary parts of fans.....	11
4.7.1 General.....	11
4.7.2 Permissible material pairings.....	12
4.8 Linings and tip extensions	22
4.9 Vibration	22
4.10 Earthing conducting parts	23
4.11 Electrostatic charges.....	23
4.12 Electrical equipment.....	23
4.13 Prevention of deposits inside the fan	23
4.14 Shaft seals	24
4.15 Bearings.....	24
4.16 Power transmission systems	24
4.17 Clutches and couplings.....	24
4.18 Brakes and braking systems	24
4.19 Impeller-shaft attachment.....	24
4.20 Corrosion of fan components.....	28
4.21 Fire resistance.....	28
4.22 Protection against foreign particles.....	28
5 Additional requirements for category 2	28
5.1 General.....	28
5.2 Impeller-shaft attachment.....	28
5.3 Vibration	29

5.4	Material pairings.....	29
6	Category 1 fans for specific use with a gaseous explosive atmosphere as a conveyed atmosphere (flammable or not).....	29
6.1	General requirements.....	29
6.2	Flame arresters	29
6.2.1	General	29
6.2.2	Stabilized burning	29
6.3	Casings.....	30
6.3.1	General	30
6.3.2	Gas tightness.....	30
7	Information for use.....	30
7.1	General	30
7.2	Accompanying documentation	30
7.3	Markings	32
	Annex A (normative) Additional requirements for category 1 G fans.....	33
A.1	General	33
A.2	Flame transmission test.....	33
A.3	Pressure test.....	34
	Annex B (informative) Classification of requirements for the different categories.....	35
	Annex C (informative) Checklist for verification of the safety requirements and/or protective measures	39
C.1	General	39
C.2	All categories.....	39
C.3	Category 2 – Gas and dust.....	40
C.4	Category 1 – Gas	40
	Annex D (informative) Examples of types of fans showing ignition minimizing features	41
	Annex E (normative) List of significant hazards.....	46
	Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/34/EU.....	50
	Bibliography	51

EN 14986:2017 (E)

European foreword

This document (EN 14986:2017) has been prepared by Technical Committee CEN/TC 305 “Potentially explosive atmospheres - Explosion prevention and protection”, the secretariat of which is held by DIN.

This document supersedes EN 14986:2007.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2014/34/EU.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered and indicated in the scope of this European Standard.

When provisions of this type C standard are different from those, which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

EN 14986:2017 (E)

1 Scope

1.1 This European Standard specifies the constructional requirements for fans constructed to Group II G (of explosion groups IIA, IIB and hydrogen) categories 1, 2 and 3, and Group II D categories 2 and 3, intended for use in explosive atmospheres.

NOTE 1 Operation conditions for the different categories of fans used in this European Standard are defined in Clause 4.

NOTE 2 Technical requirements for category 1 D fans are not given in this document. Where explosive dust atmospheres are regularly conveyed, explosion protection measures as described in EN 1127-1 are required if this specific use is needed.

1.2 This European Standard does not apply to group I fans (fans for mining), cooling fans or impellers on rotating electrical machines, cooling fans or impellers on internal combustion engines.

NOTE 1 Requirements for group I fans are given in EN 1710.

NOTE 2 The requirements for electrical parts are covered by references to electrical equipment standards.

1.3 This European Standard specifies requirements for design, construction, testing and marking of complete fan units intended for use in potentially explosive atmospheres in air containing gas, vapour, mist and/or dusts. Such atmospheres may exist inside (the conveyed atmosphere (flammable or not)), outside, or inside and outside of the fan.

1.4 This European Standard is applicable to fans working in ambient atmospheres and with normal atmospheric conditions at the inlet, having

- absolute pressures ranging from 0,8 bar to 1,1 bar,
- and temperatures ranging from -20 °C to +60 °C,
- and maximum volume fraction of 21 % oxygen content,
- and an aerodynamic energy increase of less than 25 kJ/kg.

NOTE 1 25 kJ/kg is equivalent to 30 kPa at inlet density of 1,2 kg/m³.

This European Standard may also be helpful for the design, construction, testing and marking of fans intended for use in atmospheres outside the validity range stated above or in cases where other material pairings need to be used. In this case, the ignition risk assessment, ignition protection provided, additional testing (if necessary), manufacturer's marking, technical documentation and instructions to the user, should clearly demonstrate and indicate the equipment's suitability for the conditions the fan may encounter.

This European Standard should not apply to integral fans as a part of Diesel engines, vehicles or electric motors.

NOTE 2 Where undated references are used in the body of the standard the latest edition applies.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-