

Irish Standard I.S. EN 14792:2017

Stationary source emissions - Determination of mass concentration of nitrogen oxides - Standard reference method: chemiluminescence

© CEN 2017 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 14792:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

Published:

This document is based on:

EN 14792:2017 2017-01-11

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:
13.040.40

2017-01-30

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN 14792:2017 is the adopted Irish version of the European Document EN 14792:2017, Stationary source emissions - Determination of mass concentration of nitrogen oxides - Standard reference method: chemiluminescence

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN 14792

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 13.040.40

Supersedes EN 14792:2005

English Version

Stationary source emissions - Determination of mass concentration of nitrogen oxides - Standard reference method: chemiluminescence

Emissions de sources fixes - Détermination de la concentration massique des oxydes d'azote - Méthode de référence normalisée : chimiluminescence

Emissionen aus stationären Quellen - Bestimmung der Massenkonzentration von Stickstoffoxiden -Standardreferenzverfahren: Chemilumineszenz

This European Standard was approved by CEN on 26 September 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 14792:2017 (E)

Contents Page

Europ	pean foreword	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Symbols and abbreviations	
4.1	Symbols	13
4.2	Abbreviated terms	14
5	Principle	
5.1	General	
5.2	Measuring principle	14
6	Description of the measuring system	
6.1	General	
6.2	Sampling and sample gas conditioning system	
6.2.1	Sampling probe	
6.2.2	Filter	
6.2.3	Sample gas line	
6.2.4	Sample gas conditioning system	
6.2.5	Sample gas pump	
6.2.6	Secondary filter	
6.2.7	Flow controller and flow meter	_
6.3	Analyser equipment	
6.3.1	General	18
6.3.2	Converter	
6.3.3	Ozone generator	19
6.3.4	Reaction chamber	19
6.3.5	Optical filter	19
6.3.6	Photomultiplier tube	20
6.3.7	Ozone removal	20
7	Performance characteristics of the SRM	20
8	Suitability of the measuring system to the measurement task	21
9	Field operation	22
9.1	Measurement planning	22
9.2	Sampling strategy	22
9.2.1	General	22
9.2.2	Measurement section and measurement planeplane	22
9.2.3	Minimum number and location of measurement points	22
9.2.4	Measurement ports and working platform	22
9.3	Choice of the measuring system	
9.4	Setting of the measuring system on site	
9.4.1	General	
9.4.2	Preliminary zero and span check, and adjustments	
9.4.3	Zero and span checks after measurement	

10	Ongoing quality control	
10.1 10.2	GeneralFrequency of checks	
10.2	Expression of results	
12	Equivalence of an alternative method	
13	Measurement report	
	A (informative) Validation of the method in the field	
A.1	General	
A.2	Characteristics of installations	
A.3	Repeatability and reproducibility in the field	
A.3.1	General	
A.3.2	Repeatability	
A.3.3	Reproducibility	
Annex	B (informative) Sampling and conditioning configurations	32
	C (normative) Determination of conversion efficiency	
C.1	General	
C.2	First method: cylinder gases for calibration	33
C.3	Second method: gaseous phase titration	
Annex	D (informative) Examples of different types of converters	35
D.1	Quartz converter	35
D.2	Low temperature converter (molybdenum)	35
D.3	Stainless steel converter	35
Annex	E (informative) Calculation of the uncertainty associated with a concentration expressed for dry gas and at an oxygen reference concentration	36
E.1	Uncertainty associated with a concentration expressed on dry gas	36
E.2	Uncertainty associated with a concentration expressed at a oxygen reference concentration	38
Annex	F (informative) Example of assessment of compliance of chemiluminescence method for $NO_{\rm x}$ with requirements on emission measurements	40
F.1	General	40
F.2	Elements required for the uncertainty determinations	40
F.2.1	Model equation	40
F.2.2	Combined uncertainty	41
F.2.3	Expanded uncertainty	41
F.2.4	Determination of uncertainty contributions in case of rectangular distributions	43
F.2.5	Determination of uncertainty contributions by use of sensitivity coefficients	44
F.3	Example of an uncertainty calculation	44
F.3.1	Site specific conditions	44

This is a free page sample. Access the full version online. **I.S. EN 14792:2017**

EN 14792:2017 (E)

F.3.2	Performance characteristics of the method	45
F.3.3	Calculation of concentration values	46
F.3.4	Determination of the uncertainty contributions	47
F.3.5	Result of uncertainty calculation	5 0
F.3.5.1	Standard uncertainties	5 0
F.3.5.2	Combined uncertainty	51
F.3.5.3	Expanded uncertainty	52
F.3.5.4	Evaluation of the compliance with the required measurement quality	52
Annex	G (informative) Example of correction of data from drift effect	5 3
	H (informative) Significant technical changes	
Bibliog	graphy	56

EN 14792:2017 (E)

European foreword

This document (EN 14792:2017) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This document supersedes EN 14792:2005.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Annex H provides details of significant technical changes between this document and the previous edition.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 14792:2017 (E)

1 Scope

This European Standard specifies the standard reference method (SRM) based on the chemiluminescence principle for the determination of the nitrogen oxides (NO_x) in flue gases emitted to the atmosphere from ducts and stacks. It includes the sampling and the gas conditioning system, as well as the analyser.

This European Standard specifies the characteristics to be determined and the performance criteria to be fulfilled by portable automated measuring systems (P-AMS) based on this measurement method. It applies for periodic monitoring and for the calibration or control of automated measuring systems (AMS) permanently installed on a stack, for regulatory or other purposes.

This European Standard specifies criteria for demonstration of equivalence of an alternative method to the SRM by application of EN 14793:2017.

This European Standard has been validated during field tests on waste incineration, co-incineration and large combustion installations and on a recognized test-bench. It has been validated for sampling periods of 30 min in the range of 0 mg/m 3 to 1 300 mg/m 3 of NO $_x$ for large combustion plants and 0 mg/m 3 to 400 mg/m 3 of NO $_x$ for waste incineration, according to emission limit values (ELV) laid down in the Directive 2010/75/EU.

The ELV for NO_x (NO + NO_2) in EU Directives is expressed in mg/m^3 of NO_2 on a dry basis, at a specified value for oxygen and at standard conditions (273 K and 101,3 kPa).

NOTE The characteristics of installations, the conditions during field tests and the values of repeatability and reproducibility in the field are given in Annex A.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN~14793:2017, Stationary~source~emission-Demonstration~of~equivalence~of~an~alternative~method~with~a~reference~method~

EN 15259:2007, Air quality - Measurement of stationary source emissions - Requirements for measurement sections and sites and for the measurement objective, plan and report

EN 15267-4:2017, Air quality — Certification of automated measuring systems — Part 4: Performance criteria and test procedures for automated measuring systems for periodic measurements of emissions from stationary sources

EN ISO 14956:2002, Air quality - Evaluation of the suitability of a measurement procedure by comparison with a required measurement uncertainty (ISO 14956:2002)

ISO/IEC Guide 98-3:2008, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*



This is a free preview	 Purchase the entire 	e publication at the link below:
------------------------	---	----------------------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation