



NSAI
Standards

Irish Standard
I.S. EN 12574-1:2017

Stationary waste containers - Part 1:
Containers with a capacity up to 10 000 l with
flat or dome lid(s), for trunnion, double
trunnion or pocket lifting device - Dimensions
and design

I.S. EN 12574-1:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12574-1:2017

Published:

2017-02-01

*This document was published
under the authority of the NSAI
and comes into effect on:*

2017-02-20

ICS number:

13.030.40

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 12574-1:2017 is the adopted Irish version of the European Document EN 12574-1:2017, Stationary waste containers - Part 1: Containers with a capacity up to 10 000 l with flat or dome lid(s), for trunnion, double trunnion or pocket lifting device - Dimensions and design

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 12574-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2017

ICS 13.030.40

Supersedes EN 12574-1:2006

English Version

**Stationary waste containers - Part 1: Containers with a
capacity up to 10 000 l with flat or dome lid(s), for
trunnion, double trunnion or pocket lifting device -
Dimensions and design**

Conteneurs fixes à déchets - Partie 1 : Conteneurs de
capacité allant jusqu'à 10 000 l à couvercle(s) plat(s)
ou bombé(s), pour lève-conteneurs à préhension par
tourillons, double tourillon ou manchons - Dimensions
et conception

Stationäre Abfallsammelbehälter - Teil 1: Behälter mit
einem Volumen bis 10 000 l mit Flach- oder
Schiebedeckel(n), für Schüttungen mit
Zapfenaufnahme, Doppelzapfenaufnahme oder
Taschenaufnahme - Maße und Formgebung

This European Standard was approved by CEN on 21 November 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Volumes	6
5 Dimensions and design	7
6 Nominal load and total permissible mass	7
7 Safety and health requirements	7
8 Testing.....	7
9 Marking.....	8
10 Designation.....	8
Annex A (informative) A-deviations	23
Bibliography	24

European foreword

This document (EN 12574-1:2017) has been prepared by Technical Committee CEN/TC 183 “Waste management”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017, and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12574-1:2006.

This European Standard is one part of the series of standards EN 12574 about “Stationary waste containers” comprising the following parts:

- Part 1: Containers with a capacity up to 10 000 l with flat or dome lid(s), for trunnion, double trunnion or pocket lifting device — Dimensions and design;
- Part 2: Performance requirements and test methods;
- Part 3: Safety and health requirements;

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12574-1:2017 (E)

1 Scope

This part of EN 12574 specifies dimensions and requirements of stationary waste containers (in the text also called containers) without wheels or with wheels for positioning purposes only, with flat or dome lid(s) and capacities up to 10 000 l for trunnion, double trunnion or pocket lifting devices.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1501-5, *Refuse collection vehicles - General requirements and safety requirements - Part 5: Lifting devices for refuse collection vehicles*

EN 12574-2:2017, *Stationary waste containers - Part 2: Performance requirements and test methods*

EN 12574-3:2017, *Stationary waste containers - Part 3: Safety and health requirements*

EN 840-1:2012, *Mobile waste and recycling containers - Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices - Dimensions and design*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Terms for components of waste containers and lifting devices in three languages are given in Annex A of EN 840-1:2012.

3.1

stationary waste container

appropriately designed container without wheels or fitted with them, for positioning empty containers only, to temporarily store waste

3.2

lifting device

structure which picks-up, tilts and empties containers into the RCV (Refuse Collection Vehicle) and returns the container to the ground

3.3

trunnion lifting device

lifting device in which the picking-up system of the RCV consists of a pair of arms with automatic locking mechanism to fit the trunnion to retain the container during emptying

3.4

double trunnion lifting device

lifting device in which the picking-up system of the RCV consists of a pair of arms with automatic locking mechanism to fit the trunnions and to retain the container during emptying

Note 1 to entry: The double trunnion picking-up system supports the torsional moment during the tilting motion.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-