

Irish Standard I.S. EN ISO 14405-3:2017

Geometrical product specifications (GPS) -Dimensional tolerancing - Part 3: Angular sizes (ISO/DIS 14405-3:2013)

 $\ensuremath{\mathbb C}$  CEN 2017  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### I.S. EN ISO 14405-3:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

*This document is based on:* EN ISO 14405-3:2017 *Published:* 2017-01-18

This document was published under the authority of the NSAI and comes into effect on:

2017-02-05

ICS number:

17.040.40

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

#### **National Foreword**

I.S. EN ISO 14405-3:2017 is the adopted Irish version of the European Document EN ISO 14405-3:2017, Geometrical product specifications (GPS) - Dimensional tolerancing - Part 3: Angular sizes (ISO/DIS 14405-3:2013)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

#### Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

# EUROPEAN STANDARD NORME EUROPÉENNE

# EN ISO 14405-3

# EUROPÄISCHE NORM

January 2017

ICS 17.040.40

**English Version** 

# Geometrical product specifications (GPS) - Dimensional tolerancing - Part 3: Angular sizes (ISO 14405-3:2016)

Spécification géométrique des produits (GPS) -Tolérancement dimensionnel - Partie 3: Tailles angulaires (ISO 14405-3:2016) Geometrische Produktspezifikationen (GPS) -Dimensionelle Tolerierung - Teil 3: Winkelgrößenmaße (ISO 14405-3:2016)

This European Standard was approved by CEN on 2 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels** 

This is a free page sample. Access the full version online. I.S. EN ISO 14405-3:2017

EN ISO 14405-3:2017 (E)

Contents	Page
European foreword	

# **European foreword**

This document (EN ISO 14405-3:2017) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 14405-3:2016 has been approved by CEN as EN ISO 14405-3:2017 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

# INTERNATIONAL STANDARD

# ISO 14405-3

First edition 2016-12-15

# Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 3: Angular sizes

Spécification géométrique des produits (GPS) — Tolérancement dimensionnel —

Partie 3: Tailles angulaires



Reference number ISO 14405-3:2016(E)



#### © ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

# Contents

Forew	ord	iv
Introd	uction	<b>v</b>
1	Scope	1
2	Normative references	2
3	Terms and definitions	2
4	Specification modifiers and symbols	11
5	Default specification operator for angular size5.1General5.2ISO default specification operator for angular size5.3Drawing-specific default specification operator for angular size	13 14
6	<ul> <li>Drawing indication</li> <li>6.1 Drawing indication for special specification operators for angular size</li> <li>6.2 Indication of the toleranced feature on which the angular size characteristic is defined</li> </ul>	16
	A (normative) Association criteria for two-line angular size (for a revolute or prismatic feature of size)	18
Annex	B (informative) Differences between two planes considered as an angular feature of size and two planes considered as two single features	19
Annex	C (informative) Overview diagram for angular size	20
Annex	D (informative) Relation to ISO GPS matrix	
	graphy	

#### This is a free page sample. Access the full version online. I.S. EN ISO 14405-3:2017

#### ISO 14405-3:2016(E)

# Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <u>www.iso.org/iso/foreword.html</u>.

The committee responsible for this document is Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 14405 consists of the following parts, under the general title *Geometrical product specification (GPS)* — *Dimensional tolerancing*:

- Part 1: Linear sizes
- Part 2: Dimensions other than linear sizes
- Part 3: Angular sizes

# Introduction

This part of ISO 14405 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). In the general GPS matrix, it influences chain links "Symbols and indications", "Feature requirements" and "Feature properties" of the size chain of standards.

The ISO/GPS Masterplan given in ISO 14638 gives an overview of the ISO/GPS system of which this part of ISO 14405 is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this part of ISO 14405 and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this part of ISO 14405, unless otherwise indicated.

For more detailed information on the relation of this part of ISO 14405 to other standards and to the GPS matrix model, see <u>Annex D</u>.

This is a free page sample. Access the full version online.  $I.S.\ EN\ ISO\ 14405-3:2017$ 

# Geometrical product specifications (GPS) — Dimensional tolerancing —

# Part 3: Angular sizes

## 1 Scope

This part of ISO 14405 establishes the default specification operator for angular size and defines a number of special specification operators for features of angular size: cone (truncated, i.e. frustum, or not), wedge (truncated or not), two opposite straight lines (intersection of a wedge/truncated wedge and a plane perpendicular to the intersection straight line of the two planes of the wedge/truncated wedge, intersection of a cone/frustum and a plane containing the axis of revolution of the cone/frustum). See Figure 1 and Figure 2.

This part of ISO 14405 also defines the specification modifiers and the drawing indications for these angular sizes.

This part of ISO 14405 covers the following angular sizes:

- local angular size:
  - angular size between two lines;
  - portion angular size;
- global angular size:
  - direct global angular size:
    - least squares angular size;
    - minimax angular size;
  - rank order angular size/indirect global angular size:
    - maximum angular size;
    - minimum angular size;
    - average angular size;
    - range of angular sizes;
    - mid-range angular size;
    - median angular size;
    - standard deviation of angular size.

This part of ISO 14405 defines the meaning of tolerances of angular sizes indicated as

- + and/or limit deviations, e.g. 0°/-0,5°, or
- indicated with upper limit of size (ULS) and/or lower limit of size (LLS), e.g.  $35^{\circ}$  max. or  $15^{\circ}$  min.,  $34^{\circ}/36^{\circ}$ ,

— with or without modifiers.

This part of ISO 14405 provides a set of tools to express several types of angular size characteristics. It does not give any information on the relationship between a function or a use and an angular size characteristic.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8015, Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules

ISO 17450-1, Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification

ISO 17450-2, Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators, uncertainties and ambiguities

ISO 17450-3, Geometrical product specification (GPS) — General concepts — Part 3: Toleranced Features

ISO 14405-1:2016, Geometrical product specifications (GPS) — Dimensional tolerancing — Part 1: Linear sizes

ISO 14405-2, Geometrical product specifications (GPS) — Dimensional tolerancing — Part 2: Dimensions other than linear sizes

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8015, ISO 17450-1, ISO 17450-2, ISO 17450-3, ISO 14405-1, ISO 14405-2 and the following apply.

For association criteria, it is assumed that the terms "least squares" and "Gaussian" are equivalent, as well as "minimax" and "Chebyshev". In this document, the terms "least squares" and "minimax" are retained. The least squares criterion is understood without material constraint throughout this part of ISO 14405.

#### 3.1

#### angular size

angular dimension of a cone or between two coplanar opposite straight lines or between two opposite non parallel planes

Note 1 to entry: The angular size is defined from nominal features or from associated features which are angular features of size.

Note 2 to entry: See example of angular size on Figure 1 and Figure 2.

Note 3 to entry: Definition of "angular feature of size (feature of angular size)" is given in ISO 17450-1, the angle dimension cannot be 0° or 180°.

Note 4 to entry: Angular features of size are of two types.

- Revolute angular feature of size: a cone or a frustum. Two opposite straight lines are established from a longitudinal section of a cone/frustum with a plane containing the associated axis of revolution of the cone/frustum.
- Prismatic angular feature of size: a wedge (truncated or not). Two opposite straight lines are established from a cross section of a wedge/truncated wedge with a plane perpendicular to the intersection straight line of the two associated planes of the wedge/truncated wedge.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation