



NSAI
Standards

Irish Standard Recommendation
S.R. CEN/TR 17144:2017

Resistance of metallic materials to liquid biogenic and alternative fuels and their blends

S.R. CEN/TR 17144:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TR 17144:2017

Published:

2017-09-13

This document was published under the authority of the NSAI and comes into effect on:

2017-10-01

ICS number:

77.060

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TR 17144:2017 is the adopted Irish version of the European Document CEN/TR 17144:2017, Resistance of metallic materials to liquid biogenic and alternative fuels and their blends

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL REPORT

CEN/TR 17144

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

September 2017

ICS 77.060

English Version

Resistance of metallic materials to liquid biogenic and alternative fuels and their blends

Résistance des matériaux métalliques aux
biocombustibles liquides, aux combustibles liquides
alternatifs et à leurs mélanges

Beständigkeit metallischer Werkstoffe gegenüber
flüssigen biogenen und alternativen Brennstoffen und
deren Blends

This Technical Report was approved by CEN on 4 September 2017. It has been drawn up by the Technical Committee CEN/TC 47.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
European foreword		3
Introduction		3
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Materials	6
5	Liquid fuels	8
6	Resistance of metallic materials to liquid biogenic and alternative fuels and their blends	8
7	Test procedure on resistance	12
8	Recommendations on material selection for components in supply systems	13
9	Conclusion	13
Annex A (informative) National requirements for liquid fuels		14
A.1	General	14
A.2	Category A: Liquid fuels derived from petroleum refining processes	14
A.3	Category B: Liquid fuels from renewable resources	14
A.4	Category C: Combinations of category A and B	15
Bibliography		16

European foreword

This document (CEN/TR 17144:2017) has been prepared by Technical Committee CEN/TC 47 “Atomizing oil burners and their components - Function - Safety - Testing”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Introduction

Both the limited range and scope of crude oil and other fossil energy sources, as well as the impact on the climate resulting from the anthropogenic output of greenhouse gases, have led to a politically induced initiation of the restructuring of energy usage.

In addition to increasing actual efficiency in the technical utilization of fossil energy sources, the focus is on the development and expansion of renewable energies. The integration of regenerative resources in sustainable heat generation can reduce the output of greenhouse gases such as CO₂, as well as the need for fossil energy sources. As a bio-component of blends, fatty acid methyl ester (FAME) is currently used. As a result of the chemical/physical properties, as well as evaporation and combustion characteristics, experience shows that an admixture is possible up to 30 % (V/V) FAME [22, 23]. Due to the possible interactions of the blends with components and in particular with non-ferrous metals such as copper/brass, the manufacturers of consuming units and devices have approved their products only to a limited extent for such an admixture. By contrast, the manufacturers of tanks and components in the fuel piping consider their products to also be suitable for blends with higher admixtures.

However, with regard to the increasing market penetration of blends as a liquid fuel with biogenic or alternative admixtures, requirements for the materials used should be defined and stipulated as standard. There is, therefore, the need to prove the resistance of the materials used against these fuels.

1 Scope

This Technical Report includes application-relevant metallic materials of supply systems for liquid fuels and their blends with regard to corrosive or service life reducing influences. Assessment of the specialist literature showed possible interactions with biogenic and alternative fuels and motor fuels as well as their blends with mineral oil and motor fuels. The results of this assessment are given in this CEN/TR.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

3.1

material

raw, semi-finished or finished substance of given characteristics from which processing into a component or part is undertaken

[SOURCE: EN 16603-10-03:2014, 3.1.12, modified: deletion of “(gaseous, liquid, solid)”]

3.2

corrosion

physicochemical interaction between a metal and its environment that results in changes in the properties of the metal, and which may lead to significant impairment of the function of the metal, the environment, or the technical system, of which these form a part

[SOURCE: EN ISO 8044:2015, 2.1, modified: deletion of the note]

3.3

liquid fuel

fuel which consists of mineral fuel based fractions and which remains in its liquid state under standard temperature and pressure conditions

[SOURCE: EN 13878:2003, 3.22, modified: added mineral fuel based fractions]

3.4

liquid biogenic fuel

liquid fuel which consists 100 % (V/V) of biogenic contents

3.5

liquid alternative fuel

liquid fuel which consists 100 % (V/V) of contents that is not contained in conventional mineral fuel based liquid fuels

3.6

blend

liquid fuel consisting of mineral fuel based fractions and admixtures of liquid biogenic and/or liquid alternative fuels

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-