



NSAI
Standards

Irish Standard
I.S. EN 515:2017

Aluminium and aluminium alloys - Wrought products - Temper designations

I.S. EN 515:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 515:2017

Published:

2017-03-08

This document was published under the authority of the NSAI and comes into effect on:

2017-03-26

ICS number:

01.040.77

77.120.10

77.150.01

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 515:2017 is the adopted Irish version of the European Document EN 515:2017, Aluminium and aluminium alloys - Wrought products - Temper designations

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 515

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 01.040.77; 77.120.10; 77.150.01

Supersedes EN 515:1993

English Version

Aluminium and aluminium alloys - Wrought products - Temper designations

Aluminium et alliages d'aluminium - Produits corroyés
- Désignation des états métallurgiques

Aluminium und Aluminiumlegierungen - Halbzeug -
Bezeichnungen der Werkstoffzustände

This European Standard was approved by CEN on 6 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	3
1 Scope	4
2 Normative references.....	4
3 Terms and definitions	4
4 Basis of codification	6
5 Basic temper designations.....	6
5.1 F – as fabricated	6
5.2 O – Annealed	6
5.3 H – Strain-hardened	6
5.4 W – Solution heat-treated	7
5.5 T – Thermally treated to produce stable tempers other than F, O or H (for heat-treatable alloys only)	7
6 Subdivision of O (annealed) temper designations.....	7
6.1 O ₁ – High temperature annealed and slow cooled	7
6.2 O ₂ – Thermo-mechanically processed	7
6.3 O ₃ – Homogenized	7
7 Subdivision of H (strain-hardened) temper designations	7
8 Subdivision of T (thermally treated to produce stable tempers other than F, O or H) temper designations	10
8.1 First digit after T.....	10
8.2 Additional digits added to designations T1 to T10	12
8.3 Assigned additional digits for stress-relieved T tempers	12
8.3.1 Stress-relieved by stretching	12
8.3.2 Stress-relieved by compressing	13
8.3.3 Stress-relieved by combined stretching and compressing.....	13
8.3.4 Assigned additional digits for stress-relieved W tempers	13
8.4 Assigned additional digits for variations of T7 type tempers.....	13
8.5 Demonstration of response to heat treatment.....	14
8.5.1 Temper designations for producer/supplier — Laboratory demonstration of response to heat treatment.....	14
8.5.2 Temper designations for producer/supplier — Demonstration of response to temper conversion	14
8.5.3 Temper designations for purchaser/user heat treatment	14
9 Summary	14
Annex A (informative) Recommendations for further T tempers extensions	23
A.1 Numeral 1 as a second digit after T	23
A.2 Numerals 1 and 3 to 9 as a second digit after T3, T8 or T9	23
A.3 Numerals 1 and 3 to 5 as a second digit after T5 or T6	23
A.4 Numeral 6 as a second digit after T5 or T6	23
A.5 Summary of possible uses of a second digit after T	23
Bibliography	25

European foreword

This document (EN 515:2017) has been prepared by Technical Committee CEN/TC 132 “Aluminium and aluminium alloys”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 515:1993.

The following modifications were implemented in this new version of EN 515:

- Addition of Clause 2 “Normative references”;
- new definitions and sources in Clause 3;
- new precision in Subclauses 6.1, 7 and 7.3;
- new Table 1 and modification of Table 2;
- improvement of the content of Clause 8.4;
- modification of Figure 1;
- inclusion of new tempers in Table 3: T552, T554, T72, T72510, T72511, T74511, T7452, T7454, T7752, T7754, T7852, T7854, T7952 and T7954;
- modification of new tempers in Table 3: H131, T3510;
- updating Annex A.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 515:2017 (E)**1 Scope**

This European Standard establishes temper designations for all forms of wrought aluminium and aluminium alloys and for continuously cast aluminium and aluminium alloys drawing stock and strip intended to be wrought.

NOTE Some of these temper designations may be subject of patent or patent applications and their listing herein is not to be construed in any way as the granting of a license under such patent right.

Additional temper designations, conforming to this standard, may be standardized with CEN/TC 132 and AECMA/5 provided:

- the temper is used or is available for use by more than one user;
- mechanical property limits are defined;
- the characteristics of the temper are significantly different from those of all other tempers which have the same sequence of basic treatments and for which designations already have been assigned for the same alloy and product;
- the following are also defined if characteristics other than mechanical properties are considered significant:
 - a) test methods and limits for the characteristics; or
 - b) the specific practices used to produce the temper.

2 Normative references

Not applicable.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1**temper**

condition of the metal produced by mechanical and/or thermal processing, typically characterized by a certain structure and specified properties

[SOURCE: EN 12258-1:2012, 3.6.5]

3.2**hot working**

forming of a solid metal after preheating

Note 1 to entry: Strain hardening may or may not occur during hot working.

[SOURCE: EN 12258-1:2012, 3.2.3]

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-