



NSAI
Standards

Irish Standard
I.S. EN 6076:2017

Aerospace series - Static seal elements O-Ring for straight thread tube fitting boss, ethylene-propylene, moulded, phosphate ester resistant (-55 °C to 107 °C) - Inch series

I.S. EN 6076:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 6076:2017

Published:

2017-05-03

*This document was published
under the authority of the NSAI
and comes into effect on:*

2017-05-21

ICS number:

49.035

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 6076:2017 is the adopted Irish version of the European Document EN 6076:2017, Aerospace series - Static seal elements O-Ring for straight thread tube fitting boss, ethylene-propylene, moulded, phosphate ester resistant (-55 °C to 107 °C) - Inch series

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 6076

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2017

ICS 49.035

English Version

**Aerospace series - Static seal elements O-Ring for straight
thread tube fitting boss, ethylene-propylene, moulded,
phosphate ester resistant (-55 °C to 107 °C) - Inch series**

Série aérospatiale - Joint torique statique pour raccord
à embout mâle épaulé, éthylène-propylène, moulé,
résistant à l'ester phosphorique (-55 °C à 107 °C) -
Série en inches

Luft- und Raumfahrt - Statische Dichtungen O-Ring, für
gerade Einschraubstutzen mit Bund, Ethylen-Propylen,
geformt, beständig gegen Phosphorsäureester (-55 °C
bis 107 °C) - Inch Reihe

This European Standard was approved by CEN on 4 December 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 6076:2017 (E)

Contents		Page
European foreword.....		3
1	Scope	4
2	Normative references	4
3	Requirements	4
4	Designation.....	6
5	Marking and packaging	6
6	Technical specification.....	6
7	Quality assurance	6
Annex A (informative) Standard evolution form.....		7

European foreword

This document (EN 6076:2017) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this European Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017, and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 6076:2017 (E)

1 Scope

This European Standard specifies the characteristics of configuration, dimensions, tolerances and mass for moulded O-Ring seal elements, phosphate ester fluid resistant, for straight thread tube fitting boss for use as static seals in hydraulic systems for aerospace application.

Application temperature range: –55 °C to 107 °C of continuous operation.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 6109, *Aerospace series — Static seal elements elastomer moulded, phosphate ester resistant — Technical specification*¹⁾

EN 6111, *Aerospace series — Ethylene-propylene elastomer (EPM/EPDM) — Hardness 80 IRHD for static seal elements in hydraulic systems for long-term application — Material standard*¹⁾

EN 9133, *Aerospace series — Quality management systems — Qualification procedure for aerospace standard parts*

3 Requirements

3.1 Configuration, dimensions, tolerances and mass

- Configuration shall be in accordance with Figure 1;
- Dimensions shall conform with Figure 1 and Table 1;
- Tolerances shall be in accordance with Table 1;
- Mass shall be in accordance with Table 1.

Dimensions and tolerances are expressed in millimetres (inches).

¹⁾ Published as ASD-STAN Prestandard at the date of publication of this European Standard. <http://www.asd-stan.org/>

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-