



NSAI
Standards

Irish Standard
I.S. EN ISO 11819-2:2017

Acoustics - Measurement of the influence of road surfaces on traffic noise - Part 2: The close-proximity method (ISO 11819-2:2017)

I.S. EN ISO 11819-2:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 11819-2:2017

Published:

2017-04-26

This document was published under the authority of the NSAI and comes into effect on:

2017-05-14

ICS number:

17.140.30

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 11819-2:2017 is the adopted Irish version of the European Document EN ISO 11819-2:2017, Acoustics - Measurement of the influence of road surfaces on traffic noise - Part 2: The close-proximity method (ISO 11819-2:2017)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 11819-2

April 2017

ICS 17.140.30

English Version

**Acoustics - Measurement of the influence of road surfaces
on traffic noise - Part 2: The close-proximity method (ISO
11819-2:2017)**

Acoustique - Méthode de mesurage de l'influence des
revêtements de chaussées sur le bruit émis par la
circulation - Partie 2: Méthode de proximité immédiate
(ISO 11819-2:2017)

Akustik - Messung des Einflusses von
Straßenoberflächen auf Verkehrsgeräusche - Teil 2:
Nahfeldmessverfahren (ISO 11819-2:2017)

This European Standard was approved by CEN on 19 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 11819-2:2017 (E)

Contents

	Page
European foreword.....	3

European foreword

This document (EN ISO 11819-2:2017) has been prepared by Technical Committee ISO/TC 43 "Acoustics" in collaboration with Technical Committee CEN/TC 227 "Road materials" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2017, and conflicting national standards shall be withdrawn at the latest by October 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11819-2:2017 has been approved by CEN as EN ISO 11819-2:2017 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
11819-2**

First edition
2017-03

**Acoustics — Measurement of the
influence of road surfaces on traffic
noise —**

**Part 2:
The close-proximity method**

Acoustique — Méthode de mesurage de l'influence des revêtements de chaussées sur le bruit émis par la circulation —

Partie 2: Méthode de proximité immédiate



Reference number
ISO 11819-2:2017(E)

ISO 11819-2:2017(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
3.1 Road and pavement related definitions	2
3.2 Measurement methods and equipment	2
3.3 Acoustic quantities and symbols	3
3.4 Symbols used for correction terms	4
4 Symbols and abbreviated terms	4
5 Measurement principle	6
6 Measuring instruments	6
6.1 Sound level instrumentation	6
6.2 Frequency analysis instrumentation	7
6.3 Sound calibration instrumentation	7
6.4 Vehicle speed measuring instrumentation	7
6.5 Position monitoring instrumentation	7
6.6 Temperature measuring instrumentation	7
6.7 Tyre load measuring equipment	7
6.8 Inflation pressure measuring equipment	7
6.9 Verification of measuring system and measuring instrumentation	7
7 Test sites	8
8 Meteorological conditions	8
8.1 Wind	8
8.2 Temperature and other weather-related issues	8
9 Test vehicle	9
9.1 General design	9
9.2 Microphone positions and mounting	9
9.3 Performance requirements and conformity of the test vehicle	11
9.4 Reference tyres	11
9.5 Tyre rubber hardness	11
9.6 Tyre mounting	11
9.7 Tyre run-in	12
10 Measurement procedure	12
10.1 Preparations for measurements	12
10.2 Measurement of sound	12
10.3 Procedure for study of typical road section	12
10.4 Minimum number of runs for very short road sections	13
10.5 Lateral position on the road	13
10.6 Longitudinal position on the road	13
10.7 Consideration of disturbing noise	13
10.8 Test vehicle speed	13
10.8.1 Reference speeds	13
10.8.2 Test speed and acceptable deviations	13
10.9 Tyre loads	14
10.10 Tyre inflation	14
10.11 Temperature measurement	14
10.11.1 General	14
10.11.2 Air temperature	15
10.11.3 Road surface temperature (optional)	15

ISO 11819-2:2017(E)

10.12	Overview and summary	15
11	Analysis procedure	15
11.1	Definition of steps in the calculation process	15
11.2	Results expressed as overall levels	16
11.2.1	General	16
11.2.2	Case A	17
11.2.3	Case B	17
11.2.4	Expression of CPX levels	17
11.3	Results expressed as one-third-octave-band levels	18
11.3.1	General	18
11.3.2	Case A	18
11.3.3	Case B	18
11.4	Correction for analysis of spectral levels	18
11.5	Acoustic variability	18
12	Measurement uncertainty assessment according to ISO/IEC Guide 98-3	19
13	Repeatability and reproducibility: System comparison according to ISO 5725-2	21
14	Test report	21
Annex A (normative) Certification of the test vehicle		24
Annex B (normative) Averaging within each road segment		30
Annex C (informative) Detailed explanation of the calculation procedure		32
Annex D (informative) Applicability of ISO 11819 methods		37
Annex E (informative) Guidelines for design and use of the test vehicle		39
Annex F (informative) Guidelines for measurements		43
Annex G (informative) Application of the CPX method for surveying large road networks		45
Annex H (informative) Application of the CPX method for other objectives		48
Annex I (informative) Summary of measurement parameters		49
Annex J (informative) Validity and stability of the method		50
Annex K (informative) Measurement uncertainty		53
Annex L (informative) Reference road surface		56
Annex M (informative) Calculation of close-proximity sound indices		58
Annex N (informative) Summary of measuring and data-processing procedures		59
Annex O (informative) Example of test report		61
Bibliography		64

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 43, *Acoustics*, Subcommittee SC 1, *Noise*.

A list of all parts in the ISO 11819 series can be found on the ISO website.

Introduction

The emission and propagation of road traffic noise greatly depends on road surface characteristics, notably on texture, flow resistivity and acoustic absorption. All these characteristics influence the generation of tyre/road noise and, in addition, the acoustic absorption can influence the propagation of sound, particularly when the propagation takes place close to the surface. Power unit noise, which is usually generated at a greater height above the road surface than tyre/road noise, may also be affected during propagation by the porosity characteristics of the road surface. These effects lead to differences in sound pressure levels, associated with a given traffic flow and composition, from different road surfaces of up to 15 dB, which can have a substantial impact on the environmental quality alongside a road.

It is therefore important to be able to measure the influence of surface characteristics on tyre/road noise by a standardized method. Within the constraints of this method, this document offers an objective rating of the road characteristics to satisfy a need expressed by road planners, road administrators, contractors, manufacturers of so-called “low-noise surfaces” and other parties concerned with the control of road traffic noise.

A method satisfying the needs expressed in the foregoing, but having serious practical constraints, appears in ISO 11819-1. That method, called the statistical pass-by (SPB) method, is intended for use essentially for two main purposes. It can be used: first, to classify surfaces in typical and good condition as a type according to their influence on traffic noise (surface classification); and second, to evaluate the influence on traffic noise of different surfaces at particular sites irrespective of condition and age. However, due to severe requirements on the acoustical environment at the measurement site, the method cannot generally be used for approval of new or rebuilt surfaces at any arbitrary location. In addition, the SPB method has a number of other practical limitations, which are outlined in [Annex D](#).

The method specified in this document, together with ISO/TS 11819-3, complements the SPB method in applications where the latter has limitations.

Acoustics — Measurement of the influence of road surfaces on traffic noise —

Part 2: The close-proximity method

1 Scope

This document specifies a method of evaluating different road surfaces with respect to their influence on traffic noise, under conditions when tyre/road noise dominates. The interpretation of the results applies to free-flowing traffic travelling on essentially level roads at constant speeds of 40 km/h and upwards, in which cases tyre/road noise is assumed to dominate (although in some countries it is possible that tyre/road noise does not dominate at 40 km/h when the proportion of heavy vehicles is high). For other driving conditions where traffic is not free-flowing, such as at junctions or under heavy acceleration, and where the traffic is congested, the influence of the road surface on noise emission is more complex. This is also the case for roads with high longitudinal gradients and a high proportion of heavy vehicles.

A standard method for comparing noise characteristics of road surfaces gives road and environment authorities a tool for establishing common practices or limits as to the use of surfacings meeting certain noise criteria. However, it is not within the scope of this document to suggest such criteria.

ISO 11819-1 defines another method: the statistical pass-by (SPB) method. The close-proximity (CPX) method specified in the present document has the same main objectives as the SPB method, but is intended to be used specifically in applications that are complementary to it, such as:

- noise characterization of road surfaces at almost any arbitrary site, with the main purpose of checking compliance with a surface specification (an example for conformity of production is suggested in Reference [1]);
- checking the acoustic effect of maintenance and condition, e.g. wear of and damage to surfaces, as well as clogging and the effect of cleaning of porous surfaces;
- checking the longitudinal and lateral homogeneity of a road section;
- the development of quieter road surfaces and research on tyre/road interaction.

NOTE This document does not describe the conditions of application for formal purposes of the measurement with the CPX method. Such conditions may be defined in other standards or legal texts. However, suggestions for the applicability of ISO 11819-1 and this document are provided in [Annex D](#).

Measurements with the CPX method are faster and more practical than with the SPB method, but are more limited in the sense that it is relevant only in cases where tyre/road noise dominates and power unit noise can be neglected. Furthermore, it cannot take heavy vehicle tyre/road noise into account as fully as the SPB method can, since it uses a light truck tyre as a proxy for heavy vehicle tyres and does not take power unit noise into account.

The CPX method specified in this document is intended to measure the properties of road surfaces, not the properties of tyres. If the method is used for research purposes, to provide an indication of differences between tyres, the loads and inflations would normally be adjusted to other values than specified in this document.



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- ④ Looking for additional Standards? Visit Intertek Inform Infostore
 - ④ Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-