



NSAI
Standards

Irish Standard
I.S. EN 16852:2017

Foodstuffs - Determination of ethyl carbamate in stone fruit spirits, fruit marc spirits and other spirit drinks - GC-MS method

I.S. EN 16852:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 16852:2017

Published:

2017-05-10

This document was published under the authority of the NSAI and comes into effect on:

2017-05-28

ICS number:

67.160.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 16852:2017 is the adopted Irish version of the European Document EN 16852:2017, Foodstuffs - Determination of ethyl carbamate in stone fruit spirits, fruit marc spirits and other spirit drinks - GC-MS method

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 16852

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2017

ICS 67.160.10

English Version

**Foodstuffs - Determination of ethyl carbamate in stone
fruit spirits, fruit marc spirits and other spirit drinks - GC-
MS method**

Produits alimentaires - Détermination de la teneur en
carbamate d'éthyle dans les eaux-de-vie de fruits à
noyaux, les eaux-de-vie de marc de fruits et les autres
boissons alcoolisées - Méthode par GC-SM

Lebensmittel - Bestimmung von Ethylcarbamat in
Steinobstbränden, Obstbränden und anderen
Spirituosen - GC-MS-Verfahren

This European Standard was approved by CEN on 20 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
European foreword		3
1	Scope	4
2	Normative references	4
3	Principle	4
4	Reagents	4
5	Apparatus	7
6	Procedure	8
7	Gas chromatography and mass spectrometry (GC-MS)	9
8	Calculation	9
9	Precision	10
10	Test report	11
Annex A (informative) Typical chromatograms		12
Annex B (informative) Precision data		16
Bibliography		17

European foreword

This document (EN 16852:2017) has been prepared by Technical Committee CEN/TC 275 “Food analysis - Horizontal methods”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017, and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

WARNING — The use of this standard can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this standard to take appropriate measures for ensuring the safety and health of the personnel prior to application of the standard and to fulfil statutory requirements for this purpose.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 16852:2017 (E)

1 Scope

This European Standard specifies a gas chromatographic method using mass spectrometric detection for the determination of ethyl carbamate (EC) in stone fruit spirits, fruit marc spirits and other spirit drinks.

The method has been validated in an interlaboratory study for stone fruit spirits and fruit liqueurs, at levels ranging from 0,253 mg/l to 1,11 mg/l. However, linearity of the instrument response was proven for the concentration ranges 0,10 mg/l to 4,0 mg/l (simplified method) and 0,025 mg/l to 3,0 mg/l (procedure including sample clean-up), respectively.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696:1995, *Water for analytical laboratory use - Specification and test methods (ISO 3696:1987)*

3 Principle

Stone fruit spirits with a content of total dry extract of less than 10 g/l are injected directly into the gas chromatography mass spectrometry (GC-MS) system after the adjustment of the alcoholic strength of the beverage when indicated and addition of internal standard (ISTD). Sugared brandies, liqueurs and other spirit drinks with a higher total dry extract are first transferred onto a solid phase extraction (SPE) cartridge and the ethyl carbamate is eluted with a mixture of cyclohexane and ethyl acetate.

Stone fruit spirits can contain precursors of ethyl carbamate which get transformed into EC under the influence of sunlight, e.g. during the shelf life of a spirit. To obtain the actual content of EC in the sample, light-protected glass ware (e.g. brown glass) shall be used during the analysis.

4 Reagents

Use only reagents of recognized analytical grade and water complying with grade 1 of EN ISO 3696:1995, unless otherwise specified. Solvents shall be of quality for HPLC (High Performance Liquid Chromatography) analysis.

Ethyl carbamate has been classified by IARC as probably carcinogenic to humans (see [1]).

4.1 Ethanol absolute.

4.2 Ethanol solutions.

4.2.1 Ethanol solution, volume fraction $\varphi = 65\%$.

Pipet 65 ml of ethanol (4.1) into a 100 ml volumetric flask and dilute to the mark with water.

4.2.2 Ethanol solution, $\varphi = 35\%$.

Pipet 35 ml of ethanol (4.1) into a 100 ml volumetric flask and dilute to the mark with water.

4.3 Cyclohexane.

4.4 Ethyl acetate.

4.5 Eluant, mixture of one part per volume of cyclohexane and one part per volume of ethyl acetate.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-