

Irish Standard I.S. EN 60684-3-247:2011&A1:2017

Flexible insulating sleeving - Part 3: Specifications for individual types of sleeving - Sheet 247: Heat-shrinkable polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

© CENELEC 2017 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 60684-3-247:2011&A1:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN 60684-3-247:2011/A1:2017

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN 60684-3-247:2011

2011-09-02

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

2017-04-04

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN 60684-3-247:2011&A1:2017 is the adopted Irish version of the European Document EN 60684-3-247:2011, Flexible insulating sleeving - Part 3: Specifications for individual types of sleeving - Sheet 247: Heat-shrinkable polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN 60684-3-247:2011&A1:2017

EUROPEAN STANDARD

EN 60684-3-247:2011/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 29.035.20

English Version

Flexible insulating sleeving - Part 3: Specifications for individual types of sleeving - Sheet 247: Heat-shrinkable polyolefin sleeving, dual wall, not flame retarded, thick and medium wall (IEC 60684-3-247:2011/A1:2016)

Gaines isolantes souples - Partie 3: Spécifications pour types particuliers de gaines - Feuille 247: Gaines thermorétractables en polyoléfine, à double paroi (épaisse et moyenne), non retardées à la flamme (IEC 60684-3-247:2011/A1:2016)

Isolierschläuche - Teil 3: Anforderungen für einzelne Schlauchtypen - Blatt 247: Wärmeschrumpfende Polyolefinschläuche mit Innenbeschichtung, nicht flammhemmend, dickwandig und mittlere Wanddicke (IEC 60684-3-247:2011/A1:2016)

This amendment A1 modifies the European Standard EN 60684-3-247:2011; it was approved by CENELEC on 2017-01-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60684-3-247:2011/A1:2017

European foreword

The text of document 15/754/CDV, future IEC 60684-3-247:2011/A1, prepared by IEC/TC 15 "Solid electrical insulating materials" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60684-3-247:2011/A1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-01-18 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60684-3-247:2011/A1:2016 was approved by CENELEC as a European Standard without any modification.

EUROPEAN STANDARD

EN 60684-3-247

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2011

ICS 29.035.20

English version

Flexible insulating sleeving Part 3: Specifications for individual types of sleeving Sheet 247: Heat-shrinkable polyolefin sleeving, dual wall, not flame
retarded, thick and medium wall

(IEC 60684-3-247:2011)

Gaines isolantes souples Partie 3: Spécifications pour types
particuliers de gaines Feuille 247: Gaines thermorétractables en
polyoléfine, à double paroi (épaisse et
moyenne), non retardées à la flamme
(CEI 60684-3-247:2011)

Isolierschläuche Teil 3: Anforderungen für einzelne
Schlauchtypen Blatt 247: Wärmeschrumpfende
Polyolefinschläuche mit
Innenbeschichtung, nicht flammwidrig,
dickwandig und mittlere Wanddicke
(IEC 60684-3-247:2011)

This European Standard was approved by CENELEC on 2011-07-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 15/625/FDIS, future edition 1 of IEC 60684-3-247, prepared by IEC TC 15, Solid electrical insulating materials, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60684-3-247 on 2011-07-28.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2012-04-28

 latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2014-07-28

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60684-3-247:2011 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60296	2003	Fluids for electrotechnical applications - Unused mineral insulating oils for transformers and switchgear	EN 60296 + corr. September	2004 2004
IEC 60502-1	2004	Power cables with extruded insulation and their accessories for rated voltages from 1 kV ($U_{\rm m}$ = 1,2 kV) up to 30 kV ($U_{\rm m}$ = 36 kV) - Part 1: Cables for rated voltages of 1 kV ($U_{\rm m}$ = 1,2 kV) and 3 kV ($U_{\rm m}$ = 3,6 kV)	-	-
IEC 60684-1	2003	Flexible insulating sleeving - Part 1: Definitions and general requirements	EN 60684-1	2003
IEC 60684-2 + A2	1997 2005	Flexible insulating sleeving - Part 2: Methods of test	EN 60684-2 + A2	1997 2005
IEC 60757	1983	Code for designation of colours	HD 457 S1	1985
ISO 846	1997	Plastics - Evaluation of the action of microorganisms	EN ISO 846	1997
ISO 868	2003	Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness)	EN ISO 868	2003
ISO 11357-3	1999	Plastics - Differential scanning calorimetry (DSC) - Part 3: Determination of temperature and enthalpy of melting and crystallization	-	-
ISO 11358	1997	Plastics - Thermogravimetry (TG) of polymers - General principles	EN ISO 11358	1997

This is a free page sample. Access the full version online.

This page is intentionally left blank



IEC 60684-3-247

Edition 1.0 2011-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Flexible insulating sleeving -

Part 3: Specifications for individual types of sleeving – Sheet 247: Heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

Gaines isolantes souples -

Partie 3: Spécifications pour types particuliers de gaines – Feuille 247: Gaines thermorétractables en polyoléfine, à double paroi (épaisse et moyenne), non retardées à la flamme





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Email: inmail@iec.ch

Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

■ IEC Just Published: www.iec.ch/online news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

■ Electropedia: <u>www.electropedia.org</u>

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

■ Customer Service Centre: <u>www.iec.ch/webstore/custserv</u>

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

■ Catalogue des publications de la CEI: <u>www.iec.ch/searchpub/cur_fut-f.htm</u>

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

Just Published CEI: www.iec.ch/online news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

■ Electropedia: <u>www.electropedia.org</u>

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

■ Service Clients: <u>www.iec.ch/webstore/custserv/custserv_entry-f.htm</u>

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch Tél.: +41 22 919 02 11 Fax: +41 22 919 03 00



IEC 60684-3-247

Edition 1.0 2011-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Flexible insulating sleeving -

Part 3: Specifications for individual types of sleeving – Sheet 247: Heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

Gaines isolantes souples -

Partie 3: Spécifications pour types particuliers de gaines – Feuille 247: Gaines thermorétractables en polyoléfine, à double paroi (épaisse et moyenne), non retardées à la flamme

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

PRICE CODE
CODE PRIX

M

ICS 29.035.20

ISBN 978-2-88912-548-7

-2-

60684-3-247 © IEC:2011

CONTENTS

FC	DREWORD	3
IN	TRODUCTION	5
1	Scope	6
2	Normative references	6
3	Designation	7
4	Conditions of test	7
5	Requirements	7
6	Sleeving conformance	7
An	nnex A (informative) Guide to the available sizes and wall thicknesses	12
Та	able 1 – Property requirements	8
Та	able 2 – Requirements for breakdown voltage	10
Та	able 3 – Resistance to selected fluids	11
Та	able 4 – Additional property requirements	11
Та	able A.1 – Type A medium wall	12
Та	able A.2 – Type B thick wall	12

60684-3-247 © IEC:2011

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING -

Part 3: Specifications for individual types of sleeving – Sheet 247: Heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60684-3-247 has been prepared by IEC technical committee 15: Solid electrical insulating materials.

The text of this standard is based on the following documents:

FDIS	Report on voting	
15/625/FDIS	15/637/RVD	

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

60684-3-247 © IEC:2011

– 4 –

A list of all the parts in the IEC 60684 series, under the general title *Flexible insulating sleeving*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

60684-3-247 © IEC:2011

- 5 -

INTRODUCTION

This International Standard is one of a series which deals with flexible insulating sleeving for electrical purposes.

The series consists of three parts:

Part 1: Definitions and general requirements (IEC 60684-1)

Part 2: Methods of test (IEC 60684-2)

Part 3: Specifications for individual types of sleeving (IEC 60684-3)

This standard gives one of the sheets comprising part 3 as follows:

Sheet 247: Heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

-6-

60684-3-247 © IEC:2011

FLEXIBLE INSULATING SLEEVING -

Part 3: Specifications for individual types of sleeving – Sheet 247: Heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded, thick and medium wall

1 Scope

This part of IEC 60684 gives the requirements for two types of heat-shrinkable, polyolefin sleeving, dual wall, not flame retarded with a nominal shrink ratio of 3:1.

This sleeving has been found suitable for use at temperatures of up to 100 °C.

Type A: Medium wall, internal diameter up to 200,0 mm typically

Type B: Thick wall, internal diameter up to 200,0 mm typically

These sleevings are normally supplied in colour black.

Since these types of sleevings cover a significantly large range of sizes and wall thicknesses, Tables A.1 and A.2 provide a guide to the range of sizes available. The actual size shall be agreed between the user and supplier.

Materials which conform to this specification meet established levels of performance. However, the selection of a material by a user for a specific application should be based on the actual requirements necessary for adequate performance in that application and not based on this specification alone.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60296:2003, Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear

IEC 60502-1:2004, Power cables with extruded insulation and their accessories for rated voltages from 1 kV (U_m = 1,2 kV) up to 30 kV (U_m = 36 kV) – Part 1: Cables for rated voltages of 1 kV (U_m = 1,2 kV) and 3 kV (U_m = 3,6 kV)

IEC 60684-1:2003, Flexible insulating sleeving – Part 1: Definitions and general requirements

IEC 60684-2:1997, Flexible insulating sleeving – Part 2: Methods of test Amendment 2 (2005)

IEC 60757:1983, Code for designation of colours

ISO 846:1997, Plastics – Evaluation of the action of micro-organisms

ISO 868: 2003, Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation