



NSAI
Standards

Irish Standard
I.S. CEN/TS 17083:2017

Foodstuffs - Determination of acrylamide in food and coffee by gas chromatography-mass spectrometry (GC-MS)

I.S. CEN/TS 17083:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TS 17083:2017

Published:

2017-06-07

This document was published under the authority of the NSAI and comes into effect on:

2017-06-25

ICS number:

67.050

67.060

67.080.20

67.140.20

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. CEN/TS 17083:2017 is the adopted Irish version of the European Document CEN/TS 17083:2017, Foodstuffs - Determination of acrylamide in food and coffee by gas chromatography-mass spectrometry (GC-MS)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL SPECIFICATION

CEN/TS 17083

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

June 2017

ICS 67.050; 67.060; 67.140.20; 67.080.20

English Version

Foodstuffs - Determination of acrylamide in food and coffee by gas chromatography-mass spectrometry (GC-MS)

Produits alimentaires - Dosage par CG-SM des produits alimentaires et café avec GC-MS

Lebensmittel - Bestimmung von Acrylamid in Lebensmitteln und Kaffee mit Gaschromatographie-Massenspektrometrie (GC-MS)

This Technical Specification (CEN/TS) was approved by CEN on 14 May 2017 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | | Page |
|---|--|-----------|
| European foreword | | 3 |
| 1 | Scope | 4 |
| 2 | Normative references | 4 |
| 3 | Principle | 4 |
| 4 | Reagents | 4 |
| 5 | Standard solution preparation | 6 |
| 6 | Apparatus | 7 |
| 7 | Procedure | 8 |
| 8 | GC-MS analysis | 10 |
| 9 | Calculating and reporting | 12 |
| 10 | Test report | 12 |
| 11 | Precision data | 13 |
| Annex A (informative) Typical chromatograms | | 14 |
| Annex B (informative) GC-MS troubleshooting | | 16 |
| Annex C (informative) Single laboratory validation | | 18 |
| Annex D (informative) Interlaboratory trial precision data | | 20 |
| Bibliography | | 22 |

European foreword

This document (CEN/TS 17083:2017) has been prepared by Technical Committee CEN/TC 275 “Food analysis - Horizontal methods”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

Annexes A, B, C and D are informative.

WARNING 1 — The use of this Technical Specification can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

WARNING 2 — Some precaution is required when using polyacrylamide-based plastics because acrylamide may leach from these materials.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CEN/TS 17083:2017 (E)

1 Scope

This Technical Specification specifies a method for the determination of acrylamide in cereal-based products, potato-based products and coffee by gas-chromatography mass spectrometry (GC-MS).

The method has been single-laboratory validated via the analysis of spiked samples (French fries (uncooked), bread, water biscuit, infant cereal, biscuit, green coffee, roast coffee and instant coffee), ranging from 30 µg/kg to 1 500 µg/kg acrylamide.

The results from the single laboratory validation were obtained by a laboratory with significant experience in acrylamide analysis. In addition, this method has also been studied by inter laboratory trial via the analysis of samples containing incurred acrylamide, ranging from approximately 200 µg/kg to 2 000 µg/kg. Critical points of the method are identified in 7.5 and Clause 8.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696:1995, *Water for analytical laboratory use - Specification and test methods (ISO 3696:1987)*

3 Principle

The test portion is extracted with hot water and isotopically labelled acrylamide is added as internal standard. High-fat samples are defatted with hexane, cleared with Carrez solution and centrifuged. Sample extracts are brominated and extracted with ethyl acetate. Following removal of the ethyl acetate by evaporation, triethylamine is added to partially debrominate, after which a portion of the sample extract is injected onto a GC-MS system for quantification. The chromatographic separation is obtained on a mid-polarity capillary GC column. The acrylamide derivative is ionized at 70 eV and recorded in selected ion monitoring (SIM) mode, and quantified by comparison with the stable isotopically labelled analogue.

4 Reagents

Use only reagents of recognized analytical grade and water complying with grade 1 of EN ISO 3696:1995 (electrical conductivity below 0,1 µS/cm at 25 °C), unless specified otherwise. Standard solutions are preferably prepared gravimetrically. An analytical balance (6.1) is used for the preparation of both native and stable isotope labelled acrylamide.

WARNING — Acrylamide has been classified by the International Agency for Research on Cancer (IARC) as probably carcinogenic to humans (see [2]). Bromine is very toxic and corrosive and hydrobromic acid is corrosive and hazardous. The prepared brominating solution (see 4.17) shall be considered as very toxic and corrosive.

Protective equipment such as laboratory coat, disposable gloves and safety glasses shall be used. All handlings of acrylamide, bromine, hydrobromic acid, brominating solution and organic solvents shall be performed in a fume cupboard with adequate air flow.

IMPORTANT — Dispose chemical waste according to applicable environmental rules and regulations. Bromine is very toxic to aquatic organisms hence discharge into the environment shall be avoided. Waste shall be disposed of appropriately.

4.1 Acrylamide, purity ≥ 99 %.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-