

Irish Standard Recommendation S.R. CEN/TR 17105:2017

Construction products - Assessment of release of dangerous substances - Guidance on the use of ecotoxicity tests applied to construction products

 $\ensuremath{\mathbb C}$ CEN 2017 $\hfill No copying without NSAI permission except as permitted by copyright law.$

S.R. CEN/TR 17105:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: CEN/TR 17105:2017 *Published:* 2017-06-14

This document was published under the authority of the NSAI and comes into effect on:

2017-07-02

ICS number:

91.100.01

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TR 17105:2017 is the adopted Irish version of the European Document CEN/TR 17105:2017, Construction products - Assessment of release of dangerous substances - Guidance on the use of ecotoxicity tests applied to construction products

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

TECHNICAL REPORT RAPPORT TECHNIQUE

CEN/TR 17105

TECHNISCHER BERICHT

June 2017

ICS 91.100.01

English Version

Construction products - Assessment of release of dangerous substances - Guidance on the use of ecotoxicity tests applied to construction products

Produits de construction - Evaluation de l'émission de substances dangereuses ¿ Préconisations concernant l'utilisation des essais visant à évaluer l'écotoxicité des produits de construction Bauprodukte - Bewertung der Freisetzung von gefährlichen Stoffen - Leitfaden für die Anwendung von ökotoxikologischen Untersuchungen auf Bauprodukte

This Technical Report was approved by CEN on 14 May 2017. It has been drawn up by the Technical Committee CEN/TC 351.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN/TR 17105:2017 E

This is a free page sample. Access the full version online. S.R. CEN/TR 17105:2017

CEN/TR 17105:2017 (E)

Contents

European foreword		4
Introduction		5
1	Scope	6
2	Terms and definitions	6
3	General information on ecotoxicity assessment	
3.1 2.2	Basic approaches for ecotoxicity estimation	δδ ο
3. <u>2</u> 2.2	Information on the biological test bettery	δδ 0
3.3 4	Sampling and transport of construction products	
5	Leaching procedures for ecotoxicological testing	
5.1	Suitable leaching tests and selection of fractions from leaching tests	
5.1.1	General	
5.1.2	Dynamic Surface Leaching Test (DSLT) CEN/TS 16637-2	
5.1.3	Horizontal up-flow percolation test (CEN/TS 16637-3)	
5.1.4	Further leaching tests	
5.2	Sampling, transport and storage of eluates	
5.3	Pre-treatment of eluates	
6	Aquatic ecotoxicological testing	12
61	Purnose of aquatic ecotoxicity testing	
6.2	Selection of ecotoxicity tests and minimum test battery	
63	Testing strategy and conditions	13
631	Coneral	
632	Consideration of additional blank samples	14
633	nH adjustment	14
634	Test concentrations	14
635	Colour and turbidity	14
6.3.6	Unstable substances	
6.4	Limitations of aquatic ecotoxicity tests	
7	Assessment of biodegradability	
8	Terrestrial ecotoxicological testing	15
81	Purnose of terrestrial ecotoxicity testing	15
82	Pre-treatment of construction products for terrestrial tests	16
83	Selection of ecotoxicity tests and minimum test hattery	17
8.4	Test report and quality assurance procedure	
Annex	A (informative) CEN/TC 351 workshop on Ecotoxicity, biodegradability and construction products on 10 April 2014 in Brussels – Conclusions and recommendations	
Annov	B (informative) Interface with information derived from RFACH	21
Annex	C (informative) Information on regulations and guidelines with relevance for ecotoxicological assessment of construction works with implications on	41
	construction products	22

Annex	D (informative) Results from a European round robin test "Ecotoxicological characterisation of eluates from construction products"	24
Annex	E (informative) Evaluation of test results	27
E.1	Aquatic tests	27
E.2	Terrestrial tests	28
E.3	Example: LID approach in German regulation	28
Bibliog	graphy	29

European foreword

This document (CEN/TR 17105:2017) has been prepared by Technical Committee CEN/TC 351 "Construction Products - Assessment of release of dangerous substances", the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This Technical Report gives guidance for the combination of the recommended horizontal leaching tests harmonized by CEN/TC 351 with existing biological test methods for the assessment of ecotoxicological properties of eluates of construction products.

Guidance regarding biological tests for the effects of construction products on soil organisms is also included. This document takes into account relevant information that had become available by March 2016. This document is intended as easy-to-use guidance especially for the Group of Notified Bodies, test laboratories and EOTA. Technical committees for construction products (product TCs) are expected to benefit from the information given in the report, if they have been mandated to address ecotoxicity in their product standards or if they are interested to include ecotoxicity in a dossier prepared in the context of qualifications for a "without testing" status.

Introduction

Ecotoxicological analysis of construction products and their eluates and biodegradability of the organic substances in eluates belong to the essential characteristics covered by the basic requirement for construction works "hygiene, health and the environment" from Annex 1 of the Construction Products Regulation [1]. Under the European Commission's mandate M/366 (see mandate database at http://ec.europa.eu/growth/tools-databases/mandates) and according to the Indicative List (see http://www.nen.nl/ under search term CEN/TC 351) which specifies the mandated parameters, CEN/TC 351 has been assigned to deal with these essential characteristics. Now that the mandated leaching tests from CEN/TC 351 (CEN/TS 16637-2, CEN/TS 16637-3) [2], [3] are available and also work on the methods for the chemical analysis of eluates has progressed, CEN/TC 351 has included a Technical Report on ecotoxicity / biodegradability in its active programme of work. The background for the decision to cover this topic was presented in an open expert workshop in Brussels in April 2014. The conclusions and recommendations of the workshop are presented in Annex A.

The regulatory background for the work is explained in Annex B and information on its possible interface with data generated under the REACH Regulation is given in Annex C. In the context of harmonized specifications for construction products currently only Germany requests performance data on ecotoxicity/biodegradability in certain cases, i.e. when and where a chemical analysis and assessment of the eluates of construction products is considered to be too onerous or not possible due to the lack of analytical methods/data. Examples of products addressed are fire protective products and fire stopping and fire sealing products depending on their ingredients. Ecotoxicity assessment is considered to be especially relevant for the building and for the demolition phase in the life cycle of construction works. These life cycle phases have been covered by the framework of the Construction Products Regulation since 2013.

The majority of existing internationally harmonized ecotoxicity tests were developed firstly to assess the ecotoxic potential of chemicals, waste water or contaminated soils. More recently, these tests have been successfully applied to waste and waste eluates [4] to [7]. These methods can be applied with some modifications for the ecotoxicological characterization of construction products and their eluates. Several studies as well as an international round robin test have been conducted to validate some test methods for construction product eluates and the results have been used as background information [8] to [13]. The validation of the methods for construction products is not yet complete. Further validation of the recommended test procedure is needed, if this TR is intended to be further developed into a CEN/TS or EN (to be decided later).

This is a free page sample. Access the full version online. S.R. CEN/TR 17105:2017

CEN/TR 17105:2017 (E)

1 Scope

This Technical Report gives information on existing methods to test ecotoxicity of construction products. Information is given on how to combine recommended leaching tests with biological tests for the aquatic environment and how to avoid possible problems, when performing biological tests. Also suitable terrestrial tests on granular construction products diluted with artificial soil are proposed for a minimum test battery.

Reference has been made as far as possible to existing International and European Standards and guidelines.

The test procedure described in this Technical Report is technically suitable for all construction product eluates and for terrestrial tests on granular or paste-like construction products. However, from the point of view of test efficiency it is recommended mainly for products containing organics or polymers in case chemical analysis alone is not deemed to be sufficient. For inorganic products the chemical analysis is seen as straightforward in construction product eluates and therefore the added value of data received through ecotoxicity tests is seen as limited.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

biodegradation

mineralization of organic compounds by bacteria and fungi to carbon dioxide, water and inorganic compounds

2.2

control

mixture of control medium and organisms used in the test without test sample

2.3

control medium

combination of water and additives (e.g. nutrients, salts) used in the test

2.4

dilution level

D

reciprocal value of the volume fraction of test sample in dilution water in which the test is conducted

EXAMPLE250 ml of test sample in a total volume of 1 000 ml (volume fraction of 25 %) represents dilutionlevel D = 4.

[SOURCE: EN ISO 15088:2008 [14], 3.2, modified - "waste water" replaced by "test sample"]

2.5

dilution soil

soil added to the test sample to prepare a series of defined dilutions

Note 1 to entry: The origin and composition of the soil is specified in the specific test.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation