

Irish Standard Recommendation S.R. CEN/TR 16798-8:2017

Energy performance of buildings - Ventilation for buildings - Part 8: Interpretation of the requirements in EN 16798-7 - Calculation methods for the determination of air flow rates in buildings including infiltration -(Module M5-5)

 $\ensuremath{\mathbb C}$  CEN 2017  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### S.R. CEN/TR 16798-8:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

*This document is based on:* CEN/TR 16798-8:2017 *Published:* 2017-06-14

This document was published		ICS number:	
and comes into effect on:		91.120.10	
		91.140.30	
2017-07-02			
		NOTE: If blank see CEN/CENELEC cover page	
		•	
NSAI	T +353 1	1 807 3800 Sales:	
1 Swift Square,	F +353 1	L 807 3838 T +353 1 857 6730	
Northwood, Santry	E standa	ards@nsai.ie F +353 1 857 6729	
Dublin 9	W NSAI.ie	ie W standards.ie	
Údarás um Chaighdeáin Náisiúnta na hÉireann			

#### **National Foreword**

S.R. CEN/TR 16798-8:2017 is the adopted Irish version of the European Document CEN/TR 16798-8:2017, Energy performance of buildings - Ventilation for buildings - Part 8: Interpretation of the requirements in EN 16798-7 - Calculation methods for the determination of air flow rates in buildings including infiltration -(Module M5-5)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

## TECHNICAL REPORT RAPPORT TECHNIQUE

## **CEN/TR 16798-8**

**TECHNISCHER BERICHT** 

June 2017

ICS 91.120.10; 91.140.30

**English Version** 

# Energy performance of buildings - Ventilation for buildings Part 8: Interpretation of the requirements in EN 16798-7 Calculation methods for the determination of air flow rates in buildings including infiltration - (Module M5-5)

Performance énergétique des bâtiments - Ventilation des bâtiments - Partie 8 : Interprétation des exigences de l'EN 16798-7 - Méthodes de calcul pour la détermination des débits d'air dans les bâtiments y compris les infiltrations (Module M5-5) Energieeffizienz von Gebäuden - Lüftung von Gebäuden - Teil 8: Interpretation der Anforderungen der EN 16798-7 - Berechnungsmethoden zur Bestimmung der Luftvolumenströme in Gebäuden einschließlich Infiltration (Modul M5-5)

This Technical Report was approved by CEN on 27 February 2017. It has been drawn up by the Technical Committee CEN/TC 156.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels** 

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN/TR 16798-8:2017 E

## This is a free page sample. Access the full version online. S.R. CEN/TR 16798-8:2017

#### CEN/TR 16798-8:2017 (E)

#### Contents

Europ	ean foreword	4
Introd	uction	7
1	Scope	9
2	Normative references	9
3	Terms and definitions	9
4	Symbols, subscripts and abbreviations	9
4.1	Symbols	9
4.2	Subscripts	10
4.3	Abbreviations	11
5	Brief description of the methods	11
5.1	Output of the method	11
5.1.1	General	11
5.1.2	Energy use outputs	11
5.1.3	Indoor air quality outputs	11
5.1.4	Summer comfort using ventilative cooling	11
5.2	General description of the methods	12
5.2.1	Multiple ventilation zones	12
5.2.2	Airflows within a ventilation zone	12
5.2.3	Separation of the ventilation zones into elementary spaces	12
5.3	Selection criteria between the methods	13
6	Calculation method, method 1 — Determination of air flow rates based on detailed	
	building characteristics	14
6.1	Output data	14
6.2	Calculation intervals	14
6.3		
61	Input data	14
0.4	Input data Calculation procedure, method 1	14 14
0.4 6.4.1	Input data Calculation procedure, method 1 Applicable time intervals and states of operation	14 14 14
6.4.1 6.4.2	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation	14 14 14 15
6.4.1 6.4.2 6.4.3	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates	14 14 14 15 17
6.4.1 6.4.2 6.4.3 7	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 - Determination of air flow rates based on statistical approach	14 14 14 15 17 21
6.4.1 6.4.2 6.4.3 7 8	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 – Determination of air flow rates based on statistical approach Quality control	14 14 14 15 17 21 21
6.4.1 6.4.2 6.4.3 7 8 9	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 - Determination of air flow rates based on statistical approach Quality control Compliance check	14 14 14 15 17 21 21 21
6.4 6.4.1 6.4.2 6.4.3 7 8 9 10	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 - Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1	14 14 15 17 21 21 21 22
6.4 6.4.1 6.4.2 6.4.3 7 8 9 10 10.1	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 - Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description	14 14 15 17 21 21 21 22 22
6.4 6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 – Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description	14 14 15 17 21 21 21 21 22 22 22
6.4 6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2 10.3	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 – Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description Calculation details	14 14 15 17 21 21 21 22 22 22 22
6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2 10.3 Annex	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 – Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description Calculation details Observations A (informative) Input and method selection data sheet — Template	14 14 15 17 21 21 21 21 22 22 22 22 22 23
6.4 6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2 10.3 Annex A.1	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 - Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description Calculation details Observations A (informative) Input and method selection data sheet — Template General	14 14 15 17 21 21 21 22 22 22 22 22 23 23
6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2 10.3 Annex A.1 A.2	Input data Calculation procedure, method 1	14 14 15 17 21 21 21 21 22 22 22 22 22 23 23 23
6.4.1 6.4.2 6.4.3 7 8 9 10 10.1 10.2 10.3 Annex A.1 A.2 A.3	Input data Calculation procedure, method 1 Applicable time intervals and states of operation Operating conditions calculation Calculation of air flow rates Method 2 – Determination of air flow rates based on statistical approach Quality control Compliance check Worked out examples, method 1 — Example 1 Description Calculation details Observations A (informative) Input and method selection data sheet — Template General References Input data method 1	14 14 15 17 21 21 21 21 22 22 22 22 22 23 23 23 23

Annex	B (informative) Input and method selection data sheet — Default choices	24
B.1	General	24
B.2	References	24
B.3	Input data method 1	24
<b>B.4</b>	Input data method 2	24
Annex	C (informative) <b>Extract and supply air volume flow rate from a ventilation zone</b>	25
	(4V;ETA;dis, 4V;SUP;dis) — Calculation nowchart	
Annex	D (informative) Calculation examples — Example 1	26
Biblio	graphy	41

This is a free page sample. Access the full version online. S.R. CEN/TR 16798-8:2017

#### **European foreword**

This document (CEN/TR 16798-8:2017) has been prepared by Technical Committee CEN/TC 156 "Ventilation for buildings", the secretariat of which is held by BSI.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This document has been produced to meet the requirements of Directive 2010/31/EU 19 May 2010 on the energy performance of buildings (recast), referred to as "recast EPDB".

For the convenience of Standards users CEN/TC 156, together with responsible Working Group Convenors, have prepared a simple table below relating, where appropriate, the relationship between the 'EPBD' and 'recast EPBD' standard numbers prepared by Technical Committee CEN/TC 156 "Ventilation for buildings".

EPBD EN Number	Recast EPBD EN Number	Title
EN 15251	EN 16798-1	Energy performance of buildings – Ventilation for buildings – Part 1: Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1-6)
N/A	CEN/TR 16798-2	Energy performance of buildings – Ventilation for buildings – Part 2: Interpretation of the requirements in EN 16798-1 – Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics (Module M1-6)
EN 13779	EN 16798-3	Energy performance of buildings – Ventilation for buildings – Part 3: For non-residential buildings – Performance requirements for ventilation and room-conditioning systems (Modules M5-1, M5-4)
N/A	CEN/TR 16798-4	Energy performance of buildings – Ventilation for buildings – Part 4: Interpretation of the requirements in EN 16798-3 – For non-residential buildings – Performance requirements for ventilation and room-conditioning systems (Modules M5- 1, M5-4)

EN 15241	EN 16798-5-1	Energy performance of buildings – Ventilation for buildings – Part 5-1: Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5- 8, M6-5, M6-8, M7-5, M7-8) – Method 1: Distribution and generation
EN 15241	EN 16798-5-2	Energy performance of buildings – Ventilation for buildings – Part 5-2: Calculation methods for energy requirements of ventilation systems (Modules M5-6.2, M5-8.2) – Method 2: Distribution and generation
N/A	CEN/TR 16798-6	Energy performance of buildings – Ventilation for buildings – Part 6: Interpretation of the requirements in EN 16798-5–1 and EN 16798-5-2 – Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5-8, M 6-5, M6-8, M7-5, M7-8)
EN 15242	EN 16798-7	Energy performance of buildings – Ventilation for buildings – Part 7: Calculation methods for the determination of air flow rates in buildings including infiltration (Module M5-5)
N/A	CEN/TR 16798-8	Energy performance of buildings – Ventilation for buildings – Part 8: Interpretation of the requirements in EN 16798-7 – Calculation methods for the determination of air flow rates in buildings including infiltration – (Module M5-5)
EN 15243	EN 16798-9	Energy performance of buildings – Ventilation for buildings – Part 9: Calculation methods for energy requirements of cooling systems (Modules M4-1, M4-4, M4-9) – General
N/A	CEN/TR 16798-10	Energy performance of buildings – Ventilation for buildings – Part 10: Interpretation of the requirements in EN 16798-9 – Calculation methods for energy requirements of cooling systems (Module M4-1,M4-4, M4-9) – General
EN 15243	EN 16798-13	Energy performance of buildings – Ventilation for buildings – Part 13: Calculation of cooling systems (Module M4-8) – Generation
EN 15243	CEN/TR 16798-14	Energy performance of buildings – Ventilation for buildings – Part 14: Interpretation of the requirements in EN 16798-13 – Calculation of cooling systems (Module M4-8) – Generation
N/A	EN 16798-15	Energy performance of buildings – Ventilation for buildings – Part 15: Calculation of cooling systems (Module M4-7) – Storage

## This is a free page sample. Access the full version online. S.R. CEN/TR 16798-8:2017

#### CEN/TR 16798-8:2017 (E)

N/A	CEN/TR 16798-16	Energy performance of buildings – Ventilation for buildings – Part 16: Interpretation of the requirements in EN 16798-15 – Calculation of cooling systems (Module M4-7) – Storage
EN 15239 and EN 15240	EN 16798-17	Energy performance of buildings – Ventilation for buildings – Part 17: Guidelines for inspection of ventilation and air- conditioning systems (Module M4-11, M5-11, M6-11, M7-11)
N/A	CEN/TR 16798-18	Energy performance of buildings – Ventilation for buildings – Part 18: Interpretation of the requirements in EN 16798-17 – Guidelines for inspection of ventilation and air-conditioning systems (Module M4-11, M5-11, M6-11, M7-11)

#### Introduction

#### The set of EPB standards, Technical Reports and supporting tools

In order to facilitate the necessary overall consistency and coherence, in terminology, approach, input/output relations and formats, for the whole set of EPB-standards, the following documents and tools are available:

- a) a document with basic principles to be followed in drafting EPB-standards: CEN/TS 16628, *Energy Performance of Buildings Basic Principles for the set of EPB standards* [1];
- b) a document with detailed technical rules to be followed in drafting EPB-standards; CEN/TS 16629, *Energy Performance of Buildings Detailed Technical Rules for the set of EPB-standards* [2]; and
- c) the detailed technical rules are the basis for the following tools:
  - 1) a common template for each EPB standard, including specific drafting instructions for the relevant clauses,
  - 2) a common template for each Technical Report that accompanies an EPB standard or a cluster of EPB standards, including specific drafting instructions for the relevant clauses, and
  - 3) a common template for the spreadsheet that accompanies each EPB standard, to demonstrate the correctness of the EPB calculation procedures.

Each EPB standard follows the basic principles and the detailed technical rules and relates to the overarching EPB-standard, EN ISO 52000-1 [3].

One of the main purposes of the revision of the EPB-standards is to enable that laws and regulations directly refer to the EPB-standards and make compliance with them compulsory. This requires that the set of EPB-standards consists of a systematic, clear, comprehensive and unambiguous set of energy performance procedures. The number of options provided is kept as low as possible, taking into account national and regional differences in climate, culture and building tradition, policy and legal frameworks (subsidiarity principle). For each option, an informative default option is provided (Annex B).

#### Rationale behind the EPB technical reports

There is a risk that the purpose and limitations of the EPB standards will be misunderstood, unless the background and context to their contents – and the thinking behind them – is explained in some detail to readers of the standards. Consequently, various types of informative contents are recorded and made available for users to properly understand, apply and nationally or regionally implement the EPB standards.

If this explanation would have been attempted in the standards themselves, the result is likely to be confusing and cumbersome, especially if the standards are implemented or referenced in national or regional building codes.

Therefore, each EPB standard is accompanied by an informative Technical Report, like this one, where all informative content is collected, to ensure a clear separation between normative and informative contents (see CEN/TS 16629 [2]):

- to avoid flooding and confusing the actual normative part with informative content;
- to reduce the page count of the actual standard; and
- to facilitate understanding of the set of EPB standards.

#### This is a free page sample. Access the full version online. S.R. CEN/TR 16798-8:2017

#### CEN/TR 16798-8:2017 (E)

This was also one of the main recommendations from the European CENSE project [5] that laid the foundation for the preparation of the set of EPB standards.

#### **This Technical Report**

This Technical Report accompanies the suite of EPB standards on thermal transmission properties of building elements. It relates to the international standard EN 16798-7, which forms part of a set of standards related to the evaluation of the energy performance of buildings (EPB).

The role and the positioning of the accompanied standard in the set of EPB standards is defined in the Introduction to the standard.

#### Accompanying spreadsheet(s)

Concerning the accompanied standard EN 16798-7, the following spreadsheets were produced:

— on EN 16798-7.

In this Technical Report, examples of each of these calculation sheets are included.

#### 1 Scope

This Technical Report refers to the standard EN 16798-7.

It contains information to support the correct understanding and use of this standard.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE More information on the use of EPB module numbers for normative references between EPB standards is given in CEN ISO/TR 52000-2.

EN 16798-5-1, Energy performance of buildings — Ventilation for buildings — Part 5-1: Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5-8, M6-5, M6-8, M7-5, M7-8) — Method 1: Distribution and generation

EN 16798-5-2, Energy performance of buildings — Ventilation for buildings — Part 5-2: Calculation methods for energy requirements of ventilation and air conditioning systems (Modules M5-6, M5-8, M6-5, M6-8, M7-5, M7-8) — Method 2: Distribution and generation

EN 16798-7:2017, Energy performance of buildings — Ventilation for buildings — Part 7: Calculation methods for the determination of air flow rates in buildings including infiltration (Module M5-5)

EN ISO 15927-1:2003, Hygrothermal performance of buildings — Calculation and presentation of climatic data — Part 1: Monthly means of single meteorological elements (ISO 15927-1:2003)

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 16798-7 apply.

NOTE More information on some key EPB terms and definitions is given in CEN ISO/TR 52000-2.

#### 4 Symbols, subscripts and abbreviations

#### 4.1 Symbols

For the purposes of this document, the symbols given in the accompanied EPB standard, EN 16798-7, apply.

More information on key EPB symbols is given in CEN ISO/TR 52000-2.

Additional symbols are given in Table 1.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation