



NSAI
Standards

Irish Standard Recommendation
S.R. CEN ISO/TS 19256:2017

Health informatics - Requirements for medicinal product dictionary systems for health care (ISO/TS 19256:2016)

S.R. CEN ISO/TS 19256:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN ISO/TS 19256:2017

Published:

2017-03-22

This document was published under the authority of the NSAI and comes into effect on:

2017-04-09

ICS number:

35.240.80

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN ISO/TS 19256:2017 is the adopted Irish version of the European Document CEN ISO/TS 19256:2017, Health informatics - Requirements for medicinal product dictionary systems for health care (ISO/TS 19256:2016)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN ISO/TS 19256

March 2017

ICS 35.240.80

English Version

**Health informatics - Requirements for medicinal product
dictionary systems for health care (ISO/TS 19256:2016)**

Informatique de santé - Exigences pour les systèmes de
dictionnaires de produits médicaux pour les soins de
santé (ISO/TS 19256:2016)

Medizinische Informatik - Anforderungen an
Arzneimittelverzeichnisse im Gesundheitsbereich
(ISO/TS 19256:2016)

This Technical Specification (CEN/TS) was approved by CEN on 23 January 2017 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

European foreword

The text of ISO/TS 19256:2016 has been prepared by Technical Committee ISO/TC 215 “Health informatics” of the International Organization for Standardization (ISO) and has been taken over as CEN ISO/TS 19256:2017 by Technical Committee CEN/TC 251 “Health informatics” the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 19256:2016 has been approved by CEN as CEN ISO/TS 19256:2017 without any modification.

This page is intentionally left blank

TECHNICAL SPECIFICATION

ISO/TS 19256

First edition
2016-06-01

Health informatics — Requirements for medicinal product dictionary systems for health care

*Informatique de santé — Exigences pour les systèmes de dictionnaires
de produits médicaux pour les soins de santé*



Reference number
ISO/TS 19256:2016(E)

© ISO 2016

ISO/TS 19256:2016(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Abbreviated terms	9
5 Boundary between MPD-systems and IDMP, ancillary information to build an MPD-system and local implementation	9
5.1 Boundary between MPD-systems and IDMP.....	9
5.2 Boundary between MPD-systems and ancillary information to build an MPD-system.....	9
5.3 Boundary between MPD-systems and local implementation.....	9
5.4 Content of the MPD-systems in terms of product coverage.....	10
5.5 Definition of Medicinal Product Dictionary MPD-systems.....	10
5.6 Benefits of the Technical Specification.....	10
5.7 Target users for the Technical Specification.....	10
6 Positioning of Medicinal Product Dictionary Systems for Healthcare	11
6.1 Base materials for MPD-systems.....	11
6.1.1 Relation with ISO IDMP standards.....	12
6.1.2 Relation with health/clinical/pharmacy information systems, decision support, EHR and dose instructions.....	13
6.1.3 Relation with EHR-S FM.....	14
6.2 Use cases for requirements for an MPD-system.....	14
6.2.1 Prescribing use case.....	15
6.2.2 Dispensing use case.....	15
6.2.3 Administration use case.....	15
6.2.4 Recording medication history use case.....	15
6.2.5 Reconciling medication list use case.....	15
6.2.6 Ordering and supply chain (logistics) use case.....	16
6.2.7 Analysis, statistics, and pharmacoepidemiology use case.....	16
6.2.8 Electronic data exchange of medicinal product information between healthcare systems and/or related systems, i.e. reporting use case.....	16
6.2.9 Reimbursement use case.....	16
6.2.10 Clinical research use case.....	16
6.2.11 Tracking and tracing for patient and public safety use case.....	17
6.2.12 Pharmacovigilance use case.....	17
6.2.13 Patient safety through linking personal data with the decision support system on medicinal products use case.....	18
6.2.14 Migration use case.....	18
7 The Functional Requirements for MPD-systems	18
7.1 Introduction.....	18
7.2 Goal of an MPD system.....	19
7.3 Normative content.....	19
7.3.1 Content of regulated medicinal products.....	19
7.3.2 Prescription.....	23
7.3.3 Dispensing.....	23
7.3.4 Administration.....	24
7.3.5 Recording and reconciliation.....	24
7.3.6 Order and supply chain and logistics.....	25
7.3.7 Analysis, statistics, pharmacoepidemiology, and clinical research.....	25
7.3.8 Ensuring patient safety through linking personal data with the decision support system on medicinal products.....	27
7.3.9 Interaction with reimbursement systems.....	27

ISO/TS 19256:2016(E)

7.3.10	Interaction of MPD-systems with pharmacovigilance systems.....	27
7.3.11	Data exchange and technical functions	28
7.4	Governance.....	29
7.5	Maintenance.....	30
7.5.1	Regular maintenance processes of the MPD-system.....	30
7.5.2	Interaction with regulatory information	31
7.6	Localization.....	32
Annex A (informative) IDMP series in context, serving this Technical Specification.....		33
Bibliography		35

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 215, *Health informatics*.

ISO/TS 19256:2016(E)

Introduction

This introduction contains the following topics:

- a) What is a Medicinal Product Dictionary system?
- b) What are the use cases and who are the stakeholders?
- c) What are the benefits for the different stakeholders?
- d) What are the core functional requirements for an MPD-system for healthcare?

The main target audience is the developers and service providers of MPD-systems, and those who contract such developers and service providers.

The goal of MPD Systems is to offer various parties in healthcare a complete overview of available medicinal products in such a way the (elements of the) concepts and the descriptions and medicinal product identifiers can be used in a variety of other healthcare information systems. The principle for this Technical Specification is that the global unique IDs of IDMP (Identification of Medicinal Products) shall be maintained in any MPD-system.

Medicinal products play an important role in healthcare. There are many (thousands of) medicinal products and each medicinal product has many characteristics (attributes), both defining and non-defining. The development and use of medicinal products is highly regulated; currently the way to define information about them is guided by the ISO IDMP standards. Furthermore, many healthcare providers, institutions and enterprises are involved in the use of medicinal products. Each of these actors uses information systems in which information on medicinal products is stored and exchanged. These information systems need an MPD-system to accurately and consistently identify medication concepts in the form(s) that fulfill their use cases.

An MPD-system establishes a consistent representation of medication concepts (set of identifiers) at various levels of detail and with meaningful relationships between the concepts, in order to support parts of several processes in healthcare in which medication plays a role. This Technical Specification describes a Medicinal Product Dictionary system in that way, that the concepts, identifiers and the relationships form a kind of structure that supports the use cases; together with the description of how this structure supports the use cases and what is needed for that. The MPD-system is further described from within an architecture in which it is connected to other parts of healthcare information systems.

Cultural differences in the practice and delivery of care and national legislation require electronic MPD-systems that meet specific local, regional or national needs. Each MPD-system is designed to support a particular set of use cases, which helps to determine the functional requirements which must be met by such systems. These functional requirements will then, in turn, determine the specific collection of 'medication abstractions' which must be identified, defined and related to each other within the MPD-system. Each 'medicinal product' in the MPD-system is described in terms of a specific subset of all possible defining and non-defining information elements, which together enable it to support one or more specific use case(s). The concepts are formally defined in terms of their characteristics and relationships with other concepts according to the ISO IDMP Standards, in particular ISO 11615, ISO 11616 and ISO 11238. Relationships between each of these medicinal product entries give the MPD-system the potential to support interoperability between use cases, processes, information systems, organizations and jurisdictions.

The anticipated stakeholders of this Technical Specification include healthcare providers that have responsibilities in selecting appropriate MPD-systems, software vendors, governments, pharmaceutical companies, wholesalers, payers, drugs regulatory authorities, and patients / patients' organizations.

In general, this Technical Specification supports the following business goals:

- It provides information to MPD-system developers, to help them design MPD-systems which are better able to meet the ISO IDMP standards and the needs of multiple use cases;

- It facilitates accuracy and consistency of the use of concepts and terms according to the ISO IDMP standards in the MPD-systems;
- It increases the potential for consistency between MPD-systems around the world;
- It reduces redundancy of data collection and governance;
- It provides the foundations for future international standards, which help to enable interoperability between medication use cases, information systems, and jurisdictions involved in cross-border healthcare;
- It might reduce the cost of developing and maintaining medicinal product dictionaries systems.

The Technical Specification is partly based on the following terminologies / databases:

- The Australian Medicinal Terminology (AMT);
- NHS dictionary of medicines and devices (DM+D);
- Singapore Drug Database;
- SNOMED CT;
- Dutch G-Standaard from Z-Index (and Pharmabase from Healthbase) (NEN 7507);
- ISO/TR 22790, *Health informatics — Functional characteristics of prescriber support systems*.

Health informatics — Requirements for medicinal product dictionary systems for health care

1 Scope

This Technical Specification defines the required characteristics for any MPD-system to support use cases in healthcare.

These characteristics include the medication concepts, identifiers and relationships to form a kind of structure that supports the use cases.

In order to support the use cases, an MPD-system needs to:

- be comprehensive and exhaustive as far as possible – unless all medicinal products that are in scope are included, other systems cannot fully rely on the MPD-system to supply the necessary information, and some amount of duplicated registration of information will still be necessary;
- contain the information in a consistent and appropriate structure according to the ISO IDMP Standards (as described in this Technical Specification) and with an appropriate level of detail.

Outside the scope of this Technical Specification are:

- the functionality of health, clinical and/or pharmacy systems;
- the other kinds of content of health, clinical or pharmacy systems that are needed to support the whole process of healthcare providers, like:
 - o the wide range of knowledge about medicines, which would be handled in drug knowledge databases and decision support systems,
 - o the medication record,
 - o the dose instructions;
- in terms of products:
 - o traditional Chinese medicines,
 - o medical devices, such as for medication administration [this Technical Specification focuses on administration devices that are intended for correct administration of the medicinal product only (see ISO 11615)],

NOTE An administration device can be an integral part of an immediate container or a closure.

- o veterinary medicines.

The purpose of this Technical Specification is to provide a set of functional requirements for systems handling details about medicinal products and the relationships between them for the purpose of supporting healthcare.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-