



NSAI
Standards

Irish Standard
I.S. EN 12453:2017

Industrial, commercial and garage doors and gates - Safety in use of power operated doors - Requirements and test methods

I.S. EN 12453:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12453:2017

Published:

2017-08-23

This document was published under the authority of the NSAI and comes into effect on:

2017-09-10

ICS number:

91.060.50

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 12453:2017 is the adopted Irish version of the European Document EN 12453:2017, Industrial, commercial and garage doors and gates - Safety in use of power operated doors - Requirements and test methods

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 12453

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2017

ICS 91.060.50

Supersedes EN 12445:2000, EN 12453:2000

English Version

Industrial, commercial and garage doors and gates - Safety in use of power operated doors - Requirements and test methods

Portes et portails industriels, commerciaux et
résidentiels - Sécurité d'utilisation des portes et
portails motorisés - Exigences et méthodes d'essai

Tore - Nutzungssicherheit kraftbetätigter Tore -
Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 12 June 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	5
Introduction	6
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions	9
4 List of significant hazards	11
4.1 General.....	11
4.2 Hazards caused by crushing, shearing and drawing-in.....	11
4.2.1 General.....	11
4.2.2 Hazards caused when person can travel with the door	12
4.2.3 Hazards caused by impact.....	12
4.3 Hazards caused by source of energy and power controls	12
4.4 Manual operation.....	12
4.5 Other hazards.....	13
4.5.1 General.....	13
4.5.2 Hazards caused by pass doors.....	13
4.5.3 Hazards caused by imprisonment.....	13
4.5.4 Hazards caused by trapping.....	13
4.5.5 Hazards caused by falling or ejected parts or uncontrolled movement	13
4.5.6 Hazards caused by the locking devices	13
4.5.7 Hazards caused due to a loss of stability	13
4.5.8 Hazards caused by glazing material	13
4.5.9 Hazards caused by modification of settings.....	13
5 Safety requirements and/or protective measures	14
5.1 General.....	14
5.1.1 General.....	14
5.1.2 Safety Function performed by control system.....	14
5.1.3 Minimum level of safeguarding at the main closing edge	14
5.2 Crushing, shearing and drawing-in	15
5.2.1 General.....	15
5.2.2 Safeguarding against hazards caused when persons can travel with the door	19
5.2.3 Safeguarding against impact hazard.....	20
5.3 Source of energy and power controls	20
5.3.1 General.....	20
5.3.2 Electrical drive units.....	20
5.3.3 Hydraulic drive units	23
5.3.4 Pneumatic drive units	23
5.3.5 Restart after unintended interruption.....	24
5.3.6 Supply disconnection.....	24
5.4 Manual operation.....	24
5.4.1 General.....	24
5.4.2 Manual operation by direct movement of the door leaf	24
5.4.3 Manual operation directly applied to the drive unit.....	24
5.4.4 Balancing failure at manual operation.....	25
5.4.5 Human physical strength for manual operation of the door leaf	25

5.5	Other hazards	25
5.5.1	Pass doors	25
5.5.2	Imprisonment	25
5.5.3	Trapping	25
5.5.4	Falling or ejected parts or uncontrolled movement	25
5.5.5	Locking devices	26
5.5.6	Loss of stability	26
5.5.7	Glazing material	26
5.5.8	Modification of setting	26
6	Verification of the safety requirements and/or protective measures	26
6.1	General	26
6.2	Crushing, shearing and drawing-in points	27
6.2.1	General	27
6.2.2	Crushing and shearing hazards, caused when persons can travel with the door	28
6.2.3	Impact hazard	29
6.3	Source of energy	29
6.3.1	Electrical drive units	29
6.3.2	Hydraulic drive units	29
6.3.3	Pneumatic drive units	29
6.3.4	Restart after unintended interruption	29
6.3.5	Supply disconnection	29
6.4	Manual operation	30
6.4.1	Manual operation by direct movement of the door leaf	30
6.4.2	Manual operation directly applied to the drive unit	30
6.4.3	Balancing failure at manual operation	30
6.4.4	Human physical strength for manual operation of the door leaf	30
6.5	Other hazards	30
6.5.1	Pass doors	30
6.5.2	Imprisonment	30
6.5.3	Trapping	31
6.5.4	Falling or ejected parts or uncontrolled movement	31
6.5.5	Locking devices	32
6.5.6	Loss of stability	32
6.5.7	Glazing material	32
6.5.8	Modification of settings	32
7	Information for use	32
7.1	General	32
7.2	Marking	33
	Annex A (normative) Limitation of forces	34
A.1	Specifications	34
A.2	Admissible forces	34
	Annex B (informative) Examples of mechanical protection and safety distances	36
B.1	Examples of mechanical protection	36
B.2	Examples of appropriate safety clearances and safety distances	37
	Annex C (normative) Force measuring method	39
C.1	General	39
C.2	Measuring equipment	39

EN 12453:2017 (E)

C.3	Points of measuring.....	39
	Annex D (normative) Testing method for presence detection	49
D.1	General.....	49
D.2	Test pieces	49
D.3	Testing of supplementary device to be used with force limitation.....	50
D.4	Testing of presence detection system to be used without force limitation	53
	Annex E (informative) Safeguarding against dropping by other design features incorporated in the suspension system of vertically moving power operated door leaves.....	57
	Annex F (informative) Relationship between Hazards, Requirements and Test clauses	58
	Annex ZA (informative) Relationship between this European standard and the Essential Requirements of Directive 2006/42/EC aimed to be covered	60
	Bibliography.....	61

European foreword

This document (EN 12453:2017) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede EN 12453:2000 and EN 12445:2000.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

Compared with EN 12453:2000 and EN 12445:2000, the following changes have been made:

- a) EN 12453 has been revised to be harmonized under Machinery Directive 2006/42/EC;
- b) EN 12453 has been merged with EN 12445; as EN 12445:2000 will be withdrawn;
- c) aligning structure of EN 12453 according to MD templates;
- d) revision of the list of significant hazards (Clause 4);
- e) revision of safety and/or protective measures (Clause 5);
- f) revision of the verification of the safety requirements (Clause 6);
- g) editorial revision of Annex A (limitation of forces);
- h) introducing Annex B (Examples of mechanical protection and safety distances);
- i) introducing Annex C (Force measuring method);
- j) introducing Annex D (Testing method for presence detection);
- k) introducing Annex E (Safeguarding against dropping by other design features incorporated in the suspension system of vertically moving power operated door leaves);
- l) introducing Annex ZA for harmonization of EN 12453 under MD.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12453:2017 (E)**Introduction**

This document is a type C document as stated in EN ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.)

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

This document has been prepared to meet the needs of manufacturers, users and safety enforcement authorities, with the primary purpose of providing design and performance for safety in use of power operated industrial, commercial and garage doors and gates used by vehicular traffic.

Mechanical aspects of the doors are covered by normative references to prEN 12604:2014.

1 Scope

This European Standard specifies requirements and test methods for the safety in use of power operated doors, gates and barriers, intended for installation in areas in the reach of persons, and for which the main intended use is giving safe access for goods and vehicles accompanied or driven by persons in industrial, commercial or residential premises.

This European Standard also covers power operated vertically moving commercial doors such as rolling shutters and rolling grilles, used in retail premises which are mainly provided for goods protection.

This European Standard deals with all significant hazards, hazardous situations and events relevant to the power operation of industrial, commercial and garage doors, and gates when they are used as intended and under conditions of misuse which are reasonably foreseeable as identified in Clause 4.

All lifetime phases of the machinery including transportation, assembly, dismantling, disabling and scrapping are considered by this standard.

This European Standard does not apply to:

- lock gates and dock gates;
- doors on lifts;
- doors on vehicles;
- armoured doors;
- doors mainly for the retention of animals, unless they are at the site perimeter ;
- theatre textile curtains;
- horizontally moving power operated doors mainly intended for pedestrian use;
- doors outside the reach of people (such as crane gantry fences);
- railway barriers;
- barriers intended solely for use by pedestrians;
- barriers used solely for vehicles on motorways.

Whenever the term “door” is used in this document, it shall be deemed to cover the full scope of types and variances of doors, gates and barriers in the scope of this Standard.

This European Standard does not deal with any specific requirements on noise emitted from power operated door, gate and barrier, intended for installation in areas in the reach of persons, and for which the main intended use is giving safe access for goods and vehicles accompanied or driven by persons in industrial, commercial or residential premises as their noise emission is not considered to be a relevant hazard.

NOTE Noise emission of power-operated doors is not a significant hazard for the users of these products. It is a comfort aspect.

This European Standard is not applicable to machinery which are manufactured before the date of publication of the standard.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-