

Irish Standard I.S. EN ISO 4589-3:2017

Plastics - Determination of burning behaviour by oxygen index - Part 3: Elevatedtemperature test (ISO 4589-3:2017)

© CEN 2017 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 4589-3:2017

2017-05-28

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN ISO 4589-3:2017 2017-05-10

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:

and comes into effect on: 13.220.40 83.080.01

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### National Foreword

I.S. EN ISO 4589-3:2017 is the adopted Irish version of the European Document EN ISO 4589-3:2017, Plastics - Determination of burning behaviour by oxygen index - Part 3: Elevated-temperature test (ISO 4589-3:2017)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN ISO 4589-3

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

May 2017

ICS 13.220.40; 83.080.01

Supersedes EN ISO 4589-3:1996

#### **English Version**

# Plastics - Determination of burning behaviour by oxygen index - Part 3: Elevated-temperature test (ISO 4589-3:2017)

Plastiques - Détermination du comportement au feu au moyen de l'indice d'oxygène - Partie 3: Essai à haute température (ISO 4589-3:2017) Kunststoffe - Bestimmung des Brennverhaltens durch den Sauerstoff-Index - Teil 3: Prüfung bei erhöhter Temperatur (ISO 4589-3:2017)

This European Standard was approved by CEN on 20 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 4589-3:2017 (E)

Contents	Page
European foreword	2
European ioreworu	

EN ISO 4589-3:2017 (E)

## **European foreword**

This document (EN ISO 4589-3:2017) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2017 and conflicting national standards shall be withdrawn at the latest by November 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4589-3:1996.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 4589-3:2017 has been approved by CEN as EN ISO 4589-3:2017 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 4589-3:2017

# INTERNATIONAL STANDARD

ISO 4589-3

Second edition 2017-04

# Plastics — Determination of burning behaviour by oxygen index —

Part 3: **Elevated-temperature test** 

Plastiques — Détermination du comportement au feu au moyen de l'indice d'oxygène —

Partie 3: Essai à haute température





# **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents		Page
Forev	word	iv
Intro	oduction	v
1	Scope	1
2	Normative references	
_		
3	Terms and definitions	
4	Principle	2
5	Apparatus	
	5.1 Arrangement	
	5.2 Test chimney	
	5.3 Test specimen holder	
	5.4 Gas supplies	
	5.5 Gas control devices	
	5.6 Oxygen analyser	
	5.7 Flame igniter	
	5.8 Timing device	
	5.9 Fume extraction system	4
6	Calibration and maintenance of equipment	4
7	Preparation of test specimens	4
	7.1 Sampling	4
	7.2 Test specimen dimensions and preparation	4
	7.3 Marking of test pieces	4
	7.4 Conditioning	4
8	Procedure	
	8.1 Setting up the apparatus and test specimen	
	8.2 Igniting the test specimen	
	8.3 Assessing burning behaviour	
	8.4 Selecting successive volume fractions of oxygen	5
	8.5 Determining the preliminary volume fraction of oxygen	
	8.6 Volume fraction of oxygen changes	6
9	Calculations and expression of results	6
10	Comparison with a specified minimum value of the temperature index at a specified temperature (short procedure)	6
11	Precision	
12	Test report	
	ex A (normative) Measurement of flammability temperature (FT)	
	ex B (informative) Interlaboratory test data on flammability temperature	
	ex C (informative) Typical test results sheet	
	ography	19

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 4, *Burning behaviour*.

This second edition cancels and replaces the first edition (ISO 4589-3:1996), which has been technically revised.

A list of all parts in the ISO 4589 series can be found on the ISO website.

### Introduction

This document has been prepared to extend the methods available for the determination of flammability by oxygen index (OI) (see ISO 4589-2) to typical elevated temperatures to which a plastic material can be exposed in a service situation. It also provides a method for determining the temperature at which combustion of a small bar of material is just supported in air under certain test conditions; the resulting temperature is termed the flammability temperature.

This document is intended to be used in conjunction with ISO 4589-2 which describes the basic OI test method.

Results obtained in accordance with this document are not applicable to describe or appraise the fire hazard presented by a particular material or shape under actual fire conditions, unless used as one element of a fire risk assessment which takes into account all of the factors which are pertinent to the assessment of the fire hazard of a particular application for the material.

This is a free page sample. Access the full version online. I.S. EN ISO 4589-3:2017

# Plastics — Determination of burning behaviour by oxygen index —

## Part 3:

# **Elevated-temperature test**

### 1 Scope

This document specifies methods for determining the minimum volume fraction of oxygen, in a mixture with nitrogen, that will support combustion of small vertical test specimens under specified test conditions over a range of temperatures between 25 °C and 150 °C. The range of temperatures is typically between 40 °C and 150 °C. The results are defined as temperature index values at the test temperature, which is typical of the practical temperature that a plastic material can experience in an overheated service situation.

Methods are provided for testing materials that are self-supporting at the test temperature in the form of vertical bars or sheet up to 10,5 mm thick. However, they are not applicable to form V which requires a supporting frame as defined in ISO 4589-2:2017, Table 2. These methods are suitable for solid, laminated or cellular materials characterized by an apparent density  $100 \text{ kg/m}^3$  or higher. The methods are also applicable to some cellular materials having an apparent density of less than  $100 \text{ kg/m}^3$ . A method is provided for testing flexible sheet or film materials while supported vertically.

This document also includes a method (see Annex A) for determining the temperature at which the OI of small vertical test specimens in air is 20.9~% under specified test conditions. The temperature at which this occurs is defined as the flammability temperature (FT) and the method is limited to the determination of temperatures less than 400~%. The method is not applicable to materials having an OI of <20.9~%.

NOTE 1 It might not be possible to apply these methods satisfactorily to materials that exhibit high levels of shrinkage when heated, e.g. highly oriented thin film.

NOTE 2 For assessing the flame propagation properties of cellular materials of density  $<100 \text{ kg/m}^3$ , attention is drawn to the method described in ISO 3582.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 $ISO\ 4589-1, Plastics -- Determination\ of\ burning\ behaviour\ by\ oxygen\ index -- Part\ 1:\ General\ requirements$ 

ISO 4589-2:2017, Plastics — Determination of burning behaviour by oxygen index — Part 2: Ambient-temperature test

ISO 13943, Fire safety — Vocabulary

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4589-1, ISO 13943 and the following apply.



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation