



NSAI
Standards

Irish Standard
I.S. EN 50436-7:2016

Alcohol interlocks - Test methods and performance requirements - Part 7: Installation document

I.S. EN 50436-7:2016

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50436-7:2016

Published:

2016-12-23

This document was published under the authority of the NSAI and comes into effect on:

2017-01-16

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeán Náisiúnta na hÉireann

National Foreword

I.S. EN 50436-7:2016 is the adopted Irish version of the European Document EN 50436-7:2016, Alcohol interlocks - Test methods and performance requirements - Part 7: Installation document

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 50436-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2016

ICS 43.040.10; 71.040.40

English Version

Alcohol interlocks - Test methods and performance requirements - Part 7: Installation document

Éthylotests antidémarrage - Méthodes d'essais et
exigences de performance - Partie 7: Document
d'installation

Alkohol-Interlocks - Prüfverfahren und Anforderungen an
das Betriebsverhalten - Teil 7: Einbaudokument

This European Standard was approved by CENELEC on 2016-10-31. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | Page |
|---|-------------|
| European foreword..... | 3 |
| Introduction..... | 4 |
| 1 Scope..... | 5 |
| 2 Normative references..... | 5 |
| 3 Terms and definitions | 5 |
| 4 Installation of an alcohol interlock | 7 |
| Figure 1 — Traditional installation schematics for an alcohol interlock..... | 7 |
| 5 Time behaviour..... | 8 |
| 6 Layout and contents of the installation document | 8 |
| 6.1 General | 8 |
| 6.2 General content and layout | 8 |
| 6.3 Header | 9 |
| 6.4 Footer..... | 9 |
| 6.4.1 General | 9 |
| 6.4.2 Document identification number | 9 |
| 6.5 Connection schematics | 10 |
| 6.6 Safety risks at installation and items to be considered | 10 |
| 6.7 Assembly instruction | 10 |
| 6.8 Modification of vehicle operation | 10 |
| 6.9 Mounting position of alcohol interlock handset and alcohol interlock control unit | 10 |
| Annex A (informative) Time behaviour | 11 |
| Figure A.1 — Time behaviour diagram | 11 |
| Annex B (normative) General layout of the installation document..... | 12 |
| Table B.1 — Layout of the installation document..... | 12 |
| Annex C (normative) Connection schematics..... | 13 |
| Table C.1 — Information of the connection schematics | 13 |
| Annex D (informative) Assembly instruction | 15 |
| Figure D.1 — Location of ground installation point | 15 |
| Figure D.2 — Taking apart to reach an installation point by minimizing damages..... | 15 |
| Figure D.3 — Location of the connector and of the pins in the connector | 16 |
| Bibliography..... | 17 |
| Figures | |
| Figure 1 — Traditional installation schematics for an alcohol interlock..... | 7 |
| Figure D.1 — Location of ground installation point | 15 |
| Figure D.2 — Taking apart to reach an installation point by minimizing damages..... | 15 |
| Figure D.3 — Location of the connector and of the pins in the connector | 16 |
| Tables | |
| Table B.1 — Layout of the installation document..... | 12 |
| Table C.1 — Information of the connection schematics | 13 |

European foreword

This document (EN 50436-7:2016) has been prepared by CLC/BTTF 116-2 "Alcohol Interlocks".

The following dates are fixed:

- latest date by which this document has to be implemented (dop) [2017-10-31]
at national level by publication of an identical
national standard or by endorsement
- latest date by which the national standards conflicting (dow) [2019-10-31]
with this document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

EN 50436-7:2016 (E)

Introduction

The purpose of alcohol interlocks is to enhance traffic safety by preventing persons with alcohol concentrations exceeding a set limit value from driving a motor vehicle. EN 50436 series specifies test methods and essential performance requirements for alcohol interlocks and gives guidance for authorities, decision makers, purchasers and users.

There are several ways in which alcohol interlocks may be used:

- installed in a vehicle as a general preventive measure for the promotion of traffic safety, on a voluntary basis or required legally in certain vehicles (e.g. vehicles for children transport); or
- in vehicles as ordered by a court or an administrative authority as part of a drink-driving offender programme; or
- for persons subject to a medical or rehabilitation programme.

Alcohol interlocks are often intended for aftermarket installation. For this purpose, they are connected to the electric and control circuits of the vehicle.

This installation of an alcohol interlock should not interfere with the proper performance of the vehicle, should not impair the safety and security of the vehicle and should be as straightforward as possible. Additionally, the installation costs should be low in relation to the total cost of the alcohol interlock.

Therefore, it is desirable to have a standardized installation document to give the necessary details to the technicians installing an alcohol interlock into a certain vehicle model, even if the responsibility for the safe installation will remain on the alcohol interlock installer.

1 Scope

This European Standard defines the content and the layout of an installation document providing necessary and useful information about the aftermarket installation of an alcohol interlock into a vehicle. It details the type of the vehicle, connection schematics, accessibility instructions and recommendations to avoid safety risks.

The contents and layout ensures that the information document is easy to use for installers in different countries and may be available in paper or electronic format.

This European Standard is applicable to alcohol interlocks according EN 50436-1 and EN 50436-2.

This European Standard is mostly intended for vehicle manufacturers and manufacturers of alcohol interlocks.

This European Standard does not apply to:

- the process of handling the installation documents;
- the installation process;
- information related to education and training for installers;
- general performance requirements for alcohol interlocks (see EN 50436-1 and EN 50436-2);
- the installation of the alcohol interlock during the production of the vehicle.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50436-1:2014, *Alcohol interlocks - Test methods and performance requirements - Part 1: Instruments for drink-driving-offender programs*

EN 50436-2:2014, *Alcohol interlocks - Test methods and performance requirements - Part 2: Instruments having a mouthpiece and measuring breath alcohol for general preventive use*

EN ISO 216, *Writing paper and certain classes of printed matter - Trimmed sizes - A and B series, and indication of machine direction (ISO 216)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

alcohol interlock

device which is normally in the blocking state when installed to prevent the starting of a vehicle engine, and which can be brought into the not-blocking state only after the presentation and analysis of a breath sample with an alcohol concentration below a limit value

NOTE 1 to entry: It normally consists of a handset and a control unit electrically connected to the vehicle.

NOTE 2 to entry: In this European Standard, the expression "starting of the vehicle engine" includes provision of an output signal from the alcohol interlock to the vehicle to enable the starting, operation or movement of the vehicle.

[SOURCE: EN 50436-1:2014, 3.1, modified — 'vehicle motor' is replaced by 'vehicle engine']

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-