



NSAI
Standards

Irish Standard
I.S. EN ISO 9917-2:2017

Dentistry - Water-based cements - Part 2: Resin-modified cements (ISO 9917-2:2017)

I.S. EN ISO 9917-2:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 9917-2:2017

Published:

2017-09-20

This document was published under the authority of the NSAI and comes into effect on:

2017-10-09

ICS number:

11.060.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 9917-2:2017 is the adopted Irish version of the European Document EN ISO 9917-2:2017, Dentistry - Water-based cements - Part 2: Resin-modified cements (ISO 9917-2:2017)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 9917-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2017

ICS 11.060.10

Supersedes EN ISO 9917-2:2010

English Version

Dentistry - Water-based cements - Part 2: Resin-modified cements (ISO 9917-2:2017)

Médecine bucco-dentaire - Ciments à base d'eau -
Partie 2: Ciments modifiés par addition de résine (ISO
9917-2:2017)

Zahnheilkunde - Wasserhärtende Zemente - Teil 2:
Kunststoffmodifizierte Zemente (ISO 9917-2:2017)

This European Standard was approved by CEN on 1 July 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 9917-2:2017 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 9917-2:2017) has been prepared by Technical Committee ISO/TC 106 “Dentistry” in collaboration with Technical Committee CEN/TC 55 “Dentistry” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018 and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 9917-2:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 9917-2:2017 has been approved by CEN as EN ISO 9917-2:2017 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
9917-2**

Third edition
2017-09

Dentistry — Water-based cements —

Part 2:

Resin-modified cements

Médecine bucco-dentaire — Ciments à base d'eau —

Partie 2: Ciments modifiés par addition de résine



Reference number
ISO 9917-2:2017(E)

© ISO 2017

ISO 9917-2:2017(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification and applications	2
4.1 Classification.....	2
4.2 Applications.....	2
5 Requirements	3
5.1 Materials.....	3
5.2 Working time.....	3
5.3 Setting time — Class 1 and Class 3 materials only.....	3
5.4 Film thickness — Luting materials only (see 4.2).....	3
5.5 Flexural strength.....	3
5.6 Radio-opacity.....	3
5.7 Shade and colour stability — Restorative materials only.....	3
6 Sampling	3
7 Test conditions and preparation of test specimens	4
7.1 Test conditions.....	4
7.2 Method of mixing.....	4
7.3 Inspection.....	4
8 Packaging, marking and information to be supplied by the manufacturer	4
8.1 Packaging.....	4
8.2 Marking and instructions for use.....	5
Annex A (normative) Determination of working time and setting time	8
Annex B (normative) Determination of film thickness — Luting materials only	10
Annex C (normative) Determination of flexural strength	12
Annex D (normative) Determination of radio-opacity	17
Annex E (normative) Determination of shade and colour stability — Restorative (except for tooth core build-up) and luting materials only	19
Bibliography	21

ISO 9917-2:2017(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 106, *Dentistry*, Subcommittee SC 1, *Filling and restorative materials*.

This third edition cancels and replaces the second edition (ISO 9917-2:2010), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the adoption of ISO 13116 as the measuring procedure of the test method for radio-opacity;
- the inclusion of tooth core build-up as a restoration in the scope;
- the adoption of other minor technical revisions in the test methods.

A list of all parts of the ISO 9917 series can be found on the ISO website.

Introduction

This document has been prepared in order to present the requirements and test methods for cements in which setting is achieved by a combination of an acid-base reaction and polymerization. The polymerization component of the reaction may be activated by mixing different components or through application of energy from an external source. As far as possible, test methods employed within this document have been harmonized with those used in ISO 4049 and ISO 9917-1.

No specific qualitative and quantitative requirements for ensuring the absence of biological hazard are included in this document, but it is recommended that reference be made to ISO 10993-1 and ISO 7405 when assessing possible biological or toxicological hazards.

Dentistry — Water-based cements —

Part 2: Resin-modified cements

1 Scope

This document specifies requirements and test methods for water-based dental cements in which setting is achieved by a combination of an acid-base reaction and polymerization. The materials are intended for luting, base or lining, restoration and tooth core build up purposes.

EXAMPLE Conventional glass polyalkenoate cements are normally formed by reacting an ion-leachable aluminosilicate glass with a polyalkenoic acid in an aqueous environment. Materials that fall within the scope of this document will normally be able to effect setting by such an aqueous acid-base type reaction but in addition will be able to undergo setting by polymerization.

NOTE The attention of manufacturers and test laboratories is drawn to the closely-related International Standards ISO 4049 and ISO 9917-1 so that they can consider which is the most appropriate for evaluating any individual product.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1942, *Dentistry — Vocabulary*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 6344-1, *Coated abrasives — Grain size analysis — Part 1: Grain size distribution test*

ISO 7491, *Dental materials — Determination of colour stability*

ISO 8601, *Data elements and interchange formats — Information interchange — Representation of dates and times*

ISO 13116:2014, *Dentistry — Test method for determining radio-opacity of materials*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1942 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

mixing time

portion of the working time required in order to obtain a satisfactory mix of the components

Note 1 to entry: Materials that fall within the scope of this document include materials that require mixing and single component materials that do not require mixing.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-