



NSAI
Standards

Irish Standard
I.S. EN 50124-1:2017

Railway applications - Insulation coordination
- Part 1: Basic requirements - Clearances and
creepage distances for all electrical and
electronic equipment

I.S. EN 50124-1:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50124-1:2017

Published:

2017-03-03

This document was published under the authority of the NSAI and comes into effect on:

2017-03-21

ICS number:

29.080.01

29.280

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 50124-1:2017 is the adopted Irish version of the European Document EN 50124-1:2017, Railway applications - Insulation coordination - Part 1: Basic requirements - Clearances and creepage distances for all electrical and electronic equipment

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 50124-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 29.080.01; 29.280

Supersedes EN 50124-1:2001

English Version

Railway applications - Insulation coordination - Part 1: Basic requirements - Clearances and creepage distances for all electrical and electronic equipment

Applications ferroviaires - Coordination de l'isolement -
Partie 1: Prescriptions fondamentales - Distances
d'isolement dans l'air et lignes de fuite pour tout matériel
électrique et électronique

Bahnwendungen - Isolationskoordination - Teil 1:
Grundlegende Anforderungen - Luft- und Kriechstrecken für
alle elektrischen und elektronischen Betriebsmittel

This European Standard was approved by CENELEC on 2017-02-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 50124-1:2017 (E)

Contents	Page
European foreword	5
Introduction.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Basis for insulation coordination	11
4.1 Basic principles.....	11
4.1.1 General.....	11
4.1.2 Insulation coordination with regard to voltage.....	11
4.1.3 Insulation coordination with regard to environmental conditions	12
4.2 Voltages and voltage ratings	13
4.2.1 General.....	13
4.2.2 Rated insulation voltage U_{Nm}	13
4.2.3 Rated impulse voltage U_{Ni}	13
4.3 Time under voltage stress.....	14
4.4 Pollution.....	14
4.5 Insulating material.....	15
4.5.1 General.....	15
4.5.2 Comparative tracking index (CTI)	15
5 Requirements and dimensioning rules for clearances	16
5.1 General.....	16
5.2 Minimum clearances.....	16
5.2.1 Functional insulation.....	16
5.2.2 Basic and supplementary insulation	16
5.2.3 Reinforced insulation	16
5.3 Contingency.....	16
5.4 Clearances for altitudes higher than 2 000 m	17
6 Dimensioning rules for creepage distances.....	17
6.1 General.....	17
6.2 Minimum creepage distances	17
6.2.1 Functional, basic and supplementary insulations	17
6.2.2 Reinforced insulation	17
7 Tests and measurements	18
7.1 General.....	18
7.2 Measurement of creepage distances and clearances	18
7.2.1 Method and values	18
7.2.2 Acceptance criteria	18
7.3 Verification of clearances by impulse test.....	18
7.3.1 Method and values	18
7.3.2 Test acceptance criteria	19
7.4 Verification of clearances by power-frequency test	19
7.4.1 Method and values	19
7.4.2 Test acceptance criteria	19
7.5 Verification of clearances by d.c. voltage test.....	19
7.5.1 Method and values	19

7.5.2	Test acceptance criteria	19
8	Specific requirements for applications in the railway field	20
8.1	General.....	20
8.2	Specific requirements for signalling	20
8.2.1	Overvoltage categories	20
8.2.2	Rated impulse voltages	21
8.2.3	Induced voltages	21
8.2.4	Installation instructions	21
8.2.5	Pollution degrees	21
8.3	Specific requirements for rolling stock.....	21
8.3.1	Determination of the rated impulse voltage U_{Ni} by method 1	21
8.3.2	Creepage distances	22
8.3.3	Roof installations	22
8.4	Specific requirements for fixed installations	22
8.4.1	Determination of the rated impulse voltage U_{Ni} by method 1	22
8.4.2	Distances of outdoor insulators	23
	Annex A (normative) Tables	24
	Annex B (normative) Provisions for type and routine dielectric tests for equipment	31
B.1	General.....	31
B.2	Tests	31
	Annex C (normative) Methods of measuring creepage distances and clearances	33
	Annex D (normative) Correlation between U_n and U_{Nm}	40
	Annex E (informative) Macro-environmental conditions.....	41
	Annex F (informative) Application guide	42
F.1	Introduction	42
F.2	Determination of minimum clearances and creepage distances.....	42
F.3	Examples	48
F.4	Tests	50
	Annex ZZ (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC.....	52
	Bibliography.....	53

Tables

Table A.1	— Rated impulse voltage U_{Ni} for low voltage circuits not powered directly by the contact line.....	24
Table A.2	— Rated impulse voltages (U_{Ni}) for circuits powered by the contact line and for traction power circuits in thermo-electric driven vehicles	25
Table A.3	— Minimum clearances in air for the standard altitude ranges based on the rated impulse voltage U_{Ni}	26
Table A.4	— Definition of pollution degrees.....	27
Table A.5	— Minimum creepage distances based on rated insulation voltage U_{Nm} up to 1 000 V for printed wiring material and associated components	27
Table A.6	— Minimum creepage distances for low values of rated insulation voltage U_{Nm} for materials other than printed wiring material	28

EN 50124-1:2017 (E)

Table A.7 — Minimum creepage distances (in mm/kV) for high values of rated insulation voltage U_{Nm}	28
Table A.8 — Test voltages for verifying clearances at atmospheric and altitude reference conditions, not to be used for routine dielectric tests	29
Table A.9 — Altitude correction factors for clearances in circuits with U_{Ni} up to and including 60 kV when equipment is intended to be used above 2 000 m	30
Table A.10 — Altitude correction factors for clearances in circuits with U_{Ni} higher than 60 kV when equipment is intended to be used above 2 000 m	30
Table B.1 — Dielectric test for equipment - Short-duration power-frequency (a.c.) test levels U_a (kV) based on the rated impulse voltage U_{Ni} (kV)	32
Table C.1 — Minimum dimensions of grooves	33
Table D.1 — Correlation between nominal voltages of the railway power distribution system and the required insulation voltages for circuits of equipment which are intended to be connected to these systems	40
Table E.1 — Correlation between pollution degrees and macro-environmental conditions	41
Table F.1 — Example for the determination of clearances and creepage distances	50
Table ZZ.1 — Correspondence between this European Standard, the TSI “Locomotives and Passenger Rolling Stock” (REGULATION (EU) No 1302/2014 of 18 November 2014) and Directive 2008/57/EC	52
Table ZZ.2 — Correspondence between this European Standard, the TSI “Energy” (REGULATION (EU) No 1301/2014 of 18 November 2014) and Directive 2008/57/EC	52

European foreword

This document (EN 50124-1:2017) has been prepared by CLC/TC 9X, "Electrical and electronic applications for railways."

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-02-06
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-02-06

This document supersedes EN 50124-1:2001, EN 50124-1:2001/A1:2003 and EN 50124-1:2001/A1:2005.

EN 50124-1:2017 includes the following significant technical changes with respect to EN 50124-1:2001:

- the scope has been enlarged to include altitudes higher than 2 000 m above sea level;
- related requirements have been included, especially new subclause 5.4, Table A.9 and Table A.10.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

EN 50124-1:2017 (E)

Introduction

Special conditions occurring in railway applications and the fact that the equipment here concerned falls into the scope of both the EN 60071 series (prepared by CLC/SR 28) and EN 60664-1 (prepared by CLC/SR 109), led to the decision to draw from these documents and from EN 60077-1 (prepared by CLC/TC 9), a single document of reference for all standards applicable to the whole railway field.

EN 50124 consists of two parts:

- EN 50124-1, *Railway applications - Insulation coordination - Part 1: Basic requirements - Clearances and creepage distances for all electrical and electronic equipment;*
- EN 50124-2, *Railway applications - Insulation coordination - Part 2: Overvoltages and related protection.*

This Part 1 allows, in conjunction with EN 50124-2, to take into account advantages resulting from the presence of overvoltage protection when dimensioning clearances.

1 Scope

This European Standard deals with insulation coordination in railways. It applies to equipment for use in signalling, rolling stock and fixed installations.

Insulation coordination is concerned with the selection, dimensioning and correlation of insulation both within and between items of equipment. In dimensioning insulation, electrical stresses and environmental conditions are taken into account. For the same conditions and stresses, these dimensions are the same.

An objective of insulation coordination is to avoid unnecessary over dimensioning of insulation.

This standard specifies:

- requirements for clearances and creepage distances for equipment;
- general requirements for tests pertaining to insulation coordination.

The term equipment relates to a section as defined in 3.3 it may apply to a system, a sub-system, an apparatus, a part of an apparatus, or a physical realization of an equipotential line.

This standard does not deal with:

- distances through solid or liquid insulation;
- distances through gases other than air;
- distances through air not at atmospheric pressure;
- equipment used under extreme conditions.

Product standards should align with this generic standard.

However, they may require, with justification, different requirements due to safety and/or reliability reasons, e.g. for signalling, and/or particular operating conditions of the equipment itself, e.g. overhead contact lines which should comply with EN 50119.

This standard also gives provisions for dielectric tests (type tests or routine tests) on equipment (see Annex B).

NOTE For safety critical systems, specific requirements are needed. These requirements are given in the product specific signalling standard EN 50129.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50123 (all parts), *Railway applications - Fixed installations - D.C. switchgear*

EN 50163, *Railway applications - Supply voltages of traction systems*

EN 60060-1, *High-voltage test techniques - Part 1: General definitions and test requirements (IEC 60060-1)*

EN 60071-1, *Insulation co-ordination - Part 1: Definitions, principles and rules (IEC 60071-1)*

EN 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials (IEC 60112)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-