



NSAI
Standards

Irish Standard
I.S. EN 60793-1-33:2017

Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility

I.S. EN 60793-1-33:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 60793-1-33:2017

Published:

2017-11-24

This document was published under the authority of the NSAI and comes into effect on:

2017-12-12

ICS number:

33.180.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 60793-1-33:2017 is the adopted Irish version of the European Document EN 60793-1-33:2017, Optical fibres - Part 1-33: Measurement methods and test procedures - Stress corrosion susceptibility

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 60793-1-33

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2017

ICS 33.180.10

Supersedes EN 60793-1-33:2002

English Version

**Optical fibres - Part 1-33: Measurement methods and test
procedures - Stress corrosion susceptibility
(IEC 60793-1-33:2017)**

Fibres optiques - Partie 1-33: Méthodes de mesure et
procédures d'essai - Résistance à la corrosion sous
contrainte
(IEC 60793-1-33:2017)

Lichtwellenleiter - Teil 1-33: Messmethoden und
Prüfverfahren - Spannungskorrosionsempfindlichkeit
(IEC 60793-1-33:2017)

This European Standard was approved by CENELEC on 2017-09-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 60793-1-33:2017 (E)

European foreword

The text of document 86A/1803/FDIS, future edition 1 of IEC 60793-1-33:2017, prepared by IEC/SC 86A "Fibres and cables", of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60793-1-33:2017.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-06-20
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-09-20

This document supersedes EN 60793-1-33:2002.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60793-1-33:2017 was approved by CENELEC as a European Standard without any modification.



IEC 60793-1-33

Edition 2.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Optical fibres –
Part 1-33: Measurement methods and test procedures – Stress corrosion
susceptibility**

**Fibres optiques –
Partie 1-33: Méthodes de mesures et procédures d'essai – Résistance à la
corrosion sous contrainte**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 60793-1-33

Edition 2.0 2017-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Optical fibres –
Part 1-33: Measurement methods and test procedures – Stress corrosion
susceptibility**

**Fibres optiques –
Partie 1-33: Méthodes de mesures et procédures d'essai – Résistance à la
corrosion sous contrainte**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.10

ISBN 978-2-8322-4736-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 Overview of test methods	9
5 Reference test methods.....	9
6 Apparatus.....	9
7 Sampling and specimens.....	9
7.1 General.....	9
7.2 Specimen length	9
7.3 Specimen preparation and conditioning.....	9
8 Procedure.....	10
9 Calculations.....	10
10 Results	10
11 Specification information	11
Annex A (normative) Dynamic n value, n_D , by axial tension.....	12
A.1 General.....	12
A.2 Apparatus	12
A.2.1 General	12
A.2.2 Support of the specimen	13
A.2.3 Stressing application	14
A.2.4 Fracture force measurement.....	14
A.2.5 Strain rate control.....	14
A.2.6 Stress rate characterization	15
A.3 Test sample	15
A.3.1 Sample size.....	15
A.3.2 Sample size (optional)	15
A.4 Procedure	15
A.5 Calculations	16
A.5.1 Fracture stress	16
A.5.2 Fracture stress at a given strain rate	16
A.5.3 Dynamic (tension) stress corrosion susceptibility parameter, n_D	17
A.6 Results	17
Annex B (normative) Dynamic n value, n_D , by two-point bending.....	19
B.1 General.....	19
B.2 Apparatus	19
B.2.1 General	19
B.2.2 Stepper motor control	19
B.2.3 Stepper motor-driven movable platen	19
B.2.4 Stationary platen	19
B.2.5 Platen velocity.....	19
B.2.6 Fibre fracture detecting system.....	19
B.3 Test sample	20
B.4 Procedure	20

B.5	Calculations	21
B.5.1	Fracture stress	21
B.5.2	Dynamic (two-point bending) stress corrosion susceptibility parameter, n_d	21
B.5.3	Results	22
Annex C (normative)	Static n value, n_S , by axial tension	24
C.1	General.....	24
C.2	Apparatus	24
C.2.1	General	24
C.2.2	Gripping the fibre at both ends.....	24
C.2.3	Stressing the fibre	24
C.2.4	Measuring time to fracture	24
C.3	Test sample	24
C.4	Procedure	24
C.5	Calculations	25
C.5.1	Fracture stress	25
C.5.2	Static (tension) stress corrosion susceptibility parameter, n_S	25
C.5.3	Simple median.....	25
C.6	Results	25
Annex D (normative)	Static n value, n_S , by two-point bending	27
D.1	General.....	27
D.2	Apparatus	27
D.2.1	Test equipment.....	27
D.2.2	Fibre fracture detection.....	27
D.3	Test sample	27
D.4	Procedure	27
D.5	Calculations	27
D.5.1	Fracture stress	27
D.5.2	Static (two-point bending) stress corrosion susceptibility parameter, n_S	28
D.6	Results	28
Annex E (normative)	Static n value, n_S , by uniform bending	29
E.1	General.....	29
E.2	Apparatus	29
E.2.1	General	29
E.2.2	Support of the sample.....	29
E.2.3	Stressing the fibre	29
E.2.4	Measuring time to fracture	29
E.3	Test sample	29
E.4	Procedure	29
E.5	Calculations	30
E.5.1	Fracture stress	30
E.5.2	Static (uniform bending) stress corrosion susceptibility parameter, n_S	30
E.6	Results	30
Annex F (informative)	Considerations for dynamic stress corrosion susceptibility parameter calculations.....	31
F.1	Specimen size and sample size	31
F.1.1	Specimen size	31
F.1.2	Sample size.....	31

F.2	Numeric algorithm for calculation of dynamic stress corrosion susceptibility parameter, n_D	32
F.3	Complete method to calculate fracture stress	33
Annex G (informative) Considerations for static stress corrosion susceptibility parameter calculations		35
G.1	Homologous method	35
G.2	Maximum likelihood estimate	35
Annex H (informative) Considerations on stress corrosion susceptibility parameter test methods		36
H.1	General	36
H.2	Crack growth	36
H.3	Types of stress corrosion susceptibility test methods	37
H.4	Comparison of n value obtained with different methods	37
H.5	Conclusion	38
Bibliography		40
Figure A.1 – Schematic of translation test apparatus		12
Figure A.2 – Schematic of rotational test apparatus		13
Figure A.3 – Schematic of rotational test apparatus with load cell		13
Figure A.4 – Representation of dynamic fatigue graph		18
Figure B.1 – Schematic of two-point bending unit		22
Figure B.2 – Schematic of possible dynamic fatigue (two-point bending) apparatus		23
Figure B.3 – Schematic of dynamic fatigue data		23
Figure C.1 – Schematic of possible static fatigue (tension) apparatus		26
Figure D.1 – Possible test equipment schematic		28
Figure E.1 – Schematic of possible static fatigue (uniform bending) apparatus		30
Figure H.1 – COST 218 round robin results of fracture strength versus "effective" time-to-fracture for dynamic and static axial tension, dynamic and static two-point bending and static mandrel test methods		38
Figure H.2 – COST 218 round robin results of fracture strength versus "effective" time-to-fracture for dynamic and static axial tension, dynamic and static two-point bending and static mandrel test methods		39
Table F.1 – 95 % confidence interval for n_D		32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRES –

Part 1-33: Measurement methods and test procedures – Stress corrosion susceptibility

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60793-1-33 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2001. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) removal of RTM;
- b) changes to scope.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1803/FDIS	86A/1824/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60793 series, published under the general title *Optical fibres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Annexes A, B, C, D, and E form an integral part of this document.

Annexes F, G, and H are for information only.

OPTICAL FIBRES –

Part 1-33: Measurement methods and test procedures – Stress corrosion susceptibility

1 Scope

This part of IEC 60793 contains descriptions of the five main test methods for the determination of stress corrosion susceptibility parameters.

The object of this document is to establish uniform requirements for the mechanical characteristic of stress corrosion susceptibility for silica-based fibres. Dynamic fatigue and static fatigue tests are used to determine the (dynamic) n_d value and (static) n_s value of stress corrosion susceptibility parameters. Currently, only the n_d -value is assessed against specification. Measured values greater than 18 per this procedure reflect the n_d -value of silica, which is approximately 20. Higher values will not translate to demonstrable enhanced fatigue resistance.

Silica fibre mechanical tests determine the fracture stress and fatigue properties under conditions that model the practical applications as closely as possible. The following test methods are used for determining stress corrosion susceptibility:

- A: Dynamic n_d value by axial tension;
- B: Dynamic n_d value by two-point bending;
- C: Static n_s value by axial tension;
- D: Static n_s value by two-point bending;
- E: Static n_s value by uniform bending.

These methods are appropriate for category A1, A2 and A3 multimode, class B single-mode fibres and class C intraconnecting single-mode fibres.

These tests provide values of the stress corrosion parameter, n , that can be used for reliability calculations according to IEC TR 62048 [18]¹.

Information common to all methods is contained in Clauses 1 to 10, and information pertaining to each individual test method appears in Annexes A, B, C, D, and E.

Annexes F and G offer considerations for dynamic and static stress corrosion susceptibility parameter calculations, respectively; Annex H offers considerations on the different stress corrosion susceptibility parameter test methods.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

¹ Numbers in square brackets refer to the Bibliography.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-