



NSAI
Standards

Irish Standard Recommendation
S.R. CEN/TS 17118:2017

Intelligent transport systems - Public transport - Open API for distributed journey planning

© CEN 2017 No copying without NSAI permission except as permitted by copyright law.

S.R. CEN/TS 17118:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TS 17118:2017

Published:

2017-11-01

This document was published under the authority of the NSAI and comes into effect on:

2017-11-29

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TS 17118:2017 is the adopted Irish version of the European Document CEN/TS 17118:2017,
Intelligent transport systems - Public transport - Open API for distributed journey planning

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17118

November 2017

ICS 35.240.60

English Version

**Intelligent transport systems - Public transport - Open API
for distributed journey planning**

Intelligente Verkehrssysteme - Öffentlicher Verkehr -
Offene API für verteilte Reiseplanung

This Technical Specification (CEN/TS) was approved by CEN on 28 August 2017 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword.....	10
0 Introduction	11
0.1 General.....	11
0.2 An Open API for distributed journey planning (OJP).....	11
0.3 The public transport information tensions.....	11
0.4 Distributed journey planning architecture beyond scope.....	12
0.4.1 General.....	12
0.4.2 The distributed journey planning approach.....	13
0.4.3 Distributed or centralised approaches	13
0.4.4 The basis for the Open API.....	14
0.4.5 Other possible uses for the Open API.....	14
0.5 The European ITS Directive	14
1 Scope	15
2 Normative references.....	15
3 Terms and definitions	15
4 Symbols and abbreviations	32
5 Use cases.....	33
5.1 General.....	33
5.2 Key tasks for Distributed Journey Planning.....	34
5.2.1 Planning a component of a trip	34
5.2.2 Discovering relevant stops	35
5.2.3 Obtaining information about accessibility and services for those with special needs.....	35
5.2.4 Seeking route information that can be displayed on maps	35
5.3 Other possible tasks for a Distributed Journey Planning system.....	35
5.3.1 Requesting a stop timetable.....	35
5.3.2 Requesting times for all intermediate stops in a trip	35
5.3.3 Requesting expected events at a particular stop.....	36
5.3.4 Requesting information about the fares and ticket options for a particular trip.....	36
5.3.5 Other possible questions.....	36
6 System Architectures, Metadata and Data	36
6.1 General.....	36
6.2 General considerations	36
6.3 Metadata requirements	38
6.4 Core data requirements	38
7 Open API for Distributed Journey Planning – OJP Services	40
7.1 Departure Monitor	40
7.1.1 Purpose.....	40
7.1.2 Interactions	41
7.1.3 Concerned Components	41
7.1.4 Function 1: Departure Monitor	41
7.2 Fare Information	42
7.2.1 Purpose.....	42
7.2.2 Interactions	42
7.2.3 Concerned Components	43

7.2.4	Function 1: Tariff Zones for Stop / Station	44
7.2.5	Function 2: Static Fare Information	44
7.2.6	Function 3: Trip-Related Fare Information.....	44
7.3	Location text matching	44
7.3.1	Purpose	44
7.3.2	Interactions.....	45
7.3.3	Concerned Components	45
7.3.4	Function: Location text matching	45
7.4	Object Information Service	45
7.4.1	Purpose	45
7.4.2	Interactions.....	46
7.4.3	Concerned Components	46
7.4.4	Function 1: Object Information	46
7.4.5	Function 2: Finding relevant exchange points	46
8	Open API for Distributed Journey Planning – Interface Description	47
8.1	Notation of XML-Elements and XML-Structures	47
8.1.1	General	47
8.1.2	Display of XML Elements in the Text	47
8.1.3	Display of Relationships.....	47
8.1.4	Table Notation of XML Structures.....	48
8.1.4.1	General	48
8.1.4.2	Grouping	49
8.1.4.3	Element Name	49
8.1.4.4	Multiplicity & Choice (min:max)	49
8.1.4.5	Data Type.....	49
8.1.4.6	Explanation	50
8.1.5	Message Exchange	50
8.1.6	Use of SIRI Procedure.....	50
8.1.7	HTTP and REST	51
8.1.8	Roles of Server and Client.....	52
8.2	Identification of Objects beyond system borders	52
8.2.1	General	52
8.2.2	Stops and Stopping Points	52
8.2.3	Localities and Districts	53
8.2.4	Addresses and POIs.....	53
8.2.5	Organisations: Transport Companies and Transport Authorities.....	53
8.2.6	Lines and Line Directions	54
8.2.7	Journeys	54
8.2.8	Vehicles	55
8.2.9	Operating Days	55
8.2.10	Owners.....	55
8.2.11	Stop- and Vehicle Equipment	55
8.2.12	Participating Systems / IT Systems.....	55
8.2.13	Incident Messages.....	56
8.2.14	Fare Authority.....	56
8.2.15	Tariff Zones.....	56
8.2.16	Tickets and Traveller Cards.....	56
8.3	Services and XML Schemas.....	56
8.3.1	General	56
8.3.2	Services Provided	56

CEN/TS 17118:2017 (E)

8.3.3 XML Schemas Used Across Services.....	57
8.3.4 Imported Schemas	58
8.3.5 Error States When Operating OJP Services.....	58
8.3.6 Error Codes from SIRI.....	59
8.3.7 General OJP Error States.....	60
8.3.8 Time Zones	60
8.4 Common XML Structures.....	60
8.4.1 General.....	60
8.4.2 Root Element OJP	60
8.4.2.1 General.....	60
8.4.2.2 ServiceRequestStructure.....	61
8.4.2.3 ServiceDeliveryStructure.....	63
8.4.3 OJP.Utility	64
8.4.3.1 General.....	64
8.4.3.2 Simple Types.....	64
8.4.3.3 InternationalTextStructure.....	65
8.4.3.4 GeoPositionStructure	65
8.4.3.5 WebLinkStructure	65
8.4.4 OJP.ModesSupport.....	65
8.4.4.1 General.....	65
8.4.4.2 Simple Types.....	65
8.4.4.3 The subsequent sections describe the complex structures defined in OJP.ModesSupport. IndividualTransportOptionsStructure.....	67
8.4.4.4 PtSubmodeChoiceGroup.....	67
8.4.4.5 ModeStructure	68
8.4.4.6 PtModeFilterStructure	68
8.4.4.7 PrivateModeFilterStructure.....	68
8.4.5 OJP.Common	68
8.4.5.1 Simple Types.....	68
8.4.5.2 ErrorMessageStructure.....	69
8.4.5.3 PrivateCodeStructure	69
8.4.5.4 OperatorFilterStructure	69
8.4.5.5 LineDirectionStructure.....	69
8.4.5.6 LineDirectionFilterStructure	69
8.4.5.7 SharingServiceStructure	70
8.4.5.8 OperatingDaysStructure.....	70
8.4.5.9 WeekdayTimePeriodStructure	70
8.4.5.10 GeneralAttributeStructure	71
8.4.6 OJP.LocationSupport	71
8.4.6.1 General.....	71

8.4.6.2 Simple Types	71
8.4.6.3 StopPointStructure	72
8.4.6.4 StopPlaceStructure	72
8.4.6.5 TopographicPlaceStructure	73
8.4.6.6 PointOfInterestStructure	73
8.4.6.7 PointOfInterestCategoryStructure	74
8.4.6.8 OsmTagStructure	74
8.4.6.9 PointOfInterestFilterStructure	74
8.4.6.10 AddressStructure	75
8.4.6.11 PlaceStructure	75
8.4.6.12 PlaceRefStructure	76
8.4.6.13 ExchangePointsFilterStructure	76
8.4.7 OJP_JourneySupport	76
8.4.7.1 General	76
8.4.7.2 ServiceViaPointStructure	76
8.4.7.3 TripViaStructure	77
8.4.7.4 DatedJourneyGroup	77
8.4.7.5 PrivateServiceGroup	77
8.4.7.6 DatedJourneyStructure	78
8.4.7.7 TripLocationStructure	78
8.4.7.8 CallAtStopStructure	79
8.4.7.9 DatedCallAtLocationStructure	80
8.4.7.10 ContinuousServiceStructure	80
8.4.7.11 VehiclePositionStructure	81
8.4.7.12 ProgressBetweenStopsStructure	82
8.4.7.13 PlaceContextStructure	82
8.4.7.14 AbstractResponseContextStructure	82
8.4.7.15 LegAttributeStructure	83
8.4.7.16 LegTrackStructure	83
8.4.7.17 TrackSectionStructure	83
8.4.8 OJP_FacilitySupport	83
8.4.8.1 General	83
8.4.8.2 siri:CommonFacilityGroup	83
8.4.8.3 siri:StopFacilityGroup	84
8.4.8.4 siri:ServiceFacilityGroup	85
8.4.8.5 siri:AllFacilitiesGroup	85
8.4.9 OJP_SituationSupport	85



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation