

Irish Standard I.S. EN 12014-2:2017

Foodstuffs - Determination of nitrate and/or nitrite content - Part 2: HPLC/IC method for the determination of nitrate content of vegetables and vegetable products

© CEN 2017 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN 12014-2:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN 12014-2:2017

2017-12-06

This document was published under the authority of the NSAI

ICS number:

and comes into effect on:

67.080.20

2017-12-24

Dublin 9

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 1 Swift Square, F +353 1 807 3838 Sales:

1 Swift Square, Northwood, Santry

E standards@nsai.ie

T +353 1 857 6730 F +353 1 857 6729

W NSAI.ie

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### National Foreword

I.S. EN 12014-2:2017 is the adopted Irish version of the European Document EN 12014-2:2017, Foodstuffs - Determination of nitrate and/or nitrite content - Part 2: HPLC/IC method for the determination of nitrate content of vegetables and vegetable products

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN 12014-2

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

December 2017

ICS 67.080.20

Supersedes EN 12014-2:1997

#### **English Version**

# Foodstuffs - Determination of nitrate and/or nitrite content - Part 2: HPLC/IC method for the determination of nitrate content of vegetables and vegetable products

Produits alimentaires - Détermination de la teneur en nitrates et/ou en nitrites - Partie 2 : Méthode de détermination par CLHP/CI de la teneur en nitrates des légumes et des produits à base de légumes Lebensmittel - Bestimmung des Nitrat- und/oder Nitritgehaltes - Teil 2: HPLC/IC-Verfahren für die Bestimmung des Nitratgehaltes in Gemüse und Gemüseerzeugnissen

This European Standard was approved by CEN on 15 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

# EN 12014-2:2017 (E)

| Contents |   |    |
|----------|---|----|
| Europ    | pean foreword   | 3  |
| Intro    | duction   | 4  |
| 1        | Scope   | 5  |
| 2        | Normative references                                      | 5  |
| 3        | Principle   | 5  |
| 4        | Reagents  | 5  |
| 5        | Apparatus and equipment                                   | 6  |
| 6        | Procedure   | 7  |
| 6.1      | Sample preparation  |    |
| 6.1.1    | Liquid samples, e.g. vegetable juice                      |    |
| 6.1.2    | Solid samples, e.g. leaf vegetable                        |    |
| 6.1.3    | Pasty samples, e.g. mashed vegetables                     |    |
| 6.2      | Hot water extraction of samples (solid and pasty samples) |    |
| 6.3      | Preparation of sample test solutions                      |    |
| 6.4      | Preparation of the calibration curve                      |    |
| 6.5      | Determination   |    |
| 6.5.1    | High-performance liquid chromatography                    |    |
| 6.5.2    | Ion chromatography  |    |
| 7        | Evaluation  |    |
| 7.1      | Identification and quantitative determination             |    |
| 7.2      | Calculation   |    |
| 7.3      | Precision   |    |
| 7.3.1    | General   | 8  |
| 7.3.2    | Repeatability   |    |
| 7.3.3    | Reproducibility   |    |
| 8        | Test report   | 9  |
| Annex    | x A (informative) Examples of HPLC/IC chromatograms       | 10 |
| Annex    | x B (informative) Precision data                          | 13 |
| Annex    | x C (informative) Examples of suitable HPLC conditions    | 15 |
| Annex    | x D (informative) Examples of suitable IC conditions      | 16 |
| Riblio   | noranhy   | 1Ω |

## **European foreword**

This document (EN 12014-2:2017) has been prepared by Technical Committee CEN/TC 275 "Food analysis - Horizontal methods", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12014-2:1997.

The following changes have been made to the former edition:

- a) the scope has been reduced from 50 mg/kg nitrate to 25 mg/kg nitrate and the upper limit has been deleted;
- b) the purification method 1 and 2 used in the preparation of sample test solutions has been deleted;
- c) a new matrix (iceberg lettuce) has been verified in an interlaboratory test;
- d) update of the HPLC/IC-conditions and chromatograms in Annex A;
- e) the procedure has been extensively revalidated and precision data in Annex B have been revised;
- f) editorially revised.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12014-2:2017 (E)

## Introduction

The method described in this standard has been developed and validated for investigations regarding the European legislation for nitrate in vegetables and vegetable products. Laboratory experience has shown that this analytical method is also suitable for the determination of nitrite in other matrices; however, this has not been validated in the interlaboratory test scheme cited here.

#### 1 Scope

This European Standard specifies a high-performance liquid chromatographic (HPLC) and an ion chromatographic (IC) method for determination of the nitrate level in vegetables and vegetable products. This method is applicable for samples with a content of 25 mg/kg or greater.

It has been validated on naturally contaminated and spiked samples as beetroot juice with nitrate mass fractions of 194 mg/kg and 691 mg/kg, pureed carrots with nitrate mass fractions of 26 mg/kg and 222 mg/kg and with iceberg lettuce with nitrate mass fractions of 623 mg/kg and 3 542 mg/kg.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

### 3 Principle

The nitrate is extracted from the foodstuff with hot water. The determination is performed either by reverse-phase HPLC and UV detection, or by IC and conductivity or UV detection.

#### 4 Reagents

Use only reagents of recognized analytical grade, unless otherwise specified. Water shall be nitrate-free and shall comply with grade 1 of ISO 3696.

- 4.1 Potassium nitrate.
- 4.2 Sodium nitrate.
- **4.3** Sulfuric acid, 96 % ( $\rho$  = 1,84 g/ml<sup>1</sup>).
- **4.4** Regenerator for suppressor, e.g. sulfuric acid ( $c = 0.0125 \text{ mol/l}^2$ ).

Carefully pipette 20 ml of sulfuric acid (4.3) into a 1 000 ml volumetric flask containing 800 ml of water. Mix the solution, dilute to the mark with water and mix again. Transfer 33 ml of this solution to a 1 000 ml volumetric flask containing 500 ml of water. Dilute to the mark with water and mix.

Alternatively, use a method with electrolytic suppressor.

**4.5 Nitrate stock solution,**  $\rho = 1~000 \text{ mg/l}$  (expressed as ion NO<sub>3</sub><sup>-</sup>).

Weigh 1,630 7 g of potassium nitrate (4.1) to the nearest 0,1 mg and dissolve in water in a 1 000 ml volumetric flask.

Alternatively, 1,370 9 g of sodium nitrate (4.2) can be used. If required, 15 ml of sulfuric acid (4.3) can be added as a preservative. Mix the solution, dilute to the mark with water and mix again. This solution is stable for at least two months if stored at +4 °C in the dark (refrigerator).

Alternatively, commercially available standard solutions can also be used.

2) c = substance concentration

<sup>1)</sup>  $\rho$  = mass concentration



| This is a free preview | <ul> <li>Purchase the entire</li> </ul> | e publication at the link below: |
|------------------------|---|----------------------------------|
|------------------------|---|----------------------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation