

Irish Standard I.S. EN 12831-3:2017

Energy performance of buildings - Method for calculation of the design heat load - Part 3: Domestic hot water systems heat load and characterisation of needs, Module M8-2, M8-3

 $\ensuremath{\mathbb C}$  CEN 2017  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### I.S. EN 12831-3:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

This document is based on: EN 12831-3:2017 *Published:* 2017-07-12

This document was published			ICS number:
under the authority of the NSAI and comes into effect on:			91.140.10 91.140.65
2017-07-30			
		NOTE: If bl	ank see CEN/CENELEC cover page
NSAI	T +353 1	807 3800	Sales:
1 Swift Square,	F +353 1	807 3838	T +353 1 857 6730
Northwood, Santry	E standa	rds@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.i	e	W standards.ie
Úda	rás um Cha	ighdeáin Náisiúnta r	na hÉireann

#### **National Foreword**

I.S. EN 12831-3:2017 is the adopted Irish version of the European Document EN 12831-3:2017, Energy performance of buildings - Method for calculation of the design heat load - Part 3: Domestic hot water systems heat load and characterisation of needs, Module M8-2, M8-3

This standard has been drafted so that it can be used in the context of national legal requirements and as such mandatory choices may be given at national level for specific applications. Default values for those parameters subject to national choice are listed in Annex B.

Currently this standard is being reviewed by the relevant national authorities after which a decision will be made on the use of the default values (Annex B) or otherwise.

Users of this Irish standard are advised to check for updates as to the status of the national decision in relation to the use of those values listed in Annex B.

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

#### Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

#### This is a free page sample. Access the full version online. I.S. EN 12831-3:2017

# EUROPEAN STANDARD NORME EUROPÉENNE

## EN 12831-3

## **EUROPÄISCHE NORM**

July 2017

ICS 91.140.10; 91.140.65

Supersedes EN 15316-3-1:2007

**English Version** 

### Energy performance of buildings - Method for calculation of the design heat load - Part 3: Domestic hot water systems heat load and characterisation of needs, Module M8-2, M8-3

Performance énergétique des bâtiments - Méthode de calcul des déperditions calorifiques de base - Partie 3 : Charge thermique des systèmes de production d'eau chaude sanitaire et caractérisation des besoins, Module M8-2, M8-3 Energetische Bewertung von Gebäuden - Verfahren zur Berechnung der Energieanforderungen und Nutzungsgrade der Anlagen - Teil 3: Dimensionierung von Trinkwassererwärmungsanlagen und Bedarfsbestimmung, Modul M8-2, M8-3

This European Standard was approved by CEN on 27 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels** 

## This is a free page sample. Access the full version online. I.S. EN 12831-3:2017

#### EN 12831-3:2017 (E)

### Contents

Europ	ean foreword	4
Introd	uction	5
1	Scope	7
2	Normative references	. 11
3	Terms and definitions	. 11
4 4.1	Symbols and abbreviations Symbols	
4.2	Subscripts	
5 5.1 5.2	Description of the methods General description of the method for sizing domestic hot water systems General description of the methods for calculating the energy needs for domestic hot water	. 16
6	Calculation procedures	
<b>6</b> .1	Output data	. 17
6.2	Calculation time steps	
6.3 6.3.1	Input data General	
6.3.2	Product data	
6.3.3	System design data	
6.3.4	Operating data and boundary	
6.3.5	Other data	
6.4	Calculation procedure for sizing domestic hot water systems	
6.4.1 6.4.2	Calculation of the energy needs curve for DHW Energy supply	
6.4.3	Procedure for dimensioning the DHW system	
6.5	Calculation procedure for determining the energy needs for domestic hot water	
6.5.1	Energy need for domestic hot water based on draw-off or load profiles	
6.5.2	Energy need for domestic hot water based on volume required	
6.5.3	Energy need for domestic hot water based directly on floor area	
6.5.4	Tabulated energy need for domestic hot water	. 41
7	Quality control	. 41
8	Compliance check	. 41
Annex	A (normative) Template for input data	
A.1	Load profiles	
A.2	Parameters to calculate energy needs	
A.3 A.4	Parameters for sizing DHW systems General values	
	B (informative) Default input data	
B.1 B.2	Load profiles Parameters to calculate energy needs	
в.z B.3	Parameters to calculate energy needs Parameters for sizing DHW systems	
B.4	General values	

Bibliography
--------------

#### **European foreword**

This document (EN 12831-3:2017) has been prepared by Technical Committee CEN/TC 228 "Heating systems and water based cooling systems in buildings", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2018, and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15316-3-1:2007.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The changes made to the previous edition are minor editorial corrections:

- a) minor improvement readability of Figure 4;
- b) correction of an incorrect term in Formula (14);
- c) correction of an incorrect symbol in Figure 14.

EN 12831, *Energy performance of buildings* — *Method for the calculation of the design heat load*, is composed with the following parts:

- Part 1: Space heating load, Module M3-3;
- Part 2: Explanation and justification of EN 12831-1, Module M3-3 [CEN/TR];
- Part 3: Domestic hot water systems heat load and characterisation of needs, Module M8-2, M8-3;
- Part 4: Explanation and justification of EN 12831-3, Module M8-2, M8-3 [CEN/TR].

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### Introduction

CEN/TC 228 deals with heating systems in buildings. Subjects covered by CEN/TC 228 are:

- energy performance calculation for heating systems;
- inspection of heating systems;
- design of heating systems;
- installation and commissioning of heating systems.

This European Standard was developed to cover hourly and minutely time-steps.

This European Standard is part of a series of standards aiming at international harmonization of the methodology for the assessment of the energy performance of buildings, called "set of EPB standards".

All EPB standards follow specific rules to ensure overall consistency, unambiguity and transparency.

All EPB standards provide a certain flexibility with regard to the methods, the required input data and references to other EPB standards, by the introduction of a normative template in Annex A and Annex B with informative default choices.

For the correct use of this standard a normative template is given in Annex A to specify these choices. Informative default choices are provided in Annex B.

Use by or for regulators: In case the standard is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications. These choices (either the informative default choices from Annex B or choices adapted to national / regional needs, but in any case following the template of this Annex A) can be made available as national annex or as separate (e.g. legal) document (national data sheet).

NOTE So in this case:

- the regulators will **specify** the choices;
- the individual user will apply the standard to assess the energy performance of a building, and thereby use the choices made by the regulators.

Topics addressed in this standard can be subject to public regulation. Public regulation on the same topics can override the default values in Annex B of this standard. Public regulation on the same topics can even, for certain applications, override the use of this standard. Legal requirements and choices are in general not published in standards but in legal documents. In order to avoid double publications and difficult updating of double documents, a national annex may refer to the legal texts where national choices have been made by public authorities. Different national annexes or national data sheets are possible, for different applications.

It is expected, if the default values, choices and references to other EPB standards in Annex B are not followed due to national regulations, policy or traditions, that:

- national or regional authorities prepare data sheets containing the choices and national or regional values, according to the model in Annex A. In this case the national annex (e.g. NA) refers to this text;
- or, by default, the national standards body will consider the possibility to add or include a national annex in agreement with the template of Annex A, in accordance to the legal documents that give national or regional values and choices.

Further target groups are parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

More information is provided in the Technical Report accompanying this standard (EN 12831-4).

#### 1 Scope

This European Standard describes a method to calculate the power and the storage volume required for the dimensioning of domestic hot water systems (DHW). The applicability ranges from direct water heaters (no storage volume and a comparatively large effective heating power) to larger storage systems with a comparatively small heating power and large storage volumes.

This European Standard is applicable to the following water storage systems:

- storage systems characterized by a minimal mixing zone, (such as stratified charging storage tanks or storage tanks with external heat exchangers): these systems are nominated in this standard as "charging storage systems";
- storage tank water heaters and warm water storage tanks with a pronounced mixing zone (such as DHW storage tanks with internal heat exchangers), nominated in this standard as "mixed storage systems";

and for different uses.

The Scope also includes standardization methods for determining the energy need for domestic hot water. This European Standard covers the domestic hot water needs in buildings.

The calculation of the energy needs for DHW-Systems applies to residential and non-residential buildings, a building or a zone of a building.

Figure 1 shows the relative position of this standard within the set of EPB standards in the context of the modular structure as set out in EN ISO 52000-1.

NOTE 1 In CEN ISO/TR 52000-2 the same table can be found, with, for each module, the numbers of the relevant EPB standards and accompanying technical reports that are published or in preparation.

NOTE 2 The modules represent EPB standards, although one EPB standard may cover more than one module and one module may be covered by more than one EPB standard, for instance a simplified and a detailed method respectively. See also Clause 2 and Tables A.1 and B.1.

Table 1 shows the relative position of this standard within the EPB package of standards.

### EN 12831-3:2017 (E)

	Overarch	ing	Building (as such)		Technical Building Systems									
Sub module	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidif ication	Dehumidifi cation	Domestic Hot water	Lighting	Building automation and control	Electricity production
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
1	General		General		General	15316-1					15316-1			
2	Common terms and definitions; symbols, units and subscripts		Building Energy Needs		Needs						12831-3			
3	Applications		(Free) Indoor Conditions without Systems		Maximum Load and Power	12831-1					12831-3			
4	Ways to Express Energy Performance		Ways to Express Energy Performance		Ways to Express Energy Performance	15316-1					15316-1			
5	Building categories and Building Boundaries		Heat Transfer by Transmission		Emission and control	15316-2	15316-2							
6	Building Occupancy and Operating Conditions		Heat Transfer by Infiltration and Ventilation		Distribution and control	15316-3	15316-3				15316-3			
7	Aggregation of Energy Services and Energy Carriers		Internal Heat Gains		Storage and control	15316-5					15316-5 15316-4- 3			

#### Table 1 — Position of this standard, within the modular structure of the set of EPB standards

	Overarch	ing	Building (as such)		Technical Building Systems										
Sub module	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidif ication	Dehumidifi cation	Domestic Hot water	Lighting	Building automation and control	Electricity production	
sub1		M1		M2		М3	M4	M5	M6	M7	M8	М9	M10	M11	
8	Building zoning		Solar Heat Gains		Generation										
8-1					Combustion boilers	15316- 4-1					15316-4- 1				
8-2					Heat pumps	15316- 4-2	15316- 4-2				15316-4- 2				
8-3					Thermal solar Photovoltaics	15316- 4-3					15316-4- 3			15316-4-3	
8-4					On-site cogeneration	15316- 4-4					15316-4- 4			15316-4-4	
8-5					District heating and cooling	15316- 4-5	15316- 4-5							15316-4-5	
8-6					Direct electrical heater	15316- 4-8					15316-4- 8				
8-7					Wind turbines									15316-4- 10	
8-8					Radiant heating, stoves	15316- 4-8									
9	Calculated Energy Performance		Building Dynamics (thermal mass)		Load dispatching and operating conditions										
10	Measured Energy Performance		Measured Energy Performance		Measured Energy Performance	15378-3					15378-3				

#### EN 12831-3:2017 (E)

Overarching		Building (as such)		Technical Building Systems									
Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidif ication	Dehumidifi cation	Domestic Hot water	Lighting	Building automation and control	Electricity production
	M1		M2		M3	M4	M5	M6	M7	M8	М9	M10	M11
Inspection		Inspection		Inspection	15378-1					15378-1			
Ways to Express Indoor Comfort			-	BMS									
External Environment Conditions													
Economic Calculation	15459- 1												
	Descriptions Inspection Ways to Express Indoor Comfort External Environment Conditions Economic	DescriptionsDescriptionsM1InspectionWaystoExpressIndoorComfortExternalEnvironmentConditionsEconomic15459-	Overarching(as such)DescriptionsDescriptionsM1DescriptionInspectionInspectionWays Express Indoor ComfortInspectionExternal Environment ConditionsInspectionExconomic15459-	Overarching(as such)DescriptionsDescriptionsM1M2InspectionInspectionWays to Express Indoor ComfortInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspectionIndoorInspection </td <td>Overarching(as such)OescriptionsDescriptionsDescriptionsDescriptionsM1M2M2InspectionInspectionInspectionWays to Express Indoor ComfortInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionIndoorInspectionInspectionExternal Environment ConditionsInspectionInspecti</td> <td>Overarching(as such)Image: Construction of the subscription of the subsc</td> <td>Overarching (as such)(as such)Heating DescriptionsCoolingDescriptionsM1M2M3M4InspectionInspectionInspection15378-1Ways to Express Indoor ComfortInspectionIBMSIsseedExternal Environment ConditionsIssesIsseedIsseedIsseedEconomic15459-IsseedIsseedIsseedIsseed</br></td> <td>Overarching (as such)(as such)Image: Constant of the such of the</td> <td>Overarching (as such)(as such)DescriptionsMeatingCoolingVentilationHumidificationDescriptionsM1M2M2M3M4M5M6InspectionInspectionInspection15378-1IIIWays to Express Indoor ComfortImage (Section)Image (Section)Image (Section)Image (Section)Image (Section)External Environment ConditionsImage (Section)Image (Section)Image (Section)Image (Section)Image (Section)Economic15459-Image (Section)Image (Section)Image (Section)Image (Section)Image (Section)</td> <td>Overarching(as such)DescriptionsMeatingCoolingVentilationHumidif icationDehumidifi cationDescriptionsM1M2M2M3M4M5M6M7InspectionInspectionInspection15378-1IIIIWays to Express Indoor ComfortInspectionIInspectionIIspectionIIIExternal Environment ConditionsIspectionIIIIIIIIEconomic15459-II<td< td=""><td>Overarcing (as such)(as such)DescriptionsDescriptionsMeating SecriptionsCooling NGVentilationHumidif icationDehumidifi cationDomestic Hot waterM1M2M3M4M5M6M7M8InspectionInspectionInspection15378-1InspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal ConditionsInspectionInspectionInspectionInspectionInspectionInspection</td><td>Overarcing       (as such)       leaseriptions       <thleaseriptions< th=""></thleaseriptions<></td><td>Overarcing       (as such)       lighting       Building automation         Descriptions       Descriptions       Image: Coloring of the coloring of the</td></td<></td>	Overarching(as such)OescriptionsDescriptionsDescriptionsDescriptionsM1M2M2InspectionInspectionInspectionWays to Express Indoor ComfortInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionIndoorInspectionInspectionExternal Environment ConditionsInspectionInspecti	Overarching(as such)Image: Construction of the subscription of the subsc	Overarching (as such)(as such)Heating DescriptionsCoolingDescriptionsM1M2M3M4InspectionInspectionInspection15378-1Ways to 	Overarching (as such)(as such)Image: Constant of the such of the	Overarching (as such)(as such)DescriptionsMeatingCoolingVentilationHumidificationDescriptionsM1M2M2M3M4M5M6InspectionInspectionInspection15378-1IIIWays to Express Indoor ComfortImage (Section)Image (Section)Image (Section)Image (Section)Image (Section)External Environment ConditionsImage (Section)Image (Section)Image (Section)Image (Section)Image (Section)Economic15459-Image (Section)Image (Section)Image (Section)Image (Section)Image (Section)	Overarching(as such)DescriptionsMeatingCoolingVentilationHumidif icationDehumidifi cationDescriptionsM1M2M2M3M4M5M6M7InspectionInspectionInspection15378-1IIIIWays to Express Indoor ComfortInspectionIInspectionIIspectionIIIExternal Environment ConditionsIspectionIIIIIIIIEconomic15459-II <td< td=""><td>Overarcing (as such)(as such)DescriptionsDescriptionsMeating SecriptionsCooling NGVentilationHumidif icationDehumidifi cationDomestic Hot waterM1M2M3M4M5M6M7M8InspectionInspectionInspection15378-1InspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal ConditionsInspectionInspectionInspectionInspectionInspectionInspection</td><td>Overarcing       (as such)       leaseriptions       <thleaseriptions< th=""></thleaseriptions<></td><td>Overarcing       (as such)       lighting       Building automation         Descriptions       Descriptions       Image: Coloring of the coloring of the</td></td<>	Overarcing (as such)(as such)DescriptionsDescriptionsMeating SecriptionsCooling NGVentilationHumidif icationDehumidifi cationDomestic Hot waterM1M2M3M4M5M6M7M8InspectionInspectionInspection15378-1InspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionWays Express Indoor ComfortInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionInspectionExternal Environment ConditionsInspectionInspectionInspectionInspectionInspectionInspectionExternal ConditionsInspectionInspectionInspectionInspectionInspectionInspection	Overarcing       (as such)       leaseriptions       leaseriptions <thleaseriptions< th=""></thleaseriptions<>	Overarcing       (as such)       lighting       Building automation         Descriptions       Descriptions       Image: Coloring of the



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation