



NSAI
Standards

Irish Standard
I.S. EN ISO 19017:2017

Guidance for gamma spectrometry measurement of radioactive waste (ISO 19017:2015)

I.S. EN ISO 19017:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 19017:2017

Published:

2017-10-11

This document was published under the authority of the NSAI and comes into effect on:

2017-10-29

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 19017:2017 is the adopted Irish version of the European Document EN ISO 19017:2017, Guidance for gamma spectrometry measurement of radioactive waste (ISO 19017:2015)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 19017

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 17.240; 27.120.30

English Version

Guidance for gamma spectrometry measurement of radioactive waste (ISO 19017:2015)

Lignes directrices pour le mesurage de déchets
radioactifs par spectrométrie gamma (ISO
19017:2015)

Leitfaden für gammaspektrometrische Messungen von
radioaktivem Abfall (ISO 19017:2015)

This European Standard was approved by CEN on 13 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 19017:2017 (E)

Contents	Page
European foreword.....	3

European foreword

The text of ISO 19017:2015 has been prepared by Technical Committee ISO/TC 85 “Nuclear energy, nuclear technologies, and radiological protection” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19017:2017 by Technical Committee CEN/TC 430 “Nuclear energy, nuclear technologies, and radiological protection” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2018, and conflicting national standards shall be withdrawn at the latest by April 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19017:2015 has been approved by CEN as EN ISO 19017:2017 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
19017**

First edition
2015-12-15

**Guidance for gamma spectrometry
measurement of radioactive waste**

*Lignes directrices pour le mesurage de déchets radioactifs par
spectrométrie gamma*



Reference number
ISO 19017:2015(E)

© ISO 2015

ISO 19017:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions	1
3 Application	7
3.1 General.....	7
3.2 Typical applications.....	7
4 Measurement equipment	8
4.1 General.....	8
4.2 Open detector geometry.....	8
4.3 Collimated detector geometry.....	10
4.4 Components of gamma measurement system.....	13
4.4.1 Mechanical equipment.....	13
4.4.2 Radiation detection equipment.....	14
4.4.3 Data acquisition and analysis unit.....	14
4.4.4 Electrical control.....	14
4.4.5 Additional equipment.....	14
5 Calibration	14
5.1 General.....	14
5.2 Peak energy and shape calibration of the gamma spectrometry system.....	15
5.3 Efficiency calibration of the gamma spectrometry system.....	15
5.4 Attenuation correction techniques.....	18
6 Data evaluation	18
6.1 Data processing steps.....	18
6.2 Calculation of net peak count rates.....	19
6.3 Calculation of gamma activity inventory of the waste package.....	20
6.4 Calculation of measurement uncertainty.....	20
6.5 Calculation of detection limit.....	21
7 Quality assurance	23
7.1 General.....	23
7.2 Record of calibration, validation, and waste measurements.....	23
7.3 Documentation and procedures.....	24
7.4 Quality control.....	24
7.5 Competence.....	25
Annex A (informative) Examples of application of the techniques and methods discussed within this International Standard	26
Bibliography	47

ISO 19017:2015(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 5, *Nuclear fuel cycle*.

This first edition of ISO 19017 cancels and replaces ISO 14850-1:2006, which, in particular, did not take into account segmented measurements performed with collimators, the possible use of numerical simulation for calibration and uncertainty assessment, and gamma radiation detectors other than high-purity germanium semiconductors.

Introduction

A variety of non-destructive assay techniques are routinely used within the nuclear industry to measure or provide information to otherwise enable quantification of the radionuclide inventory of packages containing radioactive materials. This International Standard specifically considers gamma spectrometry measurements made on packages containing radioactive waste.

The methods and techniques discussed within this International Standard find application in the routine assay of various types of radioactive waste, packaged in a variety of ways, employing a variety of container sizes, and types. They range from basic techniques, which have been in use for many years, through to state of the art techniques that have been developed because of the increasing variety and forms being assayed and the demands to satisfy increasingly challenging performance criteria.

Where guidance is provided, this is viewed as best current practice and is based on experience of operating quantitative gamma spectrometry measurement systems, within a variety of applications, for the purpose of providing radionuclide identification and activity information.

The objective of this International Standard is to promote a consistent approach to gamma spectrometry measurements made on packages containing radioactive waste.

Guidance for gamma spectrometry measurement of radioactive waste

1 Scope

This International Standard is applicable to gamma radiation measurements on radioactive waste.

Radioactive waste can be found in different forms and exhibit a wide range of characteristics, including the following:

- raw or unconditioned waste, including process waste (filters, resins, control rods, scrap, etc.) and waste from dismantling or decommissioning;
- conditioned waste in various forms and matrices (bitumen, cement, hydraulic binder, etc.);
- very low level (VLLW), low level (LLW), intermediate level (ILW) and high level radioactive waste (HLW);
- different package shapes: cylinders, cubes, parallelepipeds, etc.

Guidance is provided in respect of implementation, calibration, and quality control. The diversity of applications and system realizations (ranging from research to industrial systems, from very low level to high level radioactive waste, from small to large volume packages with different shapes, with different performance requirements and allowable measuring time) renders it impossible to provide specific guidance for all instances; the objective of this International Standard is, therefore, to establish a set of guiding principles. Ultimately, implementation is to be performed by suitably qualified and experienced persons and based on a thorough understanding of the influencing factors, contributing variables and performance requirements of the specific measurement application.

This International Standard assumes that the need for the provision of such a system will have been adequately considered and that its application and performance requirements will have been adequately defined through the use of a structured requirements capture process, such as data quality objectives (DQO).

It is noted that, while outside the scope of this International Standard, many of the principles, measurement methods, and recommended practices discussed here are also equally applicable to gamma measurements of items other than radioactive waste (e.g. bulk food, water, free-standing piles of materials) or to measurements made on radioactive materials contained within non-traditional packages (e.g. in transport containers).

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Definitions presented here are confined mainly to those terms not defined in common nuclear material glossaries or whose use is specific to this document. Important key terms are repeated here for the convenience of the reader.

2.1

assay

procedure to determine quantitatively the amount of one or more radionuclides of interest contained in a package

ISO 19017:2015(E)

2.2

attenuation

physical process based on interaction between a radiation source and matter placed in the path of the radiation that results in a decrease in the intensity of the emitted radiation

Note 1 to entry: Attenuation experienced in *non-destructive assay* (NDA)([2.27](#)) of waste packages includes *self-attenuation* ([2.37](#)) by the radioactive material itself as well as attenuation effects in the *waste matrix* ([2.23](#)), internal barrier(s) and external container(s).

2.3

attenuation correction factor

used to correct (compensate) for the effect of attenuation within an NDA measurement equal to the ratio between the un-attenuated and the attenuated radiation flux

Note 1 to entry: After attenuation correction the measured quantity is considered to be representative of the un-attenuated activity of the radioactive substance assayed.

2.4

bias

estimate of a systematic measurement error

2.5

calibration standard

primary standard

designated or widely acknowledged as having the highest metrological qualities and whose value is accepted without reference to other standards of the same quantity

Note 1 to entry: The calibration standard should be physically, radiologically, and chemically similar to the items to be assayed, for which the activity of the radionuclide(s) of interest and all relevant properties to which the measurement technique is sensitive are known with sufficient accuracy.

[SOURCE: www.french-metrology.com]

2.6

calibration

set of operations that establish, under specific conditions, the relationship between values of quantities indicated by a measuring system, or values represented by a material measure or a reference material and the corresponding values realized by Standards

Note 1 to entry: The result of a calibration permits either the assignment of values of measurands to the indications or the determination of indications with respect to indications.

Note 2 to entry: A calibration may also determine other metrological properties such as the effect of influence quantities.

Note 3 to entry: The result of a calibration may be recorded in a document, sometimes called a calibration certificate or a calibration report.

[SOURCE: www.french-metrology.com]

2.7

collimation

method to restrict the field of view of the detector to specific parts of the item to be measured

Note 1 to entry: A shield around the side of the detector that still allows the detector to view the entire item is technically not a collimator. Such shielding does not change the efficiency of the detector due to its presence.

2.8

collimator

device for collimating the radiation beam, usually constructed from highly attenuating material(s) such as tungsten or lead. Collimators can be of parallel wall type or divergent

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-