



**NSAI**  
Standards

Irish Standard  
I.S. EN 1364-2:2018

# Fire resistance for tests for non-loadbearing elements - Part 2: Ceilings

**I.S. EN 1364-2:2018**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 1364-2:2018

*Published:*

2018-01-10

*This document was published under the authority of the NSAI and comes into effect on:*

2018-01-28

ICS number:

13.220.50

91.060.30

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN 1364-2:2018 is the adopted Irish version of the European Document EN 1364-2:2018, Fire resistance for tests for non-loadbearing elements - Part 2: Ceilings

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

EN 1364-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2018

ICS 13.220.50; 91.060.30

Supersedes EN 1364-2:1999

English Version

## Fire resistance for tests for non-loadbearing elements - Part 2: Ceilings

Essais de résistance au feu des éléments non porteurs -  
Partie 2: Plafonds

Feuerwiderstandsprüfungen für nichttragende  
Bauteile - Teil 2: Unterdecken

This European Standard was approved by CEN on 8 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

<b>Contents</b>	<b>Page</b>
European foreword.....	4
Introduction .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions .....	6
4 Test equipment.....	7
5 Test conditions.....	7
6 Test specimen.....	7
6.1 Size.....	7
6.1.1 Self-supporting ceilings exposed to fire from below or from above .....	7
6.1.2 Suspended ceilings exposed to fire from below or from above.....	7
6.2 Number .....	8
6.3 Design.....	8
6.3.1 General.....	8
6.3.2 Orientation .....	8
6.3.3 Support conditions .....	8
6.4 Construction.....	9
6.5 Verification.....	9
7 Installation of test specimen.....	9
7.1 General.....	9
7.2 Supporting construction.....	9
7.2.1 General.....	9
7.2.2 Exposure to fire from below.....	9
7.2.3 Exposure to fire from above.....	9
8 Conditioning.....	10
9 Application of instrumentation .....	10
9.1 Thermocouples.....	10
9.1.1 Furnace thermocouples (plate thermometers) .....	10
9.1.2 Unexposed surface thermocouples .....	10
9.2 Pressure.....	11
10 Test procedure .....	11
10.1 Fire test.....	11
10.2 Pressure control.....	11
10.3 Integrity.....	11
10.4 Insulation.....	11
10.5 Observations during the test.....	11
11 Performance criteria .....	12
11.1 General.....	12
11.2 Integrity.....	12
11.2.1 Fire from below.....	12
11.2.2 Fire from above.....	12

<b>11.3</b>	<b>Insulation.....</b>	<b>12</b>
<b>12</b>	<b>Test report .....</b>	<b>12</b>
<b>13</b>	<b>Field of direct application of test results .....</b>	<b>12</b>
<b>13.1</b>	<b>General .....</b>	<b>12</b>
<b>13.2</b>	<b>Self-supporting ceilings exposed to fire from below or from above .....</b>	<b>12</b>
<b>13.2.1</b>	<b>Size .....</b>	<b>12</b>
<b>13.2.2</b>	<b>Fittings.....</b>	<b>13</b>
<b>13.2.3</b>	<b>Cavities above self-supporting ceilings .....</b>	<b>13</b>
<b>13.2.4</b>	<b>Cables, pipes, etc. above the ceiling .....</b>	<b>13</b>
<b>13.3</b>	<b>Suspended ceilings with fire from below.....</b>	<b>13</b>
<b>13.3.1</b>	<b>Size .....</b>	<b>13</b>
<b>13.3.2</b>	<b>Fittings.....</b>	<b>14</b>
<b>13.3.3</b>	<b>Cavity.....</b>	<b>14</b>
<b>13.3.4</b>	<b>Length of supporting hangers .....</b>	<b>14</b>
<b>13.3.5</b>	<b>Cables, pipes, etc. above the ceiling .....</b>	<b>14</b>
<b>13.4</b>	<b>Suspended ceilings with fire from above.....</b>	<b>14</b>
<b>13.4.1</b>	<b>Size .....</b>	<b>14</b>
<b>13.4.2</b>	<b>Cavity.....</b>	<b>14</b>
<b>13.4.3</b>	<b>Length of supporting hangers .....</b>	<b>14</b>
<b>13.4.4</b>	<b>Supporting construction with fire from above .....</b>	<b>14</b>
<b>13.4.5</b>	<b>Cables, pipes, etc. above the ceiling .....</b>	<b>14</b>
<b>13.5</b>	<b>Ceilings incorporating self-supporting and suspended parts with fire from below .....</b>	<b>15</b>
<b>13.5.1</b>	<b>Size .....</b>	<b>15</b>
<b>13.5.2</b>	<b>Fittings.....</b>	<b>15</b>
<b>13.5.3</b>	<b>Cavity.....</b>	<b>15</b>
<b>13.5.4</b>	<b>Length of supporting hangers .....</b>	<b>15</b>
<b>13.5.5</b>	<b>Cables, pipes etc. above the ceiling .....</b>	<b>15</b>
<b>13.6</b>	<b>Ceilings incorporating self-supporting and suspended parts with fire from above .....</b>	<b>15</b>
<b>13.6.1</b>	<b>Size .....</b>	<b>15</b>
<b>13.6.2</b>	<b>Cavity.....</b>	<b>15</b>
<b>13.6.3</b>	<b>Length of supporting hangers .....</b>	<b>15</b>
<b>13.6.4</b>	<b>Supporting construction with fire from above .....</b>	<b>15</b>
<b>13.6.5</b>	<b>Cables, pipes, etc. above the ceiling .....</b>	<b>16</b>
	<b>Bibliography .....</b>	<b>24</b>

**EN 1364-2:2018 (E)****European foreword**

This document (EN 1364-2:2018) has been prepared by Technical Committee CEN/TC 127 “Fire safety in buildings”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2018, and conflicting national standards shall be withdrawn at the latest by July 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1364-2:1999.

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The main changes with respect to the previous edition are listed below:

- a) locations of thermocouples are modified in line with the definitions in EN 1363-1;
- b) a more precise definition of the test specimen;
- c) more precise rules in the field of direct application.

EN 1364 ‘Fire resistance tests for non-loadbearing elements’ consists of the following:

- *Part 1: Walls*
- *Part 2: Ceilings*
- *Part 3: Curtain walling – full configuration*
- *Part 4: Curtain walling – part configuration*
- *Part 5: Air transfer grilles*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## Introduction

This European Standard has been prepared to provide a method of test for assessing the fire resistance of non-loadbearing ceilings. It is applicable to self-supporting ceilings as well as suspended ceilings, with either fire from below or from above.

This European Standard is not applicable to loadbearing systems. The fire resistance of loadbearing floors in conjunction with a suspended ceiling should be assessed by using EN 1365-2.

**Caution** — The attention of all persons concerned with managing and carrying out this fire resistance test is drawn to the fact that fire testing may be hazardous and that there is a possibility that toxic and/or harmful smoke and gases may be evolved during the test. Mechanical and operational hazards may also arise during the construction of the test elements or structures, their testing and disposal of test residues.

An assessment of all potential hazards and risks to health should be made and safety precautions should be identified and provided. Written safety instructions should be issued. Appropriate training should be given to relevant personnel. Laboratory personnel should ensure that they follow written safety instructions at all times.

**Safety note** — Monitoring for integrity by the cotton pad or other means and insulation by use of the roving thermocouple from above a test specimen (in the case of fire from below) or within a void beneath a fire test specimen (in the case of fire from above) can be hazardous unless the risks associated with these practices are considered and appropriate precautions taken to protect operators from radiation, smoke, hot gases and from contact with furnace flame.

Operators should not reach over the test specimen (in the case of fire from below) or enter the void beneath a test specimen (in the case of fire from above) to carry out inspection tests of any type during the test.

## EN 1364-2:2018 (E)

### 1 Scope

This part of EN 1364 specifies a method for determining the fire resistance of ceilings, which in themselves possess fire resistance independent of any building element above them. This European Standard is used in conjunction with EN 1363-1.

The method is applicable to ceilings, which are either suspended by hangers or fixed directly to a supporting frame or construction, and to self-supporting ceilings.

Within this test method, the ceiling is exposed to fire, with the exposure being applied either:

- a) from below the ceiling, or
- b) from above the ceiling to simulate fire within the cavity above the ceiling.

The contribution to fire resistance which a suspended ceiling might provide as a protective membrane to loadbearing elements is determined using the procedure given in EN 13381-1. The fire resistance of loadbearing floors in conjunction with a suspended ceiling can also be assessed by using tests according to EN 1365-2.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1363-1:2012, *Fire resistance tests - Part 1: General Requirements*

EN 1363-2, *Fire resistance tests - Part 2: Alternative and additional procedures*

EN ISO 13943, *Fire safety - Vocabulary (ISO 13943)*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1363-1 and EN ISO 13943 and the following apply.

#### 3.1

##### **ceiling**

non-loadbearing element of a building construction designed to provide horizontal fire separation

#### 3.2

##### **self-supporting ceiling**

ceiling with a span between building constructions, without any additional hangers

#### 3.3

##### **suspended ceiling**

ceiling which is suspended from a supporting construction

#### 3.4

##### **cavity**

space between the upper surface of the ceiling and the underside of any floor, roof or its supporting construction

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-