

Irish Standard I.S. EN 12013:2018

Plastics and rubber machines - Internal mixers - Safety requirements

© CEN 2018 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN 12013:2018

2018-02-04

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: Published:

EN 12013:2018 2018-01-17

This document was published ICS number:

under the authority of the NSAI and comes into effect on: 83.200

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### **National Foreword**

I.S. EN 12013:2018 is the adopted Irish version of the European Document EN 12013:2018, Plastics and rubber machines - Internal mixers - Safety requirements

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN 12013

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

January 2018

ICS 83.200

Supersedes EN 12013:2000+A1:2008

### **English Version**

# Plastics and rubber machines - Internal mixers - Safety requirements

Machines pour les matières plastiques et le caoutchouc - Mélangeurs internes - Prescritions de sécurité

Kunststoff- und Gummimaschinen - Innenmischer -Sicherheitsanforderungen

This European Standard was approved by CEN on 8 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

# EN 12013:2018 (E)

| Cont       | ents  | Page |
|------------|---|------|
| Europ      | ean foreword  | 4    |
| Introd     | uction  | 5    |
| 1          | Scope   | 6    |
| 2          | Normative references  |      |
| 3          | Terms and definitions   | 8    |
| 4          | Safety requirements and/or protective/risk reduction measures                             | 11   |
| <b>4.1</b> | General   |      |
| 4.2        | Start, stop and restart functions   |      |
| 4.2.1      | Start function  | 11   |
| 4.2.2      | Stop function   | 11   |
| 4.2.3      | Restart function  | 11   |
| 4.3        | Safety related parts of the control system  | 11   |
| 4.4        | Emergency stop  | 12   |
| 4.5        | Emergency stop devices  | 12   |
| 4.6        | Mechanical hazards  | 12   |
| 4.6.1      | General   | 12   |
| 4.6.2      | Safeguarding and risk reduction measures  | 12   |
| 4.6.3      | Guidance for interpreting subclauses 4.6.4 to 4.6.7                                       | 13   |
| 4.6.4      | Safety requirements and/or protective/risk reduction measures preventing                  |      |
|            | mechanical hazards in the feeding area  | 14   |
| 4.6.5      | Safety requirements and/or protective / risk reduction measures preventing                |      |
|            | mechanical hazards in the transition chute area of the tandem mixer                       | 28   |
| 4.6.6      | Safety requirements and/or protective / risk reduction measures preventing                |      |
|            | mechanical hazards in the discharge area  | 31   |
| 4.6.7      | Safety requirements and/or protective /risk reduction measures preventing                 |      |
|            | mechanical hazards for movement of the rotor drive elements                               | 33   |
| 4.7        | Hazards due to the hose assemblies of the hydraulic/pneumatic/heating and cooling systems | 25   |
| 4.8        | Additional hazards during major cleaning operation, maintenance and repair                |      |
| 4.8.1      | Conditions for major cleaning operation, maintenance and repair at internal mixers        |      |
| 1.0.1      | and laboratory internal mixers  | 35   |
| 4.8.2      | Additional conditions for major cleaning operations, maintenance and repair at            |      |
| 1.0.2      | laboratory internal mixers  | 36   |
| 4.9        | Hazards due to electrical energy  |      |
| 4.9.1      | General   |      |
| 4.9.2      | Protection against direct contact   |      |
| 4.9.3      | Protection against indirect contact   |      |
| 4.9.4      | Protection against ingress of solids and liquids  |      |
| 4.9.5      | Electric shock or fire due to electrostatic discharge                                     |      |
| 4.10       | Thermal hazards   |      |
| 4.11       | Hazards generated by noise  |      |
| 4.12       | Hazards resulting from substances hazardous to health                                     |      |
| 4.13       | Fire hazards  |      |
| 4.14       | Slip, trip and fall hazards   |      |
|            | Slippage due to leakage from dust seals   |      |
|            |   |      |

| 4.14.2<br>4.15 | Slipping, tripping and falling from permanent means of access<br>Ergonomics  | 38<br>38   |
|----------------|--|------------|
| 5              | Verification of the safety requirements and/or protective/risk reduction measures  | 38         |
| 6              | Information for use  | 45         |
| 6.1            | General  |            |
| 6.2            | Instruction handbook   |            |
| 6.2.1<br>6.2.2 | General Installation   |            |
| 6.2.3          | Operation  |            |
| 6.2.4          | Cleaning and maintenance   |            |
| 6.2.5<br>6.2.6 | NoiseInformation on fire hazard emergency procedure  |            |
| 6.2.0<br>6.3   | Marking  |            |
| 6.4            | Warning signals and warning signs  |            |
| Annex          | A (informative) List of significant hazards  | 48         |
| <b>A.1</b>     | General  | 48         |
| <b>A.2</b>     | Design versions of internal mixers and their working levels  | 48         |
| <b>A.3</b>     | Hazards, hazardous situations and events   | 49         |
| Annex          | B (normative) Noise test code for laboratory internal mixers   | 62         |
| B.1            | Introduction   | 62         |
| <b>B.2</b>     | Determination of the A-weighted emission sound pressure level at the workstation   | 62         |
| B.2.1          | Basic standards and measurement procedure  | 62         |
| B.2.2          | Measurement uncertainty  | <b>6</b> 3 |
| <b>B.3</b>     | Determination of the A-weighted sound power level  | <b>6</b> 3 |
| B.3.1          | Basic standards and measurement procedure  | <b>6</b> 3 |
| B.3.2          | Measurement uncertainty  | 64         |
| <b>B.4</b>     | Mounting and operating conditions  | 64         |
| B.5            | Information to be recorded and reported  | 65         |
| B.5.1          | General  | 65         |
| B.5.2          | General data   | 65         |
| B.5.3          | Mounting and operating conditions  | 65         |
| B.5.4          | Standards  | 65         |
| B.5.5          | Noise data   | 65         |
| <b>B.6</b>     | Declaration and verification of noise emission values  | 65         |
| Annex          | C (informative) Examples of possible technical measures to prevent fire hazards due to exothermically reacting compounds                   | 68         |
| Annex          | ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 2006/42/EC aimed to be covered | 69         |
| Biblio         | graphy   | 70         |

#### EN 12013:2018 (E)

# **European foreword**

This document (EN 12013:2018) has been prepared by Technical Committee CEN/TC 145 "Plastics and rubber machines", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2018 and conflicting national standards shall be withdrawn at the latest by July 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12013:2000+A1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main changes with respect to the previous edition are as follows:

- modification of the structure;
- list of significant hazards is moved into an informative annex;
- clarification that internal mixers for production and for laboratory applications are dealt with;
- tandem mixers (combination of two internal mixers) are added;
- technical developments in safeguards are taken into account;
- revised type-A and type-B standards are taken into account;
- the performance levels of safety related parts of control systems are specified in accordance with EN ISO 13849-1:2015;
- normative annex on noise measurement and declaration for laboratory internal mixers is added.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This document is a type-C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance etc.)

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the Scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type-C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the requirements of this type-C standard.

# 1 Scope

This European Standard deals with all significant hazards, hazardous situations or hazardous events relevant to the design and construction of internal mixers during all phases of the machine life cycle (see EN ISO 12100:2010, 5.4), irrespective of their size and of the control modes of the feeding door and discharge door, for production and laboratory applications, when the machines are used as intended and under the conditions of misuse which are reasonably foreseeable by the manufacturer (see Annex A).

An internal mixer for production and a tandem mixer with manual feeding begins at the feeding door and ends at the lower edge of the material discharge opening.

An internal mixer for production and a tandem mixer with automatic feeding begins at the conveyor, which is an integral part of the machine, and ends at the lower edge of the material discharge opening.

A laboratory internal mixer begins at the feeding door and ends at the material container, which is an integral part of the mixer.

With regard to noise emission measurement and declaration, only laboratory mixers are covered.

Explosion hazards are not dealt with in this document.

NOTE Internal mixers usually do not produce explosive atmospheres. Where materials are processed, which may cause an explosive atmosphere, the Directive 2014/34/EU on the Equipment and protective systems intended for use in potentially explosive atmospheres (ATEX) can be applied.

Exhaust systems are not covered.

This European Standard is not applicable to internal mixers manufactured before the date of its publication.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 574:1996+A1:2008, Safety of machinery - Two-hand control devices - Functional aspects - Principles for design

EN 614-1:2006+A1:2009, Safety of machinery - Ergonomic design principles - Part 1: Terminology and general principles

EN 619:2002+A1:2010, Continuous handling equipment and systems - Safety and EMC requirements for equipment for mechanical handling of unit loads

EN 1037:1995+A1:2008, Safety of machinery - Prevention of unexpected start-up

EN 60204-1:2006, Safety of machinery - Electrical equipment of machines - Part 1: General requirements (IEC 60204-1:2005, modified)

EN 60529:1991, Degrees of protection provided by enclosures (IP Code)  $(IEC\ 60529:1989/A1:1999/A2:2013)^{1})$ 

6

<sup>1)</sup> This document is impacted by the amendments EN 60529:1991/A1:2000 and EN 60529:1991/A2:2013.



| This is a free preview | <ul> <li>Purchase the entire</li> </ul> | e publication at the link below: |
|------------------------|---|----------------------------------|
|------------------------|---|----------------------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation