

Irish Standard I.S. EN ISO 17450-4:2018

Geometrical product specifications (GPS) -Basic concepts - Part 4: Geometrical characteristics for quantifying GPS deviations (ISO 17450-4:2017)

© CEN 2018 No copying without NSAI permission except as permitted by copyright law.

#### I.S. EN ISO 17450-4:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN ISO 17450-4:2018

2018-01-31

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

NOTE: If blank see CEN/CENELEC cover page

2018-02-18

Dublin 9

17.040.40

NSAI 1 Swift Square, T +353 1 807 3800 F +353 1 807 3838 Sales:

1 Swift Square, Northwood, Santry

E standards@nsai.ie W NSAI.ie T +353 1 857 6730 F +353 1 857 6729

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

## National Foreword

I.S. EN ISO 17450-4:2018 is the adopted Irish version of the European Document EN ISO 17450-4:2018, Geometrical product specifications (GPS) - Basic concepts - Part 4: Geometrical characteristics for quantifying GPS deviations (ISO 17450-4:2017)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

**EUROPEAN STANDARD** 

EN ISO 17450-4

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

January 2018

ICS 17.040.40

## **English Version**

# Geometrical product specifications (GPS) - Basic concepts - Part 4: Geometrical characteristics for quantifying GPS deviations (ISO 17450-4:2017)

Spécification géométrique des produits (GPS) -Concepts généraux - Partie 4: Caractéristiques géométriques pour la quantification des écarts GPS (ISO 17450-4:2017) Geometrische Produktspezifikation (GPS) - Grundlagen - Teil 4: Geometrische Merkmale zur Quantifizierung von GPS-Abweichungen (ISO 17450-4:2017)

This European Standard was approved by CEN on 15 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## This is a free page sample. Access the full version online. $\pmb{\text{I.S. EN ISO 17450-4:2018}}$

## EN ISO 17450-4:2018 (E)

Contents	Page
European foreword	3

EN ISO 17450-4:2018 (E)

## **European foreword**

This document (EN ISO 17450-4:2018) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2018, and conflicting national standards shall be withdrawn at the latest by July 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 17450-4:2017 has been approved by CEN as EN ISO 17450-4:2018 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 17450-4:2018

# INTERNATIONAL STANDARD

ISO 17450-4

First edition 2017-12

## Geometrical product specifications (GPS) — Basic concepts —

Part 4:

# Geometrical characteristics for quantifying GPS deviations

Spécification géométrique des produits (GPS) — Concepts généraux —

Partie 4: Caractéristiques géométriques pour la quantification des écarts GPS





## COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Con	itent	S F	Page
Fore	word		iv
Intro	ductio	n	<b>v</b>
1	Scop	e	1
2	Norn	native references	1
3	Terms and definitions		1
4	<b>Geo</b> r 4.1 4.2	netrical characteristic General Types of geometrical characteristic	3
Anne		formative) <b>Relationship to the GPS matrix model</b>	
Bibli	ograph	ny	15

## **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee is ISO/TC 213, *Dimensional and geometrical product specifications and verification*, in collaboration with Technical Committee CEN/TC 290, *Dimensional and geometrical product specification and verification*.

A list of all parts in the ISO 17450 series can be found on the ISO website.

## Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). The rules and principles given in this document apply to all segments of the ISO GPS matrix which are indicated with a filled dot (•).

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information on the relationship of this document to other standards and to the GPS matrix model, see  $\underline{\text{Annex A}}$ .

## Geometrical product specifications (GPS) — Basic concepts —

## Part 4:

## Geometrical characteristics for quantifying GPS deviations

## 1 Scope

This document specifies general rules for quantifying GPS deviations for individual GPS characteristics.

NOTE GPS deviations can be local or global. A GPS characteristic defined from local GPS deviations is a parameter that transforms the set of local deviations into a global characteristic using a quantifying function (for more details, see <u>Table 1</u>).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 25378, Geometrical product specifications (GPS) — Characteristics and conditions — Definitions

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 25378 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>
- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>

#### 3.1

## local geometrical deviation

$$d(P), d(P)_{A_n}$$

local signed distance between a point, *P*, of an input feature and a point of the reference feature

Note 1 to entry: d(P) identifies any local geometrical deviation attached to any point (P) of the input feature.

Note 2 to entry: A local geometrical deviation,  $d(P)_{A_n}$ , can be located in an n-dimensional reference space,  $A_n$ , attached to the reference feature.

Note 3 to entry: A local geometrical deviation exists in any point of the input feature (see Figure 1). Each local geometrical deviation of a point of the input feature can be represented in a reference space,  $A_n$ , by the abscises of its corresponding point of the reference feature and by the ordinate corresponding to the local geometrical deviation.

Note 4 to entry: A local geometrical deviation can be described as an ordinate of a point of the variation curve whose abscises are defined in the reference space,  $A_n$ .

Note 5 to entry: A local geometrical deviation is equal to zero when the deviated feature crosses the reference feature.



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation