



NSAI
Standards

Irish Standard
I.S. EN 12726:2018

Packaging - Cork mouth finish with a bore diameter of 18,5 mm for corks and tamper evident capsules

I.S. EN 12726:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 12726:2018

Published:

2018-10-03

*This document was published
under the authority of the NSAI
and comes into effect on:*

2018-10-22

ICS number:

55.100

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 12726:2018 is the adopted Irish version of the European Document EN 12726:2018, Packaging - Cork mouth finish with a bore diameter of 18,5 mm for corks and tamper evident capsules

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 12726

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 55.100

Supersedes EN 12726:2000

English Version

Packaging - Cork mouth finish with a bore diameter of 18,5 mm for corks and tamper evident capsules

Emballage - Bague plate ayant un diamètre d'entrée de 18,5 mm pour bouchage liège et capsule témoin d'effraction

Packmittel - Bandmundstück mit einem Eingangsdurchmesser von 18,5 mm für Naturkorken und Kapseln als Originalitätssicherung

This European Standard was approved by CEN on 27 May 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Dimensions	5
5 Requirements	5

European foreword

This document (EN 12726:2018) has been prepared by Technical Committee CEN/TC 261 “Packaging”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12726:2000.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is based on Cetie (International Technical Center for Bottling and related Packaging) data sheet GME 50.1 (1992).

Efficient packaging is of great importance for the distribution and the protection of goods. Insufficient or inappropriate packaging can lead to damage or wastage of the contents of the pack.

1 Scope

This European Standard specifies the dimensions of a cork mouth finish for corks and capsules for glass bottles, for wine that has a carbonation pressure not exceeding 1,2 g CO₂/l, for use with natural corks.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 22768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications (ISO 2768-1:1989)*

ISO 3863, *Cylindrical cork stoppers — Dimensional characteristics, sampling, packaging and marking*

3 Terms and definitions

For the purposes of this document, the following term and definition applies.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

through bore

maximum diameter of a round rod able to penetrate vertically into the body of the bottle

4 Dimensions

4.1 The dimensions of the finish shall be as shown in Figure 1.

4.2 Details which are not specified shall be selected in accordance with the application. For linear and angular dimensions, see EN 22768-1. Detail X see Figure 2.

4.3 Since the performance of an appropriate packaging depends on the combination of several parameters, the nominal dimensions of the cork stoppers to be used with this finish design shall be in accordance with ISO 3863.

Experience shows that because several parameters are involved advice should be taken from cork suppliers.

5 Requirements

See Figure 1.

5.1 d_1 : The diameter of the entry bore is the internal diameter approximately 3 mm below the top of the finish.

5.2 The ovality of the entry bore shall not exceed 0,5 mm.

5.3 d_2 : The minimum average diameter shall be according to Formula (1).

$$d_2 = \frac{\text{actual measured diameter min} + \text{actual measured diameter max}}{2} \geq 28,3 \text{ mm} \quad (1)$$

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-