

Irish Standard I.S. EN IEC 61326-3-2:2018

Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - Industrial applications with specified electromagnetic environment

© CENELEC 2018 No copying without NSAI permission except as permitted by copyright law.

I.S. EN IEC 61326-3-2:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN IEC 61326-3-2:2018 *Published:* 2018-11-30

This document was published			ICS number:
under the authority of the NSAI and comes into effect on:			25.040.40
			33.100.20
2018-12-18			
		NOTE: If b	lank see CEN/CENELEC cover page
NSAI	T +353 1	807 3800	Sales:
1 Swift Square,	F +353 1	807 3838	T +353 1 857 6730
Northwood, Santry	E standa	rds@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.i	e	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN IEC 61326-3-2:2018 is the adopted Irish version of the European Document EN IEC 61326-3-2:2018, Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safetyrelated functions (functional safety) - Industrial applications with specified electromagnetic environment

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN IEC 61326-3-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2018

ICS 25.040.40; 33.100.20

Supersedes EN 61326-3-2:2008

English Version

Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - Industrial applications with specified electromagnetic environment (IEC 61326-3-2:2017)

Matériel électrique de mesure, de commande et de laboratoire - Exigences relatives à la CEM - Partie 3-2: Exigences d'immunité pour les systèmes relatifs à la sécurité et pour les matériels destinés à réaliser des fonctions relatives à la sécurité (sécurité fonctionnelle) -Applications industrielles dont l'environnement électromagnétique est spécifié (IEC 61326-3-2:2017) Elektrische Mess-, Steuer-, Regel- und Laborgeräte - EMV-Anforderungen - Teil 3-2: Störfestigkeitsanforderungen für sicherheitsbezogene Systeme und für Geräte, die für sicherheitsbezogene Funktionen vorgesehen sind (Funktionale Sicherheit) - Industrielle Anwendungen in spezifizierter elektromagnetischer Umgebung (IEC 61326-3-2:2017)

This European Standard was approved by CENELEC on 2018-08-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2018 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

This is a free page sample. Access the full version online. I.S. EN IEC 61326-3-2:2018

EN IEC 61326-3-2:2018 (E)

European foreword

The text of document 65A/820/FDIS, future edition 2 of IEC 61326-3-2, prepared by SC 65A "System aspects" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61326-3-2:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-05-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2021-11-30 document have to be withdrawn

This document supersedes EN 61326-3-2:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

Endorsement notice

The text of the International Standard IEC 61326-3-2:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61000 (series)	NOTE	Harmonized as EN 61000 (series)
IEC 61000-1-2:2016	NOTE	Harmonized as EN 61000-1-2:2016 (not modified)
IEC 61000-6-7	NOTE	Harmonized as EN 61000-6-7
IEC 61508 (series)	NOTE	Harmonized as EN 61508 (series)
IEC 61508-1:2010	NOTE	Harmonized as EN 61508-1:2010 (not modified)
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010 (not modified)
IEC 61784-3	NOTE	Harmonized as EN 61784-3
CISPR 11:2015	NOTE	Harmonized as EN 55011:2016

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60050-161	-	International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility	-	-
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) - Part 4-3 : Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+ A1	2007		+ A1	2008
+ A2	2010		+ A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio- frequency fields	EN 61000-4-6	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004

This is a free page sample. Access the full version online. I.S. EN IEC 61326-3-2:2018

EN IEC 61326-3-2:2018 (E)

IEC 61000-4-16	2015	Electromagnetic compatibility (EMC) - Part 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz	EN 61000-4-16	2016
IEC 61000-4-29	2000	Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	EN 61000-4-29	2000
IEC 61000-4-34	2005	Electromagnetic compatibility (EMC) - Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase	EN 61000-4-34	2007
+ A1	2009		+ A1	2009
IEC 61326-1	2012	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements	EN 61326-1	2013
IEC 61326-3-1	2017	Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety- related functions (functional safety) -General industrial applications	EN 61326-3-1	2017
IEC 61508-2	2010	Functional safety of electrical/electronic/programmable electronic safety- related systems - Part 2: Requirements for electrical/electronic/programmable electronic safety- related systems	EN 61508-2	2010



IEC 61326-3-2

Edition 2.0 2017-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electrical equipment for measurement, control and laboratory use – EMC requirements –

Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – Industrial applications with specified electromagnetic environment

Matériel électrique de mesure, de commande et de laboratoire – Exigences relatives à la CEM –

Partie 3-2: Exigences d'immunité pour les systèmes relatifs à la sécurité et pour les matériels destinés à réaliser des fonctions relatives à la sécurité (sécurité fonctionnelle) – Applications industrielles dont l'environnement électromagnétique est spécifié



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office	Tel.: +41 22 919 02 11		
3, rue de Varembé	Fax: +41 22 919 03 00		
CH-1211 Geneva 20	info@iec.ch		
Switzerland	www.iec.ch		

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



IEC 61326-3-2

Edition 2.0 2017-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Electrical equipment for measurement, control and laboratory use – EMC requirements –

Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – Industrial applications with specified electromagnetic environment

Matériel électrique de mesure, de commande et de laboratoire – Exigences relatives à la CEM –

Partie 3-2: Exigences d'immunité pour les systèmes relatifs à la sécurité et pour les matériels destinés à réaliser des fonctions relatives à la sécurité (sécurité fonctionnelle) – Applications industrielles dont l'environnement électromagnétique est spécifié

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.040.40; 33.100.20

ISBN 978-2-8322-4213-1

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

– 2 – IEC 61326-3-2:2017 © IEC 2017

CONTENTS

Annex A (informative) Approaches on how to apply IEC 61326-3 series	FO	REWO	RD	4
2 Normative references 8 3 Terms, definitions and abbreviations 10 3.1 Terms and definitions 10 3.2 Abbreviations 13 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 14 5.3.1 General 14 5.3.2 Composition of EUT during testing 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4 Operation of performance criteria 16 6.1 General 16 6.2 Performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity	INT	rodu	CTION	6
3 Terms, definitions and abbreviations 10 3.1 Terms and definitions 10 3.2 Abbreviations 13 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.6 Cabling and earthing (grounding) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Specification of performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3.1 Definition of performance criterion DS<	1	Scop	e	8
3.1 Terms and definitions. 10 3.2 Abbreviations 13 4 General 13 5 EMC test plan. 13 5.1 General 13 5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxillary equipment (AE) 15 5.4.0 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4 Operation of performance criteria 15 5.5 Specification of performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3.1 Definition of the performance criterion DS 16 6.3.2 Application of th	2	Norm	ative references	8
3.2 Abbreviations 13 4 General 13 5 EMC test plan 13 5 EMC test plan 13 5.1 General 14 5.3 Configuration of EUT during testing 14 5.3 Composition of EUT 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria A, B and C 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be conside	3	Term	s, definitions and abbreviations	10
3.2 Abbreviations 13 4 General 13 5 EMC test plan 13 5 EMC test plan 13 5.1 General 14 5.3 Configuration of EUT during testing 14 5.3 Composition of EUT 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria A, B and C 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be conside		3.1	Terms and definitions	10
5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.4 Operation conditions of EUT during testing 15 5.4 Operation conditions 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 17 Immunity requirements 17		-		
5.1 General 13 5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Axiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4.4 Euritro of performance criteria 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during appl	4	Gene	ral	13
5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4.1 Operation modes 15 5.4.1 Operation modes 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Test description 15 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 16 6.3.4 Test set-up and test philosophy for EUT	5	EMC	test plan	13
5.2 Instruction for testing 14 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4.1 Operation modes 15 5.4.1 Operation modes 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Test description 15 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 16 6.3.4 Test set-up and test philosophy for EUT		5.1	General	13
5.3 Configuration of EUT 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Test description 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 17 7 Immunity requirements 17 7 Immunity requirements 17 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosoph		5.2		
5.3.2 Composition of EUT		5.3	5	
5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4 Specification of performance criteria 15 5.5 Specification of performance criteria 15 6 Performance criteria 16 6.1 General 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 17 7 Immunity requirements 17 7 Immunity requirements 17 8.1 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Test ing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Te		5.3.1	General	14
5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4.1 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8.1 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.2 Test philosophy for safety-related systems 20 8.1 Test configuration and test performance 21 8.4 Tes		5.3.2	Composition of EUT	14
5.3.5 Auxiliary equipment (AE) 15 5.3.6 Cabling and earthing (grounding) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8.1 Test ing of safety-related systems and equipment intended for safety applications 20 8.2 Test ing of safety-related systems 20 8.1 Test ing of safety-related systems 20 8.2		5.3.3	Assembly of EUT	14
5.3.6 Cabling and earthing (grounding) 15 5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.4.3 EUT software during test 15 5.4.3 EUT software during test 15 5.4.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8.1 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for safety-related systems 20 8.3		5.3.4	I/O ports	14
5.4 Operation conditions of EUT during testing 15 5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 6 Test description 16 6.1 General 16 6.3 Performance criteria A, B and C 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8.1 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for safety-related syst		5.3.5	Auxiliary equipment (AE)	15
5.4.1 Operation modes 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 16 6.3.4 Petiona test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test		5.3.6	5 5 6 6	
5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 <td< td=""><td></td><td></td><td></td><td></td></td<>				
5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 9 <td< td=""><td></td><td>-</td><td>•</td><td></td></td<>		-	•	
5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 9 Test results and test report. 22 Annex A (inform		-		
5.6 Test description 15 6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 9 Test results and test report 22 9 Test results and test report 22 Annex A (informative) Appro			5	
6 Performance criteria 16 6.1 General 16 6.2 Performance criteria A, B and C 16 6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test configuration and test performance 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Specified electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29				
6.1 General			•	
6.2 Performance criteria A, B and C. 16 6.3 Performance criterion DS. 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29	-			
6.3 Performance criterion DS 16 6.3.1 Definition of performance criterion DS 16 6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 20 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 9 Test network (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Specified electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29				
6.3.1Definition of performance criterion DS166.3.2Application of the performance criterion DS166.3.3Aspects to be considered during application of performance criterion DS177Immunity requirements178Test set-up and test philosophy for EUT with functions intended for safety applications208.1Testing of safety-related systems and equipment intended to be used in safety-related systems208.2Test philosophy for equipment intended for use in safety-related systems208.3Test philosophy for safety-related systems208.4Test configuration and test performance218.5Monitoring229Test results and test report22Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex B (informative) Specified electromagnetic phenomena27Annex C (normative) Specified electromagnetic environment29		-		
6.3.2 Application of the performance criterion DS 16 6.3.3 Aspects to be considered during application of performance criterion DS 17 7 Immunity requirements 17 8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29				
6.3.3Aspects to be considered during application of performance criterion DS177Immunity requirements178Test set-up and test philosophy for EUT with functions intended for safety applications208.1Testing of safety-related systems and equipment intended to be used in safety-related systems208.2Test philosophy for equipment intended for use in safety-related systems208.3Test philosophy for safety-related systems208.4Test configuration and test performance218.5Monitoring229Test results and test report229Test negotive)Approaches on how to apply IEC 61326-3 series25Annex B (informative)Evaluation of electromagnetic phenomena27Annex C (normative)Specified electromagnetic environment29				
7Immunity requirements178Test set-up and test philosophy for EUT with functions intended for safety applications208.1Testing of safety-related systems and equipment intended to be used in safety-related systems208.2Test philosophy for equipment intended for use in safety-related systems208.3Test philosophy for safety-related systems208.4Test configuration and test performance218.5Monitoring229Test results and test report229Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex C (normative) Specified electromagnetic environment29				
8 Test set-up and test philosophy for EUT with functions intended for safety applications 20 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 20 8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 20 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29	7			
applications208.1Testing of safety-related systems and equipment intended to be used in safety-related systems208.2Test philosophy for equipment intended for use in safety-related systems208.3Test philosophy for safety-related systems208.4Test configuration and test performance218.5Monitoring229Test results and test report22Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex B (informative) Evaluation of electromagnetic phenomena27Annex C (normative) Specified electromagnetic environment29				
safety-related systems208.2Test philosophy for equipment intended for use in safety-related systems208.3Test philosophy for safety-related systems218.4Test configuration and test performance218.5Monitoring229Test results and test report22Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex B (informative) Evaluation of electromagnetic phenomena27Annex C (normative) Specified electromagnetic environment29	0			20
8.2 Test philosophy for equipment intended for use in safety-related systems 20 8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29		8.1		20
8.3 Test philosophy for safety-related systems 21 8.4 Test configuration and test performance 21 8.5 Monitoring 22 9 Test results and test report 22 Annex A (informative) Approaches on how to apply IEC 61326-3 series 25 Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29		8.2		
8.4Test configuration and test performance218.5Monitoring229Test results and test report22Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex B (informative) Evaluation of electromagnetic phenomena27Annex C (normative) Specified electromagnetic environment29				
9 Test results and test report		8.4		
Annex A (informative) Approaches on how to apply IEC 61326-3 series25Annex B (informative) Evaluation of electromagnetic phenomena27Annex C (normative) Specified electromagnetic environment29		8.5	Monitoring	22
Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29	9	Test	results and test report	22
Annex B (informative) Evaluation of electromagnetic phenomena 27 Annex C (normative) Specified electromagnetic environment 29	An	nex A (informative) Approaches on how to apply IEC 61326-3 series	25
Annex C (normative) Specified electromagnetic environment		•		
		-		
U. 1 UCHCIAI		C.1	General	

IEC 61326-3-2:2017 © IEC 2017

- 3 -	_	3	_	
-------	---	---	---	--

C.2	Industrial area with limited access	29
C.3	Limited use of mobile transmitters	
C.4	Dedicated cables for power supply and control, signal or communication lines	
C.5	Separation between power supply and control, signal or communication cables	
C.6	Factory building mostly consisting of metal construction	31
C.7	Overvoltage/lightning protection by appropriate measures	31
C.8	Pipe heating systems driven by AC mains	
C.9	No high-voltage substations close to sensitive areas	
C.10	Presence of low-power devices using ISM frequencies according to CISPR 11	
C.11	Competent staff	
C.12	Periodic maintenance of equipment and systems	
C.13	Installation guidelines for equipment and systems	32
Annex D	(informative) Example of immunity levels in the process industry	
Bibliogra	phy	
0		

Figure 1 – Typical test set-up for equipment intended for use in safety-related system, tested as stand-alone equipment or entire system	23
Figure 2 – Typical test set-up for equipment intended for use in a safety-related system integrated into a representative safety-related system during test	24
Figure A.1 – Correlation between the standards IEC 61326-1, IEC 61326-2-x, IEC 61326-3-1 and IEC 61326-3-2	26
Figure C.1 – Recommended cable layouts for different categories	31
Table 1 – Reaction of EUT during test	17
Table 2 – Immunity test requirements – Enclosure port	18
Table 3 – Immunity test requirements – Input and output AC power ports	18
Table 4 – Immunity test requirements – Input and output DC power ports	19
Table 5 – Immunity test requirements – I/O signal/control ports	19
Table 6 – Immunity test requirements – I/O signal/control ports connected directly to power supply networks	19
Table 7 – Immunity test requirements – Functional earth port	20
Table B.1 – General considerations for the application of electromagnetic phenomena for functional safety in industrial applications with specified electromagnetic environment (examples)	28
Table D.1 – Immunity test requirements for equipment intended for use in industrial locations with a specified electromagnetic environment according to NE 21	34

- 4 -

IEC 61326-3-2:2017 © IEC 2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE – EMC REQUIREMENTS –

Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – Industrial applications with specified electromagnetic environment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61326-3-2 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

• extension of the frequency range up to 6 GHz for the radio-frequency electromagnetic field test according to IEC 61000-4-3,

IEC 61326-3-2:2017 © IEC 2017

- 5 -

- replacement of the performance criterion FS with DS according to the generic standard IEC 61000-6-7,
- adding Table 1 Aspects to be considered during application of performance criterion DS,
- including immunity tests for devices with current consumption > 16 A according to IEC 61000-4-34,
- updating Figure A.1 and Figure 1 for better readability,
- adding tests according to IEC 61000-4-16 to replace the tests according to IEC 61000-4-6 in the frequency range between 10 kHz and 150 kHz.

IEC 61326-3-2 is to be read in conjunction with IEC 61326-1.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/820/FDIS	65A/826/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61326 series, under the general title *Electrical equipment for measurement, control and laboratory use – EMC requirements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

- 6 -

IEC 61326-3-2:2017 © IEC 2017

INTRODUCTION

Functional safety is that part of the overall safety relating to the equipment under control (EUC) and the EUC control system which depends on the correct functioning of the electrical safety-related systems. To achieve this, all items of equipment of the safety-related system which are involved in the performance of the safety functions must behave in a specified manner under all relevant conditions.

The IEC basic safety publication for functional safety of electrical/electronic/programmable electronic safety-related systems is IEC 61508. It sets the overall requirements to achieve functional safety. Sufficient immunity to electromagnetic disturbances is one of those requirements.

The concept of IEC 61508 distinguishes between the consideration of the application and the design of safety-related electrical and electronic systems. The overall safety requirements specification specifies all relevant requirements of the intended application, as follows.

- a) definition of the safety functions, based on a risk assessment of the intended application (which functions are intended to reduce risk);
- b) appropriate safety integrity level (SIL) for each safety function based on a risk assessment of the intended application;
- c) definition of the environment in which the system is intended to work including the electromagnetic environment as required by IEC 61508-2.

The requirements for each safety function are then specified in one or more system safety requirements specifications (SSRS). Hence, with regard to immunity against electromagnetic phenomena, the essential starting point is that the electromagnetic environment and its phenomena are considered in the SSRS, as required by IEC 61508. The safety-related system intended to implement the specified safety function has to fulfil the SSRS, and, from it, corresponding immunity requirements have to be derived for the items of equipment, which results in an equipment requirement specification. With respect to the electromagnetic environment, the SSRS and the equipment requirement specification should be based on a competent assessment of the foreseeable electromagnetic threats in the real environment over the whole operational life of the equipment. Hence, immunity requirements for the equipment depend on the characteristics of the electromagnetic environment in which the equipment is intended to be used.

The equipment manufacturer, therefore, has to prove that the equipment fulfils the equipment requirement specification and the system integrator must prove that the system fulfils the SSRS. Evidence has to be produced by application of appropriate methods. They do not need to consider any other aspects of the application, for example, risk of the application associated to any failure of the safety-related system. The objective is for all equipment in the system to comply with particular performance criteria taking into account functional safety aspects (for example, the performance criterion DS) up to levels specified in the SSRS independent of the required safety integrity level (SIL).

For approaches on how to apply IEC 61326-3 series, see Annex A.

There exists meanwhile the generic EMC standard IEC 61000-6-7 dealing with functional safety aspects in industrial environments. Generic EMC standards are designed to apply for a defined electromagnetic environment, to products for which no dedicated product family EMC/product EMC standards exist. However, for the equipment in the scope of this document, the information given in the generic EMC standard was considered not to be sufficient. More detailed information and specifications were needed, for example specific test set-ups, consideration of the functional earth port or the deliberate differentiation between types of electromagnetic environments relevant for the equipment in the scope of this document.

IEC 61326-3-2:2017 © IEC 2017

- 7 -

Though historically this product standard was developed several years before the generic EMC standard, this 2nd edition considers the information given in the generic EMC standard and applies it where appropriate.

- 8 -

IEC 61326-3-2:2017 © IEC 2017

ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE – EMC REQUIREMENTS –

Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – Industrial applications with specified electromagnetic environment

1 Scope

This part of IEC 61326 covers all equipment within the scope of IEC 61326-1, but is limited to systems and equipment for industrial applications within a specified electromagnetic environment and intended to perform safety functions as defined in IEC 61508 with SIL 1-3.

The electromagnetic environments encompassed by this product family standard are industrial, both indoor and outdoor, and based on the requirements of the process industry, specifically chemical/petrochemical/pharmaceutical manufacturing plants using the mitigation measures given in Annex C. The difference between the electromagnetic environment covered by this document compared to the general industrial environment (see IEC 61326-3-1) is due to the mitigation measures employed against electromagnetic phenomena leading to a specified electromagnetic environment with test values that have been proven in practice.

The environment of industrial application with a specified electromagnetic environment typically includes the following characteristics:

- industrial area with limited access;
- limited use of mobile transmitters;
- dedicated cables for power supply and control, signal or communication lines;
- separation between power supply and control, signal or communication cables;
- factory building mostly consisting of metal construction;
- overvoltage/lightning protection by appropriate measures (for example, metal construction of the building or use of protection devices);
- pipe heating systems driven by AC main power;
- no high-voltage substation close to sensitive areas;
- presence of CISPR 11 Group 2 ISM equipment using ISM frequencies only with low power;
- competent staff;
- periodical maintenance of equipment and systems;
- mounting and installation guidelines for equipment and systems.

Equipment and systems considered as "proven-in-use" according to IEC 61508 or "prior use" according to IEC 61511 are excluded from the scope of this document.

Fire alarm systems and security alarm systems intended for protection of buildings are excluded from the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation