

Irish Standard I.S. EN 17203:2018

Foodstuffs - Determination of citrinin in food by liquid chromatography tandem mass spectrometry (LC-MS/MS)

 $\ensuremath{\mathbb C}$  CEN 2019  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### I.S. EN 17203:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

*This document is based on:* EN 17203:2018

*Published:* 2018-12-19

*This document was published* under the authority of the NSAI and comes into effect on:

2019-01-15

ICS number:

67.050

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

#### **National Foreword**

I.S. EN 17203:2018 is the adopted Irish version of the European Document EN 17203:2018, Foodstuffs - Determination of citrinin in food by liquid chromatography tandem mass spectrometry (LC-MS/MS)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

### This is a free page sample. Access the full version online. I.S. EN 17203:2018

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# EN 17203

December 2018

ICS 67.050

**English Version** 

# Foodstuffs - Determination of citrinin in food by liquid chromatography tandem mass spectrometry (LC-MS/MS)

Produits alimentaires - Dosage de la citrinine dans les produits alimentaires par chromatographie liquide couplée à une spectrométrie de masse en tandem (CL-SM/SM) Lebensmittel - Bestimmung von Citrinin in Lebensmitteln mit Flüssigchromatographie und Tandem-Massenspektrometrie (LC-MS/MS)

This European Standard was approved by CEN on 9 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Ref. No. EN 17203:2018 E

# EN 17203:2018 (E)

## Content

Page

Europ	ean foreword	3	
Introduction			
1	Scope	5	
2	Normative references	5	
3	Terms and definitions	5	
4	Principle	5	
5	Reagents	5	
6	Apparatus and equipment	8	
7	Procedure	9	
7.1	Preparation of the test sample		
7.2	Extraction of citrinin		
7.3	Spiking procedure		
7.4	Preparation of sample test solutions		
7.5	LC-MS/MS analysis		
7.6	Identification	12	
8	Calculation	12	
8.1	General	12	
8.2	Calculation with the internal standard citrinin (ISTD)	12	
9	Precision	11	
9 9.1	General		
9.1 9.2	Repeatability		
9.2 9.3	Reproducibility		
10	Test report	15	
Annex	Annex A (informative) Example conditions for suitable LC-MS/MS systems		
A.1	Settings for chromatography for WATERS Acquity H-class coupled to a Xevo® TQ-S	16	
A.2	Mass spectrometric detection settings	17	
Annex	Annex B (informative) Typical chromatograms18		
Annex	Annex C (informative) Precision data		
Bibliog	Bibliography		

#### **European foreword**

This document (EN 17203:2018) has been prepared by Technical Committee CEN/TC 275 "Food analysis - Horizontal methods", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 17203:2018 (E)

#### Introduction

The mycotoxin citrinin is a polyketide secondary metabolite produced mainly post-harvest in food and feed by several fungi of the genera *Penicillium (e.g. P. citrinum), Aspergillus (e.g. A. candidus),* and *Monascus (e.g. M. purpureus)*. Citrinin occurs mainly in stored grains like rice, maize, wheat, barley, oats, and rye. Citrinin can be found as a contaminant in red fermented rice with *Monascus purpureus* and its formulated dietary supplements.

WARNING 1 — Suitable precaution and protection measures need to be taken when carrying out working steps with harmful chemicals. The latest version of the hazardous substances ordinance, Regulation (EC) No 1907/2006 [5] should be taken into account as well as appropriate National statements.

WARNING 2 — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

WARNING 3 — Citrinin is known to have nephrotoxic properties, damaging the proximal tubules of the kidney [6].

#### 1 Scope

This document describes a procedure for the determination of the citrinin content in food (cereals, red yeast rice (RYR)), herbs and food supplements by liquid chromatography tandem mass spectrometry (LC-MS/MS).

This method has been validated for citrinin in red yeast rice and in the formulated food supplements in the range of 2,5  $\mu$ g/kg to 3000  $\mu$ g/kg and in wheat flour in the range of 2,5  $\mu$ g/kg to 100  $\mu$ g/kg.

Laboratory experiences have shown that this method is also applicable to white rice, herbs such as a powder of *ginkgo biloba* leaves and the formulated food supplements in the range of 2,5  $\mu$ g/kg to 50  $\mu$ g/kg.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696, Water for analytical laboratory use — Specification and test methods (ISO 3696)

#### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <u>http://www.electropedia.org/</u>
- ISO Online browsing platform: available at <u>http://www.iso.org/obp</u>

#### 4 Principle

A test portion is humidified with a hydrochloric acid aqueous solution and extracted with ethyl acetate/acetonitrile/glacial acetic acid mixture for 60 min. Magnesium sulfate and sodium chloride are added to the extract, agitated and centrifuged in order to expel water and allow phase separation from the mixture. An aliquot of supernatant is collected, filtered, isotopic labelled internal standard (ISTD) solution is added and analysed by reversed phase LC-MS/MS. Quantification is based on matching citrinin/citrinin-<sup>13</sup>C ratios and citrinin concentrations.

#### 5 Reagents

Use only reagents of recognized analytical grade and water complying with grade 1 of EN ISO 3696, unless otherwise specified. Commercially available solutions with equivalent properties to those listed may also be used.

- **5.1 Ethyl acetate,** analytical grade or higher.
- 5.2 Acetonitrile, LC-MS grade. .
- **5.3 Glacial acetic acid (CH<sub>3</sub>COOH),** analytical grade or higher.
- **5.4** Glacial acetic acid (CH<sub>3</sub>COOH), LC-MS grade.
- **5.5** Magnesium sulfate; anhydrous (MgSO<sub>4</sub>), analytical grade or higher.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation