



NSAI
Standards

Irish Standard
I.S. EN ISO 8469:2018

Small craft - Non-fire-resistant fuel hoses (ISO 8469:2013)

I.S. EN ISO 8469:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 8469:2018

Published:

2018-09-26

*This document was published
under the authority of the NSAI
and comes into effect on:*

2018-10-15

ICS number:

47.080

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 8469:2018 is the adopted Irish version of the European Document EN ISO 8469:2018, Small craft - Non-fire-resistant fuel hoses (ISO 8469:2013)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 8469

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2018

ICS 47.080

Supersedes EN ISO 8469:2013

English Version

Small craft - Non-fire-resistant fuel hoses (ISO 8469:2013)

Petits navires - Tuyaux souples pour carburant non
résistants au feu (ISO 8469:2013)

Kleine Wasserfahrzeuge - Nicht
feuerwiderstandsfähige Kraftstoffschläuche (ISO
8469:2013)

This European Standard was approved by CEN on 16 April 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 8469:2018 (E)

Contents	Page
European foreword.....	3
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU aimed to be covered	4

European foreword

The text of ISO 8469:2013 has been prepared by Technical Committee ISO/TC 188 “Small craft” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 8469:2018.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8469:2013.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2013/53/EU.

For relationship with EU Directive 2013/53/EU, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 8469:2013 has been approved by CEN as EN ISO 8469:2018 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU aimed to be covered

This European standard has been prepared under a Commission's standardization request M/542 C(2015) 8736 final to provide one voluntary means of conforming to Essential Requirements of Directive 2013/53/EU.

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Annex I and Annex II of Directive 2013/53/EU

Essential Requirements of Directive 2013/53/EU	Clause(s)/sub-clause(s) of this EN	Remarks/Notes
Annex I, Part A, 5.1.1 - Inboard Engine Annex I, Part A, 5.2 - Fuel system Annex I, Part A, 5.6.1 - Fire protection, General	All Clauses	This standard is relevant in respect of non-fire resistant fuel hoses that are installed outside of the engine compartment only and away from significant sources of heat and hot areas. EN ISO 10088 specifies the requirements for permanently installed diesel and petrol fuel systems as installed, from the fuel fill opening to the point of connection with the propulsion or auxiliary engine. This standard is also suitable for fuel hoses installed entirely within the splash well at the stern of a craft connected directly to an outboard engine.
Annex II – Components of watercraft (4) - Fuel tanks intended for fixed installations and fuel hoses	All Clauses	This standard is applicable for non-fire resistant fuel hoses that are supplied as components of watercraft within the scope of Directive 2013/53/EU.

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European Standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

INTERNATIONAL STANDARD

**ISO
8469**

Third edition
2013-07-15

Small craft — Non-fire-resistant fuel hoses

Petits navires — Tuyaux souples pour carburant non résistants au feu



Reference number
ISO 8469:2013(E)

© ISO 2013

ISO 8469:2013(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 General requirements	1
4 Hose inner diameter	1
5 Physical tests on finished hose	2
5.1 General.....	2
5.2 Test liquids.....	2
5.3 Bursting pressure.....	2
5.4 Vacuum collapse test.....	3
5.5 Volume change in test liquids.....	3
5.6 Mass reduction of test hose.....	3
5.7 Effect of ozone.....	3
5.8 Fuel permeation.....	3
5.9 Cold flex test.....	4
5.10 Abrasion test — 38 mm inner diameter and larger fuel fill hose with embedded wire reinforcement.....	4
5.11 Dry heat resistance test.....	4
5.12 Oil resistance test.....	4
5.13 Adhesion test.....	4
6 Marking	4
Annex A (normative) Fuel permeation test (or equivalent test method)	6
Bibliography	8

ISO 8469:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 188, *Small craft*.

This third edition cancels and replaces the second edition (ISO 8469:2006), which has been technically revised, mainly concerning test liquids in [5.2](#) to cover hoses' long-term resistance to petrol fuel mixed with ethanol as well as diesel fuel mixed with Fatty Acid Methyl Esters (FAME).

Small craft — Non-fire-resistant fuel hoses

1 Scope

This International Standard specifies general requirements and physical tests for non-fire-resistant hoses for conveying petrol or petrol blended with ethanol and diesel fuel or diesel fuel blended with FAME, designed for a working pressure not exceeding 0,34 MPa for hoses with inner diameter up to and including 10 mm and 0,25 MPa for hoses up to 63 mm inner diameter in craft of hull length up to 24 m.

It applies to hoses for small craft with permanently installed fuel systems.

Specifications for fire-resistant hoses are given in ISO 7840[1]. Specifications for permanently installed fuel systems are given in ISO 10088[2].

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3:1973, *Preferred numbers — Series of preferred numbers*

ISO 1307, *Rubber and plastics hoses — Hose sizes, minimum and maximum inside diameters, and tolerances on cut-to-length hoses*

ISO 1402, *Rubber and plastics hoses and hose assemblies — Hydrostatic testing*

ISO 1817:2011, *Rubber, vulcanized or thermoplastic — Determination of the effect of liquids*

ISO 7233:2006, *Rubber and plastics hoses and hose assemblies — Determination of resistance to vacuum*

ISO 7326:2006, *Rubber and plastics hoses — Assessment of ozone resistance under static conditions*

EN 14214:2008+Amd.1:2009, *Automotive fuels — Fatty acid methyl esters (FAME) for diesel engines — Requirements and test methods*

3 General requirements

Hoses complying with this International Standard shall present a smooth inner surface free from pores, other defects and chemical contaminants.

Hoses shall demonstrate suitability for marine use by complying with the requirements of the tests in [Clause 5](#). They shall be marked according to [Clause 6](#).

4 Hose inner diameter

[Table 1](#) gives some of the inner diameters based on series R 10 of ISO 3:1973. Tolerances shall conform to ISO 1307.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-