



NSAI
Standards

Irish Standard
I.S. EN 16452:2015+A1:2019

Railway applications - Braking - Brake blocks

I.S. EN 16452:2015+A1:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 16452:2015+A1:2019

Published:

2019-03-06

This document was published under the authority of the NSAI and comes into effect on:

2019-03-24

ICS number:

45.040

45.060.01

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 16452:2015+A1:2019 is the adopted Irish version of the European Document EN 16452:2015+A1:2019, Railway applications - Braking - Brake blocks

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 16452:2015+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2019

ICS 45.040; 45.060.01

Supersedes EN 16452:2015

English Version

Railway applications - Braking - Brake blocks

Applications ferroviaires - Freinage - Semelles de frein

Bahnanwendungen - Bremse - Bremsklotzsohlen

This European Standard was approved by CEN on 28 February 2015 and includes Amendment 1 approved by CEN on 21 December 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

Foreword	8
Introduction	9
1 Scope	10
2 Normative references	10
3 Terms and definitions	11
4 Abbreviations	13
5 Overall requirements	13
5.1 Deviations from requirements	13
5.2 Functions	13
5.3 Operational criteria	14
5.3.1 Friction material performance	14
5.3.2 Service performance	14
5.3.3 Brake block characteristics	15
6 Acceptance procedure	15
6.1 Brake block performance requirements	15
6.1.1 General	15
6.1.2 Category A	16
6.1.3 Category B	16
6.1.4 Category C	16
6.2 Approval test requirements	16
6.3 Dynamometer specification	19
7 Category A requirements	19
7.1 Brake block characteristics	19
7.1.1 Standard design	19
7.1.2 Brake block characterization test	19
7.1.3 Brake block mechanical characteristics for service operation	20
7.2 Dynamic friction performance	20
7.2.1 Generic requirements for assessment process	20
7.2.2 Bedded and non bedded performance	21
7.2.3 Variation in mean coefficient of friction in dry condition for a brake to rest	21
7.2.4 Mean friction coefficient variation under wet conditions	21
7.2.5 Mean friction coefficient variation at high initial temperature	21
7.2.6 Mean friction coefficient variation after simulation of a downhill brake application	21
7.2.7 Instantaneous friction coefficient variation during simulation of a downhill brake application	21
7.2.8 Variation in instantaneous friction for a brake to rest	23
7.3 Static friction coefficient	24
7.4 Extreme winter conditions (freight wagons)	24
7.4.1 General	24
7.4.2 A1 Dynamometer test	24
7.4.3 Train brake test	25
7.5 Locked brake (fusibility)	26
7.5.1 Generic prescriptions	26
7.5.2 Specific prescriptions for freight wagons	26

8	Category B requirements	27
8.1	Vehicle brake test	27
8.2	Dynamometer wear test (friction couple)	27
8.3	Dynamic friction performance	27
8.4	In service assessment	27
9	Category C requirements	28
9.1	Metal pick up	28
9.2	Influence on track circuit operation (shuntage)	28
10	Environmental issues	28
10.1	General	28
10.2	Noise	28
10.3	Odour	29
10.4	Smoke, fumes and sparkling	29
10.5	Recycling and disposal	29
11	Marking	29
Annex A (normative) Summary of Dynamometer test programs and acceptance criteria		30
Annex B (normative) General requirements for conducting dynamometer test programmes		32
B.1	General	32
B.2	Rotation and ventilation conditions	32
B.3	Brake application timing t_s	32
B.4	Bedding	32
B.5	Wear	32
B.6	Roughness index of the wheel tread	33
B.7	Interruption of the tests	33
B.8	Temperatures	33
B.9	Wet conditions	33
B.10	Test of simulation of downhill	34
B.11	Test wheels	34
Annex C (normative) Composite brake blocks (K) (2Bg – 2Bgu)- Demonstration of friction properties for S and SS (S/SS) – braked freight wagons ($v_{max} = 120$ km/h)		35
C.1	Program for performance tests	35
C.2	Program for simulation brake assessment	41
C.3	Dispersion range of mean friction coefficients	42
C.4	Dispersion range of instantaneous friction coefficients	46
Annex D (normative) Composite brake blocks (LL) – Demonstration of friction properties for S and SS (S/SS) – braked freight wagons ($v_{max} = 120$ km/h)		47
D.1	Program for performance tests	47
D.2	Program for simulation brake assessment	52
D.3	Dispersion range of mean friction coefficients	54
D.4	Dispersion range of instantaneous friction coefficients	56

EN 16452:2015+A1:2019 (E)

Annex E (normative) Composite brake blocks (K) (1Bg)- Demonstration of friction properties for S and SS (S/SS) - braked freight wagons ($v_{max} = 120$ km/h).....	57
E.1 Program for performance tests.....	57
E.2 Dispersion range of mean friction coefficients	60
E.3 Dispersion range of instantaneous friction coefficients.....	62
Annex F (normative) Composite brake blocks (L) - Demonstration of friction properties for extra tread brake of coach.....	63
F.1 Program for performance tests.....	63
F.2 Program for simulation brake assessment.....	67
F.3 Dispersion range of mean friction coefficients in dry condition	68
F.4 Dispersion range of mean friction coefficients in wet condition.....	69
F.5 Dispersion range of instantaneous friction coefficients.....	70
Annex G (normative) Composite brake blocks (K) - Demonstration of friction properties for locomotives	72
G.1 Program for performance tests.....	72
G.2 Program for simulation brake assessment.....	76
G.3 Dispersion range of mean friction coefficients in dry condition	77
G.4 Dispersion range of mean friction coefficients in wet condition.....	78
G.5 Dispersion range of instantaneous friction coefficients.....	79
Annex H (normative) Composite brake blocks (K) - Demonstration of friction properties for EMU - DMU.....	81
H.1 Program for performance tests.....	81
H.2 Program for simulation brake assessment.....	86
H.3 Dispersion range of mean friction coefficients in dry condition	87
H.4 Dispersion range of mean friction coefficients in wet condition.....	88
H.5 Dispersion range of instantaneous friction coefficients.....	89
Annex I (normative) Composite brake blocks (K) - Demonstration of friction properties for High speed train (motor bogie).....	91
I.1 Program for performance tests.....	91
I.2 Program for simulation brake assessment.....	94
I.3 Dispersion range of mean friction coefficients in dry condition	95
I.4 Dispersion range of mean friction coefficients in wet condition.....	97
I.5 Dispersion range of instantaneous friction coefficients.....	98
Annex J (A1) normative (A1) Dynamometer test program - Generic test program.....	100
J.1 General.....	100
J.2 Generic test program	100
J.3 Definitions	104
J.4 (A1) Values to be determined in order to define the area of use.....	104

J.5	Ⓐ ₁ Principle of assessment and pass/fail criteria	106
Annex K (normative) Dynamometer Test program to detect the formation of metal pick-up at the brake block.....		
K.1	Test program for freight wagons with brake blocks type K and LL	107
K.2	Test program for locomotives with brake blocks type K.....	109
K.3	Test program for EMU – DMU with brake blocks type K.....	112
K.4	Test program for High speed train with brake blocks type K	115
Annex L (normative) Dynamometer test program to demonstrate the extreme winter braking properties		
L.1	Test program for freight wagons with brake blocks type K.....	118
L.2	Test program for freight wagons with brake blocks type LL.....	120
L.3	Specific requirements for conducting Test Programs L.1 and L.2	121
L.4	Process of assessment and past fail criteria for test programs L.1 and L.2.....	122
L.5	Generic flow chart to perform test program.....	123
L.6	Detailed flow chart to perform test program (example brake block K).....	124
Annex M (normative) Test run to demonstrate the extreme winter braking properties brake blocks K – LL for freight wagons.....		
M.1	Ⓐ ₁ Test program to demonstrate the braking properties under severe snowy conditions.....	127
M.2	Values to be determined in order to define the area of use	130
M.3	Assessment of measurement data and pass/fail criteria.....	130
Annex N (normative) Dynamometer Test program to simulate “Locked brake”		
N.1	Test program for freight wagons with brake blocks type K and LL	132
N.2	Test program for locomotives with brake blocks type K.....	133
N.3	Test program for EMU – DMU with brake blocks type K.....	134
N.4	Test program for High speed train with brake blocks type K	135
Annex O (normative) Dynamometer test program to demonstrate the compatibility with track circuits.....		
O.1	General	136
O.2	Short description of the measuring method used.....	136
O.3	Schematic diagram of test set up.....	136
O.4	Flow chart to perform test program	138
O.5	Preparation of the disc and the rollers	138
O.6	Preparation of the samples of brake block	139
O.7	Contamination of disc	139
O.8	Measurements	140
O.9	Assessment of the results	141
Annex P (informative) Vehicle test to demonstrate the compatibility with track circuits.....		
		143

EN 16452:2015+A1:2019 (E)

P.1	General.....	143
P.2	Test conditions.....	143
P.3	Assessment of results	144
P.4	Pass/fail criteria.....	145
Annex Q (informative)	Dynamometer test program – Determination of static friction coefficient.....	147
Q.1	[A1] Generic test program for freight wagons with brake blocks type K and LL.....	147
Q.2	[A1] Specific test program for S and/or SS freight wagons with brake blocks type K and LL [A1].....	147
Q.3	Test program for EMU – DMU and Locomotive with brake blocks type K.....	149
Q.4	Test program for High speed train with brake blocks type K.....	150
Q.5	[A1] Specific Requirements for conducting dynamometer test programmes Q.1 to Q.4 [A1].....	150
Annex R (informative)	Dynamometer test program – Simulation of service conditions for freight wagons.....	153
R.1	Simulation freight wagon with brake block type K 2Bgu	153
R.2	Simulation freight wagon with brake block type LL 2Bgu	155
Annex S (normative)	Interchangeability, rejection lugs and critical dimensions	158
Annex T (normative)	Brake block shear and flexural strength tests.....	161
T.1	General.....	161
T.2	Shear strength test.....	161
T.3	Flexural strength test	162
Annex U (normative)	Limitation of permissible mechanical damage of brake block.....	164
U.1	General.....	164
U.2	Cracked through to back-plate.....	164
U.3	Crumbling of the friction material.....	165
U.4	Metal pick-up.....	165
U.5	Detachment from back-plate	166
U.6	Cracks in the direction of wheel circumference	166
U.7	Detachment of the friction material.....	166
U.8	Interface with the brake block holder.....	167
Annex V (normative)	In service assessment of brake block.....	168
V.1	General.....	168
V.2	Freight wagon.....	168
V.3	Coach.....	169
V.4	Locomotive	169
V.5	EMU-DMU	170
V.6	High speed train	170

V.7	Description of areas to be monitored and additional measures.....	171
V.8	Pass/fail criteria	172
Annex W (informative)	Complementary definitions and abbreviations.....	173
Annex X (informative)	Brake block characterization test.....	175
Annex ZA (informative)	Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered.....	176
Bibliography		179

EN 16452:2015+A1:2019 (E)**Foreword**

This document (EN 16452:2015+A1:2019) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2019, and conflicting national standards shall be withdrawn at the latest by September 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 28 October 2018.

This document supersedes A1 EN 16452:2015 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

Compared to the previous edition, the following changes have been made:

- a) 7.3 "Static friction coefficient" has been modified;
- b) 7.4.2 "Dynamometer test" has been modified;
- c) 7.5.1 "Generic prescriptions" has been modified;
- d) 7.4.3 "Train brake test" has been modified;
- e) Annex A "Summary of Dynamometer test programs and acceptance criteria" has been modified;
- f) Annex J "Dynamometer test program – Generic test program" has been modified;
- g) Annex M "Test run to demonstrate the extreme winter braking properties brake blocks K – LL for freight wagons" has been modified;
- h) Annex Q "Dynamometer test program – Determination of static friction coefficient" has been modified;
- i) Annex T "Brake block shear and flexural strength tests" has been modified;
- j) Annex ZA has been updated.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

For environmental reasons (reduction of rolling noise), this European Standard does not cover cast iron brake block requirements, although cast iron brake block technology is still widely used in Europe. Cast iron has already been replaced by composite materials for new rolling stock builds and major steps have been taken by EEC (TSI) and UIC in 2004 to accelerate the change from cast iron to composite materials.

When published this European Standard will replace the current UIC requirements for technical approval of brake blocks. The requirements of this EN are based on the state of art form UIC leaflet and a European project "Euro Rolling Silently".

EN 16452:2015+A1:2019 (E)**1 Scope**

This European Standard gives the requirements for the design, dimensions, performance, and testing of a brake block (otherwise known as brake shoe insert) that acts on the wheel tread as part of a tread brake system. This European Standard does not cover cast iron brake block requirements.

This European Standard is applicable to brake blocks of either “K”, “L”, or “LL” friction level designed to be fitted to tread braked rail vehicles.

This European Standard contains the requirements for interfacing the brake block with the rail vehicle, the testing procedures in order to confirm that it satisfies the basic safety and technical interchangeability requirements, the material control procedures to ensure product quality, reliability and conformity and considers health and environmental needs.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13452-1, *Railway applications — Braking — Mass transit brake systems — Part 1: Performance requirements*

EN 13452-2, *Railway applications — Braking — Mass transit brake systems — Part 2: Methods of test*

EN 13715, *Railway applications — Wheelsets and bogies — Wheels — Tread profile*

EN 13979-1:2003+A2:2011, *Railway applications — Wheelsets and bogies — Monobloc wheels — Technical approval procedure — Part 1: Forged and rolled wheels*

EN 14033-1, *Railway applications — Track — Railbound construction and maintenance machines — Part 1: Technical requirements for running*

EN 14033-2:2008+A1:2011, *Railway applications — Track — Railbound construction and maintenance machines — Part 2: Technical requirements for working*

EN 14198, *Railway applications — Braking — Requirements for the brake system of trains hauled by a locomotive*

EN 14478, *Railway applications — Braking — Generic vocabulary*

EN 15179, *Railway applications — Braking — Requirements for the brake system of coaches*

EN 15313, *Railway applications — In-service wheelset operation requirements — In-service and off-vehicle wheelset maintenance*

EN 15663, *Railway applications — Definition of vehicle reference masses*

EN 15734-1, *Railway applications — Braking systems of high speed trains — Part 1: Requirements and definitions*

EN 15734-2, *Railway applications — Braking systems of high speed trains — Part 2: Test methods*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-