

Irish Standard I.S. EN IEC 62364:2019

Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines

 $\ensuremath{\mathbb C}$ CENELEC 2019 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN IEC 62364:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN IEC 62364:2019 *Published:* 2019-03-15

This document was published		10	CS number:
and comes into effect on:			23.100.10
			27.140
2019-04-02			
		NOTE: If blank see	e CEN/CENELEC cover page
NSAI	T +353 1	807 3800	Sales:
1 Swift Square,	F +353 1	807 3838	T +353 1 857 6730
Northwood, Santry	E standa	rds@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.i	2	W standards.ie
L			

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN IEC 62364:2019 is the adopted Irish version of the European Document EN IEC 62364:2019, Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN IEC 62364

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2019

ICS 23.100.10; 27.140

Supersedes EN 62364:2013

English Version

Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines (IEC 62364:2019)

Machines hydrauliques - Lignes directrices relatives au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton (IEC 62364:2019) Wasserturbinen - Leitfaden für den Umgang mit hydroabrasiver Erosion in Kaplan-, Francis und Pelton-Turbinen (IEC 62364:2019)

This European Standard was approved by CENELEC on 2019-02-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62364:2019 (E)

European foreword

The text of document 4/351/FDIS, future edition 2 of IEC 62364, prepared by IEC TC 4 "Hydraulic turbines" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62364:2019.

The following dates are fixed:

•	latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2019-11-18
•	latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2022-02-18

This document supersedes EN 62364:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62364:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60193:1999	NOTE	Harmonized as EN 60193:1999.
IEC 60609-2:1997	NOTE	Harmonized as EN 60609-2:1999.
IEC 60041	NOTE	Harmonized as EN 60041.
ISO 4288	NOTE	Harmonized as EN ISO 4288.
ISO 2178	NOTE	Harmonized as EN ISO 2178.
ISO 6507-1	NOTE	Harmonized as EN ISO 6507-1.
ISO 14916:2017	NOTE	Harmonized as EN ISO 14916:2017.





Edition 2.0 2019-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Hydraulic machines – Guidelines for dealing with hydro-abrasive erosion in kaplan, francis, and pelton turbines

Machines hydrauliques – Lignes directrices relatives au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.





Edition 2.0 2019-01

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Hydraulic machines – Guidelines for dealing with hydro-abrasive erosion in kaplan, francis, and pelton turbines

Machines hydrauliques – Lignes directrices relatives au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 23.100.10; 27.140

ISBN 978-2-8322-6286-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

- 2 - IEC 62364:2019 © IEC 2019

CONTENTS

FC	DREWO	RD	5
IN	TRODU	ICTION	7
1	Scop	e	8
2	Term	s, definitions and symbols	8
3	Pred	iction of hydro-abrasive erosion rate	.12
	3.1	Model for hydro-abrasive erosion depth	.12
	3.2	Reference model	.13
	3.3	Simplified hydro-abrasive erosion evaluation	.14
4	Desi	gn	. 15
	4.1	General	. 15
	4.2	Selection of materials with high resistance to hydro-abrasive erosion and coating	.16
	4.3	Stainless steel overlays	.16
	4.4	Water conveyance system	.16
	4.5	Valve	. 17
	4.5.1	General	. 17
	4.5.2	Protection (closing) of the gap between housing and trunnion	.17
	4.5.3	Stops located outside the valve	.17
	4.5.4	Proper capacity of inlet valve operator	.18
	4.5.5	Increase bypass size to allow higher guide vane leakage	.18
	4.5.6	Bypass system design	.18
	4.6		.18
	4.0.1	General	. 10 19
	4.0.2	Mechanical design	20
5	Oper	ation and maintenance	26
U	5 1		26
	5.2	Spares and regular inspections	.20
	5.2 5.3	Particle sampling and monitoring	28
6	0.0 Mate	rials with high resistance to hydro-abrasive erosion	.20
Ũ	6 1	Guidelines concerning relative hydro-abrasive erosion resistance of	.20
	0.1	materials including hydro-abrasive erosion resistant coatings	.29
	6.1.1	General	.29
	6.1.2	Discussion and conclusions	.30
	6.2	Guidelines concerning maintainability of hydro-abrasive erosion resistant coating materials	. 30
	6.2.1	Definition of terms used in this subclause	. 30
	6.2.2	Time between overhaul for protective coatings	. 30
	6.2.3	Repair of protective coatings	.31
7	Guid	elines on insertions into specifications	. 32
	7.1	General	. 32
	7.2	Properties of particles going through the turbine	. 33
	7.3	Size distribution of particles	.34
Ar	nnex A (informative) <i>PL</i> calculation example	.35
Ar	nnex B (informative) Measuring and recording hydro-abrasive erosion damages	.37
	B.1	Recording hydro-abrasive erosion damage	.37

IEC 62364:2019 © IEC 2019

B.2	Pelton runner without coating	.37
B.3	Needle tip and mouth piece without coating	.38
B.4	Pelton runner with hardcoating	.38
B.5	Needle tip, seat ring and nozzle housing with coating	.38
B.6	Francis runner and stationary labyrinth without coating	.39
B.7	Francis runner with coating and stationary labyrinth	.39
B.8	Guide vanes and facing plates without coating	.39
B.9	Guide vanes and facing plates with coating	.40
B.10	Stay vanes	.40
B.11	Francis labyrinth seals uncoated	.40
B.12	Kaplan uncoated	.40
B.13	Kaplan coated	.41
B.14	Sample data sheets	.41
B.15	Inspection record, runner blade inlet	.42
B.16	Inspection record, runner blade outlet	.43
B.17	Inspection record, runner band	.44
B.18	Inspection record, guide vanes	.45
B.19	Inspection record, facing plates and covers	.46
B.20	Inspection record, upper stationary seal	.47
B.21	Inspection record, upper rotating seal	.48
B.22	Inspection record, lower stationary seal	.49
B.23	Inspection record, lower rotating seal	.50
B.24	Inspection record, runner bucket	.51
B.25	Inspection record, Pelton runner splitter	.52
Annex C (informative) Monitoring of particle concentration and properties and water	53
	General	52
	Sampling before building a newer station	52
0.2	Sampling before building a power station	53
C.3		54
Anney D ((informative) Procedures for analysis of particle concentration, size	.04
hardness	and shape	55
D 1	General	55
D 2	Particle concentration	55
D.3	Particle size distribution	.55
D.4	Mineralogical composition	.55
D.5	Particle geometry	.55
Annex E (informative) Frequency of sediment sampling	.58
Annex F (informative) Typical criteria to determine overhaul time due to hydro-	
abrasive e	erosion	59
F.1	General	.59
F.2	Parameters which are chasewable while the unit is in operation	50
F.3		
Annox G	Criteria that require internal inspection of the unit	.60
Allinex G	Criteria that require internal inspection of the unit	.60 .61
Annex H (Criteria that require internal inspection of the unit	.60 .61 .63
Annex H (Annex I (i	Criteria that require internal inspection of the unit (informative) Example to calculate the hydro-abrasive erosion depth (informative) Examples to calculate the TBO in the reference model	.60 .61 .63
Annex H (Annex I (i	Criteria that require internal inspection of the unit is in operation (informative) Example to calculate the hydro-abrasive erosion depth (informative) Examples to calculate the TBO in the reference model nformative) Background for hydro-abrasive erosion depth model	.60 .61 .63 .66
Annex H (Annex I (i I.1	Criteria that require internal inspection of the unit is in operation (informative) Example to calculate the hydro-abrasive erosion depth (informative) Examples to calculate the TBO in the reference model nformative) Background for hydro-abrasive erosion depth model Model background and derivation	.60 .61 .63 .66 .66
Annex H (Annex I (i I.1 I.2 I.3	Criteria that require internal inspection of the unit is in operation (informative) Example to calculate the hydro-abrasive erosion depth (informative) Examples to calculate the TBO in the reference model (informative) Background for hydro-abrasive erosion depth model Model background and derivation Introduction to the <i>PL</i> variable	.60 .61 .63 .66 .66 .67

Annex J	(informative) Quality control of thermal sprayed WC-CoCr	71
J.1	Specification	71
J.2	Quality control	71
Bibliogra	aphy	72

Figure 1 – Estimation of the characteristic velocities in guide vanes, W_{gv} , and runner, W_{run} , as a function of turbine specific speed	13
Figure 2 – Simplified evaluation of risk of hydro-abrasive erosion for first assessment	15
Figure 3 – Example of protection of transition area	17
Figure 4 – Runner blade overhang in refurbishment project	19
Figure 5 – Example of cavitation on runner band due to thicker blades	20
Figure 6 – Example of design of guide vane trunnion seals	21
Figure 7 – Example of fixing of facing plates from the dry side (bolt to the left)	23
Figure 8 – Head cover balancing pipes with bends	24
Figure 9 – Step labyrinth with optimized shape for hardcoating	26
Figure 10 – Sample plot of particle concentration versus time	28
Figure D.1 – Typical examples of particle geometry	57
Figure I.1 – Example of flow pattern in a Pelton injector at different load	68

Table 1 – Values of K _f and p for various components	13
Table 2 – Overview over the feasibility for repair C on site	31
Table 3 – Form for properties of particles going through the turbine	33
Table 4 – Form for size distribution of particles	34
Table A.1 – Example of documenting sample tests	35
Table A.2 – Example of documenting sample results	36
Table B.1 – Inspection record, runner blade inlet form	42
Table B.2 – Inspection record, runner blade outlet form	43
Table B.3 – Inspection record, runner band form	44
Table B.4 – Inspection record, guide vanes form	45
Table B.5 – Inspection record, facing plates and covers form	46
Table B.6 – Inspection record, upper stationary seal form	47
Table B.7 – Inspection record, upper rotating seal form	48
Table B.8 – Inspection record, lower stationary seal form	49
Table B.9 – Inspection record, lower rotating seal form	50
Table B.10 – Inspection record, runner bucket	51
Table B.11 – Inspection record, Pelton runner splitter	52
Table G.1 – Calculations	62
Table H.1 – Pelton turbine calculation example	63
Table H.2 – Francis turbine calculation example	64
Table I.1 – Analysis of the calibration constant K_{f} and p	70
Table J.1 – Recommended items to include in HVOF inspection	71

IEC 62364:2019 © IEC 2019

- 5 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HYDRAULIC MACHINES – GUIDELINES FOR DEALING WITH HYDRO-ABRASIVE EROSION IN KAPLAN, FRANCIS, AND PELTON TURBINES

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62364 has been prepared by IEC technical committee 4: Hydraulic turbines.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the formula for TBO in Pelton reference model has been modified;
- b) the formula for calculating sampling interval has been modified;
- c) the chapter in hydro-abrasive erosion resistant coatings has been substantially modified;
- d) the annex with test data for hydro-abrasive erosion resistant materials has been removed;
- e) a simplified hydro-abrasive erosion evaluation has been added.

- 6 -

IEC 62364:2019 © IEC 2019

The text of this International Standard is based on the following documents:

FDIS	Report on voting
4/351/FDIS	4/366/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This is a free page sample. Access the full version online. I.S. EN IEC 62364:2019

IEC 62364:2019 © IEC 2019

- 7 -

INTRODUCTION

The number of hydro power plants with hydro-abrasive erosion is increasing worldwide.

An overall approach is needed to minimize the impact of this phenomenon. Already at the start of the planning phase an evaluation should be done to quantify the hydro-abrasive erosion and the impact on the operation. For this, the influencing parameters and their impact on the hydro-abrasive erosion have to be known. The necessary information for the evaluation comprises among others the future design, the particle parameters of the water, which will pass the turbine, the reservoir sedimentation and the power plant owner's framework for the future operation like availability or maximum allowable efficiency loss, before an overhaul needs to be done.

Based on this evaluation of the hydro-abrasive erosion, an optimised solution can then be found, by analysing all measures in relation to investments, energy production and maintenance costs as decision parameters. Often a more hydro-abrasive erosion-resistant design, instead of choosing the turbine design with the highest efficiency, will lead to higher revenue. This analysis is best performed by the overall plant designer.

With regards to the machines, owners should find the means to communicate to potential suppliers for their sites, their desire to have the particular attention of the designers at the turbine design phase, directed to the minimization of the severity and effects of hydro-abrasive erosion.

Limited consensus and very little quantitative data exists on the steps which the designer could and should take to extend the useful life before major overhaul of the turbine components when they are operated under severe hydro-abrasive erosion service. This has led some owners to write into their specifications, conditions which cannot be met with known methods and materials.

- 8 -

IEC 62364:2019 © IEC 2019

HYDRAULIC MACHINES – GUIDELINES FOR DEALING WITH HYDRO-ABRASIVE EROSION IN KAPLAN, FRANCIS, AND PELTON TURBINES

1 Scope

This document gives guidelines for:

- a) presenting data on hydro-abrasive erosion rates on several combinations of water quality, operating conditions, component materials, and component properties collected from a variety of hydro sites;
- b) developing guidelines for the methods of minimizing hydro-abrasive erosion by modifications to hydraulic design for clean water. These guidelines do not include details such as hydraulic profile shapes which are determined by the hydraulic design experts for a given site;
- c) developing guidelines based on "experience data" concerning the relative resistance of materials faced with hydro-abrasive erosion problems;
- d) developing guidelines concerning the maintainability of materials with high resistance to hydro-abrasive erosion and hardcoatings;
- e) developing guidelines on a recommended approach, which owners could and should take to ensure that specifications communicate the need for particular attention to this aspect of hydraulic design at their sites without establishing criteria which cannot be satisfied because the means are beyond the control of the manufacturers;
- f) developing guidelines concerning operation mode of the hydro turbines in water with particle materials to increase the operation life.

It is assumed in this document that the water is not chemically aggressive. Since chemical aggressiveness is dependent upon so many possible chemical compositions, and the materials of the machine, it is beyond the scope of this document to address these issues.

It is assumed in this document that cavitation is not present in the turbine. Cavitation and hydro-abrasive erosion can reinforce each other so that the resulting erosion is larger than the sum of cavitation erosion plus hydro-abrasive erosion. The quantitative relationship of the resulting hydro-abrasive erosion is not known and it is beyond the scope of this document to assess it, except to suggest that special efforts be made in the turbine design phase to minimize cavitation.

Large solids (e.g. stones, wood, ice, metal objects, etc.) traveling with the water can impact turbine components and produce damage. This damage can in turn increase the flow turbulence thereby accelerating wear by both cavitation and hydro-abrasive erosion. Hydro-abrasive erosion resistant coatings can also be damaged locally by impact of large solids. It is beyond the scope of this document to address these issues.

This document focuses mainly on hydroelectric powerplant equipment. Certain portions can also be applicable to other hydraulic machines.

2 Terms, definitions and symbols

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation