



**NSAI**  
Standards

Irish Standard  
I.S. EN IEC 62364:2019

# Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines

**I.S. EN IEC 62364:2019**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN IEC 62364:2019

*Published:*

2019-03-15

*This document was published under the authority of the NSAI and comes into effect on:*

2019-04-02

ICS number:

23.100.10

27.140

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN IEC 62364:2019 is the adopted Irish version of the European Document EN IEC 62364:2019, Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN IEC 62364**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2019

ICS 23.100.10; 27.140

Supersedes EN 62364:2013

English Version

**Hydraulic machines - Guidelines for dealing with hydro-abrasive erosion in kaplan, francis and pelton turbines  
(IEC 62364:2019)**

Machines hydrauliques - Lignes directrices relatives au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton  
(IEC 62364:2019)

Wasserturbinen - Leitfaden für den Umgang mit hydroabrasiver Erosion in Kaplan-, Francis und Pelton-Turbinen  
(IEC 62364:2019)

This European Standard was approved by CENELEC on 2019-02-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 62364:2019 (E)**

**European foreword**

The text of document 4/351/FDIS, future edition 2 of IEC 62364, prepared by IEC TC 4 "Hydraulic turbines" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62364:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-11-18
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-02-18

This document supersedes EN 62364:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

**Endorsement notice**

The text of the International Standard IEC 62364:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60193:1999	NOTE	Harmonized as EN 60193:1999.
IEC 60609-2:1997	NOTE	Harmonized as EN 60609-2:1999.
IEC 60041	NOTE	Harmonized as EN 60041.
ISO 4288	NOTE	Harmonized as EN ISO 4288.
ISO 2178	NOTE	Harmonized as EN ISO 2178.
ISO 6507-1	NOTE	Harmonized as EN ISO 6507-1.
ISO 14916:2017	NOTE	Harmonized as EN ISO 14916:2017.



**IEC 62364**

Edition 2.0 2019-01

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**



---

**Hydraulic machines – Guidelines for dealing with hydro-abrasive erosion  
in kaplan, francis, and pelton turbines**

**Machines hydrauliques – Lignes directrices relatives  
au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.





**IEC 62364**

Edition 2.0 2019-01

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**



---

**Hydraulic machines – Guidelines for dealing with hydro-abrasive erosion  
in kaplan, francis, and pelton turbines**

**Machines hydrauliques – Lignes directrices relatives  
au traitement de l'érosion hydro-abrasive des turbines kaplan, francis et pelton**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 23.100.10; 27.140

ISBN 978-2-8322-6286-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Terms, definitions and symbols.....	8
3 Prediction of hydro-abrasive erosion rate.....	12
3.1 Model for hydro-abrasive erosion depth .....	12
3.2 Reference model.....	13
3.3 Simplified hydro-abrasive erosion evaluation .....	14
4 Design.....	15
4.1 General.....	15
4.2 Selection of materials with high resistance to hydro-abrasive erosion and coating.....	16
4.3 Stainless steel overlays .....	16
4.4 Water conveyance system .....	16
4.5 Valve .....	17
4.5.1 General .....	17
4.5.2 Protection (closing) of the gap between housing and trunnion.....	17
4.5.3 Stops located outside the valve .....	17
4.5.4 Proper capacity of inlet valve operator .....	18
4.5.5 Increase bypass size to allow higher guide vane leakage .....	18
4.5.6 Bypass system design .....	18
4.6 Turbine .....	18
4.6.1 General .....	18
4.6.2 Hydraulic design.....	18
4.6.3 Mechanical design.....	20
5 Operation and maintenance.....	26
5.1 Operation.....	26
5.2 Spares and regular inspections.....	28
5.3 Particle sampling and monitoring .....	28
6 Materials with high resistance to hydro-abrasive erosion .....	29
6.1 Guidelines concerning relative hydro-abrasive erosion resistance of materials including hydro-abrasive erosion resistant coatings .....	29
6.1.1 General .....	29
6.1.2 Discussion and conclusions.....	30
6.2 Guidelines concerning maintainability of hydro-abrasive erosion resistant coating materials .....	30
6.2.1 Definition of terms used in this subclause .....	30
6.2.2 Time between overhaul for protective coatings .....	30
6.2.3 Repair of protective coatings .....	31
7 Guidelines on insertions into specifications.....	32
7.1 General.....	32
7.2 Properties of particles going through the turbine .....	33
7.3 Size distribution of particles .....	34
Annex A (informative) <i>PL</i> calculation example.....	35
Annex B (informative) Measuring and recording hydro-abrasive erosion damages .....	37
B.1 Recording hydro-abrasive erosion damage .....	37

B.2	Pelton runner without coating.....	37
B.3	Needle tip and mouth piece without coating .....	38
B.4	Pelton runner with hardcoating.....	38
B.5	Needle tip, seat ring and nozzle housing with coating .....	38
B.6	Francis runner and stationary labyrinth without coating .....	39
B.7	Francis runner with coating and stationary labyrinth.....	39
B.8	Guide vanes and facing plates without coating.....	39
B.9	Guide vanes and facing plates with coating.....	40
B.10	Stay vanes.....	40
B.11	Francis labyrinth seals uncoated.....	40
B.12	Kaplan uncoated.....	40
B.13	Kaplan coated.....	41
B.14	Sample data sheets .....	41
B.15	Inspection record, runner blade inlet.....	42
B.16	Inspection record, runner blade outlet.....	43
B.17	Inspection record, runner band .....	44
B.18	Inspection record, guide vanes .....	45
B.19	Inspection record, facing plates and covers .....	46
B.20	Inspection record, upper stationary seal.....	47
B.21	Inspection record, upper rotating seal .....	48
B.22	Inspection record, lower stationary seal .....	49
B.23	Inspection record, lower rotating seal.....	50
B.24	Inspection record, runner bucket.....	51
B.25	Inspection record, Pelton runner splitter.....	52
Annex C (informative) Monitoring of particle concentration and properties and water sampling procedure .....		53
C.1	General.....	53
C.2	Sampling before building a power station .....	53
C.3	Sampling in existing power stations .....	54
C.4	Logging of samples.....	54
Annex D (informative) Procedures for analysis of particle concentration, size, hardness and shape .....		55
D.1	General.....	55
D.2	Particle concentration .....	55
D.3	Particle size distribution .....	55
D.4	Mineralogical composition .....	55
D.5	Particle geometry.....	55
Annex E (informative) Frequency of sediment sampling .....		58
Annex F (informative) Typical criteria to determine overhaul time due to hydro-abrasive erosion .....		59
F.1	General.....	59
F.2	Parameters which are observable while the unit is in operation.....	59
F.3	Criteria that require internal inspection of the unit.....	60
Annex G (informative) Example to calculate the hydro-abrasive erosion depth.....		61
Annex H (informative) Examples to calculate the TBO in the reference model.....		63
Annex I (informative) Background for hydro-abrasive erosion depth model .....		66
I.1	Model background and derivation.....	66
I.2	Introduction to the <i>PL</i> variable.....	67
I.3	Calibration of the formula.....	69

Annex J (informative) Quality control of thermal sprayed WC-CoCr.....	71
J.1 Specification .....	71
J.2 Quality control .....	71
Bibliography.....	72
Figure 1 – Estimation of the characteristic velocities in guide vanes, $W_{gv}$ , and runner, $W_{run}$ , as a function of turbine specific speed .....	13
Figure 2 – Simplified evaluation of risk of hydro-abrasive erosion for first assessment.....	15
Figure 3 – Example of protection of transition area .....	17
Figure 4 – Runner blade overhang in refurbishment project .....	19
Figure 5 – Example of cavitation on runner band due to thicker blades .....	20
Figure 6 – Example of design of guide vane trunnion seals.....	21
Figure 7 – Example of fixing of facing plates from the dry side (bolt to the left) .....	23
Figure 8 – Head cover balancing pipes with bends.....	24
Figure 9 – Step labyrinth with optimized shape for hardcoating .....	26
Figure 10 – Sample plot of particle concentration versus time.....	28
Figure D.1 – Typical examples of particle geometry .....	57
Figure I.1 – Example of flow pattern in a Pelton injector at different load .....	68
Table 1 – Values of $K_f$ and $p$ for various components .....	13
Table 2 – Overview over the feasibility for repair C on site.....	31
Table 3 – Form for properties of particles going through the turbine.....	33
Table 4 – Form for size distribution of particles.....	34
Table A.1 – Example of documenting sample tests .....	35
Table A.2 – Example of documenting sample results .....	36
Table B.1 – Inspection record, runner blade inlet form .....	42
Table B.2 – Inspection record, runner blade outlet form .....	43
Table B.3 – Inspection record, runner band form.....	44
Table B.4 – Inspection record, guide vanes form.....	45
Table B.5 – Inspection record, facing plates and covers form.....	46
Table B.6 – Inspection record, upper stationary seal form.....	47
Table B.7 – Inspection record, upper rotating seal form .....	48
Table B.8 – Inspection record, lower stationary seal form .....	49
Table B.9 – Inspection record, lower rotating seal form.....	50
Table B.10 – Inspection record, runner bucket.....	51
Table B.11 – Inspection record, Pelton runner splitter .....	52
Table G.1 – Calculations.....	62
Table H.1 – Pelton turbine calculation example.....	63
Table H.2 – Francis turbine calculation example .....	64
Table I.1 – Analysis of the calibration constant $K_f$ and $p$ .....	70
Table J.1 – Recommended items to include in HVOF inspection .....	71

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### **HYDRAULIC MACHINES – GUIDELINES FOR DEALING WITH HYDRO-ABRASIVE EROSION IN KAPLAN, FRANCIS, AND PELTON TURBINES**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62364 has been prepared by IEC technical committee 4: Hydraulic turbines.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the formula for TBO in Pelton reference model has been modified;
- b) the formula for calculating sampling interval has been modified;
- c) the chapter in hydro-abrasive erosion resistant coatings has been substantially modified;
- d) the annex with test data for hydro-abrasive erosion resistant materials has been removed;
- e) a simplified hydro-abrasive erosion evaluation has been added.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
4/351/FDIS	4/366/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The number of hydro power plants with hydro-abrasive erosion is increasing worldwide.

An overall approach is needed to minimize the impact of this phenomenon. Already at the start of the planning phase an evaluation should be done to quantify the hydro-abrasive erosion and the impact on the operation. For this, the influencing parameters and their impact on the hydro-abrasive erosion have to be known. The necessary information for the evaluation comprises among others the future design, the particle parameters of the water, which will pass the turbine, the reservoir sedimentation and the power plant owner's framework for the future operation like availability or maximum allowable efficiency loss, before an overhaul needs to be done.

Based on this evaluation of the hydro-abrasive erosion, an optimised solution can then be found, by analysing all measures in relation to investments, energy production and maintenance costs as decision parameters. Often a more hydro-abrasive erosion-resistant design, instead of choosing the turbine design with the highest efficiency, will lead to higher revenue. This analysis is best performed by the overall plant designer.

With regards to the machines, owners should find the means to communicate to potential suppliers for their sites, their desire to have the particular attention of the designers at the turbine design phase, directed to the minimization of the severity and effects of hydro-abrasive erosion.

Limited consensus and very little quantitative data exists on the steps which the designer could and should take to extend the useful life before major overhaul of the turbine components when they are operated under severe hydro-abrasive erosion service. This has led some owners to write into their specifications, conditions which cannot be met with known methods and materials.

## **HYDRAULIC MACHINES – GUIDELINES FOR DEALING WITH HYDRO-ABRASIVE EROSION IN KAPLAN, FRANCIS, AND PELTON TURBINES**

### **1 Scope**

This document gives guidelines for:

- a) presenting data on hydro-abrasive erosion rates on several combinations of water quality, operating conditions, component materials, and component properties collected from a variety of hydro sites;
- b) developing guidelines for the methods of minimizing hydro-abrasive erosion by modifications to hydraulic design for clean water. These guidelines do not include details such as hydraulic profile shapes which are determined by the hydraulic design experts for a given site;
- c) developing guidelines based on “experience data” concerning the relative resistance of materials faced with hydro-abrasive erosion problems;
- d) developing guidelines concerning the maintainability of materials with high resistance to hydro-abrasive erosion and hardcoatings;
- e) developing guidelines on a recommended approach, which owners could and should take to ensure that specifications communicate the need for particular attention to this aspect of hydraulic design at their sites without establishing criteria which cannot be satisfied because the means are beyond the control of the manufacturers;
- f) developing guidelines concerning operation mode of the hydro turbines in water with particle materials to increase the operation life.

It is assumed in this document that the water is not chemically aggressive. Since chemical aggressiveness is dependent upon so many possible chemical compositions, and the materials of the machine, it is beyond the scope of this document to address these issues.

It is assumed in this document that cavitation is not present in the turbine. Cavitation and hydro-abrasive erosion can reinforce each other so that the resulting erosion is larger than the sum of cavitation erosion plus hydro-abrasive erosion. The quantitative relationship of the resulting hydro-abrasive erosion is not known and it is beyond the scope of this document to assess it, except to suggest that special efforts be made in the turbine design phase to minimize cavitation.

Large solids (e.g. stones, wood, ice, metal objects, etc.) traveling with the water can impact turbine components and produce damage. This damage can in turn increase the flow turbulence thereby accelerating wear by both cavitation and hydro-abrasive erosion. Hydro-abrasive erosion resistant coatings can also be damaged locally by impact of large solids. It is beyond the scope of this document to address these issues.

This document focuses mainly on hydroelectric powerplant equipment. Certain portions can also be applicable to other hydraulic machines.

### **2 Terms, definitions and symbols**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-