



NSAI
Standards

Irish Standard
I.S. EN ISO 23753-2:2019

Soil quality - Determination of
dehydrogenases activity in soils - Part 2:
Method using iodotetrazolium chloride
(INT) (ISO 23753-2:2019)

I.S. EN ISO 23753-2:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 23753-2:2019

Published:

2019-03-20

This document was published under the authority of the NSAI and comes into effect on:

2019-04-07

ICS number:

13.080.30

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 23753-2:2019 is the adopted Irish version of the European Document EN ISO 23753-2:2019, Soil quality - Determination of dehydrogenases activity in soils - Part 2: Method using iodotetrazolium chloride (INT) (ISO 23753-2:2019)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 23753-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2019

ICS 13.080.30

Supersedes EN ISO 23753-2:2011

English Version

Soil quality - Determination of dehydrogenases activity in
soils - Part 2: Method using iodotetrazolium chloride (INT)
(ISO 23753-2:2019)

Qualité du sol - Détermination de l'activité des
déshydrogénases dans les sols - Partie 2: Méthode au
chlorure de iodotétrazolium (INT) (ISO 23753-2:2019)

Bodenbeschaffenheit - Bestimmung der
Dehydrogenaseaktivität in Böden - Teil 2: Verfahren
mit Iodotetrazoliumchlorid (INT) (ISO 23753-2:2019)

This European Standard was approved by CEN on 4 February 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 23753-2:2019 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 23753-2:2019) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Test methods for environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2019, and conflicting national standards shall be withdrawn at the latest by September 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 23753-2:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 23753-2:2019 has been approved by CEN as EN ISO 23753-2:2019 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
23753-2**

Second edition
2019-02

**Soil quality — Determination of
dehydrogenases activity in soils —**

**Part 2:
Method using iodotetrazolium
chloride (INT)**

*Qualité du sol — Détermination de l'activité des déshydrogénases
dans les sols —*

Partie 2: Méthode au chlorure de iodotétrazolium (INT)



Reference number
ISO 23753-2:2019(E)

© ISO 2019

ISO 23753-2:2019(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Limitations	1
6 Reagents and materials	2
7 Apparatus	2
8 Procedure	3
8.1 Establishment of standard curve.....	3
8.2 Sampling.....	3
9 Calculation	4
10 Validity criteria	4
10.1 Standard curve.....	4
10.2 Samples.....	5
11 Test report	5
Annex A (informative) Results of modified parameters	6
Bibliography	8

ISO 23753-2:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological characterization*.

This second edition cancels and replaces the first edition (ISO 23753-2:2005), which has been technically revised. The main changes compared to the previous edition are as follows:

- a new [Clause 5](#) "Limitations" has been added;
- in [Clause 6](#), reagents and their preparation have been updated to new results (e.g. concentration of Tris buffer of 100 mmol/l at pH 7,6, incubation time between 4 h to 6 h);
- new [Tables 1](#) and [2](#) have been added;
- [Clause 10](#) "Validity criteria" has been added;
- a new [Annex A](#) "Results of modified parameters" has been added;
- references in [Clause 2](#) and the Bibliography have been updated.

A list of all the parts in the ISO 23753 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The soil microflora is responsible for the decomposition and conversion of organic substances, carbon, nitrogen, sulfur and phosphorus cycles, soil aggregates stability and as a food source for microbivores. Dehydrogenases, as intracellular enzymes and respiratory chain components of the microbial cells, play a major role in the production of energy by organisms. They oxidize organic compounds by transferring electrons to an acceptor (e.g. NAD^+). Dehydrogenases are essential components of the enzyme system of microorganisms. Dehydrogenase activity can therefore be used as an indicator of biological redox systems and as a measure of the viable and physiologically active soil microbial community.

Microbial oxidative activity in soil is linked to respiratory activity, which could be approached with the determination of dehydrogenases activity. Basal and induced respiration in soil could be affected by soil management, practices and contamination.

Soil quality — Determination of dehydrogenases activity in soils —

Part 2: Method using iodotetrazolium chloride (INT)

1 Scope

This document specifies a method for determining activity of dehydrogenases in soil, using 2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride (INT)[1]-[5]. As the INT reduction is less sensitive to O₂, the method is more robust than the TTC-method described in ISO 23753-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

ISO 18400-206, *Soil quality — Sampling — Part 206: Collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Principle

INT solution is added to a soil sample and the mixture is incubated at 25 °C ± 1 °C for 4 h to 6 h depending of soil uses (agricultural or forest soil for exemple). The idonitrotetrazolium formazan (INTF) released is extracted with acetone and quantified by spectrophotometry at a wavelength of 485 nm.

NOTE 1 The method is based on a modified version of the method reported in Reference [1].

NOTE 2 Acetone is used as extractant and samples are not extracted to completion.

5 Limitations

- The storage can affect the enzyme activity and hence dehydrogenases activity of samples with different storage times should not be compared.
- For upper layers (L, F, H horizons) of forest humus forms[6] or soils showing high organic matter[7], this method gives very low and variable values.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-