



**NSAI**  
Standards

Irish Standard  
I.S. EN ISO 4491-4:2019

# Metallic powders - Determination of oxygen content by reduction methods - Part 4: Total oxygen by reduction-extraction (ISO 4491-4:2019)

**I.S. EN ISO 4491-4:2019**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN ISO 4491-4:2019

*Published:*

2019-05-01

*This document was published  
under the authority of the NSAI  
and comes into effect on:*

2019-05-19

ICS number:

77.160

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN ISO 4491-4:2019 is the adopted Irish version of the European Document EN ISO 4491-4:2019, Metallic powders - Determination of oxygen content by reduction methods - Part 4: Total oxygen by reduction-extraction (ISO 4491-4:2019)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

**EUROPEAN STANDARD**

**EN ISO 4491-4**

**NORME EUROPÉENNE**

**EUROPÄISCHE NORM**

May 2019

ICS 77.160

Supersedes EN ISO 4491-4:2013

English Version

## **Metallic powders - Determination of oxygen content by reduction methods - Part 4: Total oxygen by reduction-extraction (ISO 4491-4:2019)**

Poudres métalliques - Dosage de l'oxygène par les méthodes de réduction - Partie 4: Oxygène total par réduction-extraction (ISO 4491-4:2019)

This European Standard was approved by CEN on 25 April 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN ISO 4491-4:2019 (E)**

**Contents**

Page

<b>European foreword.....</b>	<b>3</b>
-------------------------------	----------

## **European foreword**

This document (EN ISO 4491-4:2019) has been prepared by Technical Committee ISO/TC 119 "Powder metallurgy" in collaboration with Technical Committee CEN/SS M11 "Powder metallurgy" the secretariat of which is held by CCMC.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 4491-4:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **Endorsement notice**

The text of ISO 4491-4:2019 has been approved by CEN as EN ISO 4491-4:2019 without any modification.

This page is intentionally left blank



# INTERNATIONAL STANDARD

**ISO  
4491-4**

Third edition  
2019-04

---

---

## **Metallic powders — Determination of oxygen content by reduction methods —**

### **Part 4: Total oxygen by reduction-extraction**

*Poudres métalliques — Dosage de l'oxygène par les méthodes de  
réduction —*

*Partie 4: Oxygène total par réduction-extraction*



Reference number  
ISO 4491-4:2019(E)

© ISO 2019

**ISO 4491-4:2019(E)**



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>1</b>
<b>5 Apparatus and materials</b> .....	<b>2</b>
<b>6 Test portion</b> .....	<b>3</b>
<b>7 Procedure</b> .....	<b>3</b>
7.1 General.....	3
7.2 Blank test and calibration.....	4
7.3 Test.....	4
<b>8 Expression of results</b> .....	<b>4</b>
8.1 Permissible tolerances.....	4
8.2 Final result.....	4
<b>9 Test report</b> .....	<b>4</b>
<b>Annex A (informative) Examples of conditions of extraction for selected metal powders</b> .....	<b>6</b>

## ISO 4491-4:2019(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 119, *Powder metallurgy*, Subcommittee SC 2, *Sampling and testing methods for powders (including powders for hardmetals)*.

This third edition cancels and replaces the second edition (ISO 4491-4:2013), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

- addition of [Clause 3](#) (Terms and definitions);
- [Clause 6](#), changing from 0,1 mg to 0,000 1 g;
- changing carbon monoxide to CO and carbon dioxide to CO<sub>2</sub>.

A list of all parts in the ISO 4491 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

The determination of the oxygen content of metallic powders is of the utmost importance in many fields of powder metallurgy.

The standard methods described in ISO 4491-2 and ISO 4491-3 do not give the total oxygen content of the sample, as some oxygen-containing constituents are not reduced by hydrogen.

Therefore, a standard method for the determination of the total oxygen content is needed. The most frequently used method is reduction-extraction. It can be carried out with various commercially available instruments working according to different principles of extraction and measurement.

The results of the analysis depend on the type of equipment used and on the test parameters selected. However, as indicated in [Clauses 4 to 7](#), it is always possible, for a given type of metal powder, to optimize the test conditions to obtain reproducible and accurate results with any of the commercially available instruments, provided they are designed for testing the metal powder considered.

It is not possible to standardize one or more particular instruments. However, certain basic points of procedure are considered for the analysis of metallic powders (see [Clause 7](#)).

**NOTE** The reduction-extraction method is also applicable to nitrogen determination and certain instruments permit simultaneous measurement of oxygen and nitrogen contents. However, the determination of nitrogen is not covered by this document.



# Metallic powders — Determination of oxygen content by reduction methods —

## Part 4: Total oxygen by reduction-extraction

### 1 Scope

This document specifies a method for the determination of the total oxygen content of metallic powders by reduction-extraction at high temperature.

By agreement, this method is also applicable to the determination of the total oxygen content of sintered metal materials.

The method is applicable to all powders of metals, alloys, carbides, and mixtures thereof which are non-volatile under the test conditions. The sample can be in powder or compact form.

The analysis is carried out on the powder as supplied, but the method is not applicable if the powder contains a lubricant or binder. If such substances are present, the method may be used only if they can first be completely removed by a method not affecting the oxygen content of the powder.

This document is to be read in conjunction with ISO 4491-1.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4491-1, *Metallic powders — Determination of oxygen content by reduction methods — Part 1: General guidelines*

### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 4 Principle

A test portion of the sample is heated in a graphite crucible at high temperature, either under vacuum or in a flow of an inert carrier gas. Oxygen in the sample is converted to oxides of carbon. These are extracted and transformed completely to either carbon monoxide (CO) or carbon dioxide (CO<sub>2</sub>), which is determined by a suitable gas analysis method.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-