



NSAI
Standards

Irish Standard
I.S. EN 50600-2-2:2019

Information technology - Data centre facilities and infrastructures - Part 2-2: Power supply and distribution

I.S. EN 50600-2-2:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50600-2-2:2019

Published:

2019-06-07

This document was published under the authority of the NSAI and comes into effect on:

2019-06-25

ICS number:

35.020

35.110

91.140.50

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 50600-2-2:2019 is the adopted Irish version of the European Document EN 50600-2-2:2019, Information technology - Data centre facilities and infrastructures - Part 2-2: Power supply and distribution

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 50600-2-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2019

ICS 35.020; 35.110; 91.140.50

Supersedes EN 50600-2-2:2014

English Version

Information technology - Data centre facilities and infrastructures - Part 2-2: Power supply and distribution

Technologie de l'information - Installation et infrastructures
de centres de traitement de données

Informationstechnik - Einrichtungen und Infrastrukturen von
Rechenzentren - Teil 2-2: Stromversorgung

This European Standard was approved by CENELEC on 2019-04-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Content

European foreword	4
Introduction	5
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviations	9
3.1 Terms and definitions	9
3.2 Abbreviations	13
3.3 Symbols	13
4 Conformance	14
5 Power supply and distribution within data centres	14
5.1 Functional elements.....	14
5.1.1 General	14
5.1.2 Power supply to the data centre	15
5.1.3 Power distribution within the data centre	16
5.2 Dimensioning of power distribution systems	18
6 Availability	18
6.1 General requirements	18
6.2 Power supply	18
6.2.1 Capacity planning	18
6.2.2 Availability of the utility supply	20
6.2.3 Power quality	21
6.2.4 Load presented to the utility supply	22
6.2.5 Equipment.....	22
6.2.6 Availability Class design options	24
6.3 Power distribution	31
6.3.1 Capacity planning	31
6.3.2 Power quality	32
6.3.3 Equipment.....	32
6.3.4 Availability Class design options	33
6.4 Incorporation of low voltage direct current distribution	37
6.5 Additional considerations	37
6.5.1 Residual current measurement	37
6.5.2 Lightning and surge protection	37
6.5.3 Segregation of power distribution cabling and information technology cabling	37
6.6 Emergency Power Off.....	38
6.6.1 Requirements	38
6.6.2 Recommendations.....	38

7	Physical security	38
7.1	General	38
7.2	Access	38
7.2.1	Power supply	38
7.2.2	Power distribution	38
7.2.3	Attachment of unauthorised end-equipment	38
7.3	Internal environmental events.....	38
7.3.1	Power supply	38
7.3.2	Power distribution	39
7.4	External environmental events	39
8	Energy efficiency enablement and power distribution	39
8.1	General	39
8.2	Granularity Level 1.....	40
8.2.1	Requirements	40
8.2.2	Recommendations.....	40
8.3	Granularity Level 2.....	41
8.3.1	Requirements	41
8.3.2	Recommendations.....	41
8.4	Granularity Level 3.....	42
8.4.1	Requirements	42
8.4.2	Recommendations.....	42
8.5	Cabling infrastructure to support energy efficiency enablement	42
	Bibliography.....	43

EN 50600-2-2:2019 (E)

European foreword

This document (EN 50600-2-2:2019) has been prepared by CLC/TC 215 “Electrotechnical aspects of telecommunication equipment”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-04-29
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-04-29

This document will supersede EN 50600-2-2:2014.

The following changes have been made:

- a) title modified to emphasize distinction between power supply and power distribution requirements;
- b) Clause 5 updated, in particular subclauses 5.1 regarding the power supply to the data centre and 5.2 on the power distribution within the data centre;
- c) availability requirements in Clause 6 revised and aligned with EN 50600-1:2018 and EN 50600-2-3:2018;
- d) physical security requirements revised, mainly regarding the power distribution in the data centre (see 7.3.2);
- e) granularity level requirements amended (see 8.2 to 8.4);
- f) Annex A removed;
- g) minor technical and editorial improvements to the whole document.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Introduction

The unrestricted access to internet-based information demanded by the information society has led to an exponential growth of both internet traffic and the volume of stored/retrieved data. Data centres are housing and supporting the information technology and network telecommunications equipment for data processing, data storage and data transport. They are required both by network operators (delivering those services to customer premises) and by enterprises within those customer premises.

Data centres usually need to provide modular, scalable and flexible facilities and infrastructures to easily accommodate the rapidly changing requirements of the market. In addition, energy consumption of data centres has become critical both from an environmental point of view (reduction of environmental footprint) and with respect to economical considerations (cost of energy) for the data centre operator.

The implementation of data centres varies in terms of:

- a) purpose (enterprise, co-location, co-hosting or network operator facilities);
- b) security level;
- c) physical size;
- d) accommodation (mobile, temporary and permanent constructions).

The needs of data centres also vary in terms of availability of service, the provision of security and the objectives for energy efficiency. These needs and objectives influence the design of data centres in terms of building construction, power distribution, environmental control, telecommunications cabling and physical security as well as the operation of the data centre. Effective management and operational information is required to monitor achievement of the defined needs and objectives.

Recognizing the substantial resource consumption, particularly of energy, of larger data centres, it is also important to provide tools for the assessment of that consumption both in terms of overall value and of source mix and to provide Key Performance Indicators (KPIs) to evaluate trends and drive performance improvements.

At the time of publication of this European Standard, EN 50600 series is designed as a framework of standards and technical reports covering the design, the operation and management as well as the key performance indicators for energy efficient operation of the data centre.

The EN 50600-2 series defines the requirements for the data centre design.

The EN 50600-3 series defines the requirements for the operation and the management of the data centre.

The EN 50600-4 series defines the key performance indicators for the data centre.

The CLC/TR 50600-99-X Technical Reports cover recommended practices and guidance for specific topics around data centre operation and design.

This series of European Standards specifies requirements and recommendations to support the various parties involved in the design, planning, procurement, integration, installation, operation and maintenance of facilities and infrastructures within data centres. These parties include:

- 1) owners, operators, facility managers, ICT managers, project managers, main contractors;
- 2) consulting engineers, architects, building designers and builders, system and installation designers, auditors, test and commissioning agents;
- 3) facility and infrastructure integrators, suppliers of equipment;
- 4) installers, maintainers.

At the time of publication of this European Standard, EN 50600-2 series comprises the following standards:

EN 50600-2-2:2019 (E)

EN 50600-2-1: *Information technology — Data centre facilities and infrastructures — Part 2-1: Building construction;*

EN 50600-2-2: *Information technology — Data centre facilities and infrastructures — Part 2-2: Power supply and distribution;*

EN 50600-2-3: *Information technology — Data centre facilities and infrastructures — Part 2-3: Environmental control;*

EN 50600-2-4: *Information technology — Data centre facilities and infrastructures — Part 2-4: Telecommunications cabling infrastructure;*

EN 50600-2-5: *Information technology — Data centre facilities and infrastructures — Part 2-5: Security systems.*

The inter-relationship of the standards and technical reports within the EN 50600 series is shown in Figure 1.




Figure 1 — Schematic relationship between the EN 50600 standard

EN 50600-2-X standards specify requirements and recommendations for particular facilities and infrastructures to support the relevant classification for “availability”, “physical security” and “energy efficiency enablement” selected from EN 50600-1.

EN 50600-3-X documents specify requirements and recommendations for data centre operations, processes and management.

EN 50600-4-X documents specify requirements and recommendations for key performance indicators (KPIs) used to assess and improve the resource usage efficiency and effectiveness, respectively, of a data centre.

This European Standard addresses facilities and infrastructures for power supplies to, and power distribution within, data centres together with the interfaces for monitoring the performance of those facilities and infrastructures in line with EN 50600-3 series and EN 50600-4 series standards (in accordance with the requirements of EN 50600-1). The line diagrams used in certain Figures are not intended to replace the more familiar electrical circuit diagrams associated with power supply and distribution systems which are included where relevant.

This European Standard is intended for use by and collaboration between architects, building designers and builders, system and installation designers.

This series of European Standards does not address the selection of information technology and network telecommunications equipment, software and associated configuration issues.

EN 50600-2-2:2019 (E)

1 Scope

This document addresses power supplies to, and power distribution within, data centres based upon the criteria and classifications for “availability”, “physical security” and “energy efficiency enablement” within EN 50600-1.

This document specifies requirements and recommendations for the following:

- a) power supplies to data centres;
- b) power distribution systems to all equipment within data centres;
- c) telecommunications infrastructure bonding;
- d) lightning protection;
- e) devices for the measurement of the power consumption and power quality characteristics at points along the power distribution system and their integration within management tools.

Safety and electromagnetic compatibility (EMC) requirements are outside the scope of this European Standard and are covered by other standards and regulations. However, information given in this European Standard can be of assistance in meeting these standards and regulations.

Conformance of data centres to the present document is covered in Clause 4.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13160 (all parts), *Leak detection systems*

EN 50160:2010, *Voltage characteristics of electricity supplied by public electricity networks*

EN 50174-2, *Information technology - Cabling installation - Part 2: Installation planning and practices inside buildings*

EN 50174-3, *Information technology - Cabling installation - Part 3: Installation planning and practices outside buildings*

EN 50310, *Telecommunications bonding networks for buildings and other structures*

EN 50600-1, *Information technology - Data centre facilities and infrastructures - Part 1: General concepts*

EN 50600-2-3, *Information technology - Data centre facilities and infrastructures - Part 2-3: Environmental control*

EN 50600-2-5, *Information technology - Data centre facilities and infrastructures - Part 2-5: Security systems*

EN 60076-11, *Power transformers - Part 11: Dry-type transformers*

EN 60947 (all parts), *Low-voltage switchgear and controlgear (IEC 60947, all parts)*

EN 61000-2-4:2002, *Electromagnetic compatibility (EMC) - Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances*

EN 61439 (all parts), *Low-voltage switchgear and controlgear assemblies (IEC 61439, all parts)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-