Irish Standard
I.S. EN ISO 17678:2019

Milk and milk products - Determination of milk fat purity by gas chromatographic analysis of triglycerides (ISO 17678:2019)

I.S. EN ISO 17678:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:	*Published:*
EN ISO 17678:2019	2019-06-26

This document was published under the authority of the NSAI and comes into effect on:	ICS number:
2019-07-26	67.100.10
	NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 17678:2019 is the adopted Irish version of the European Document EN ISO 17678:2019, Milk and milk products - Determination of milk fat purity by gas chromatographic analysis of triglycerides (ISO 17678:2019)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 17678

June 2019

ICS 67.100.10

Supersedes EN ISO 17678:2010

English Version

Milk and milk products - Determination of milk fat purity by gas chromatographic analysis of triglycerides (ISO 17678:2019)

Lait et produits laitiers - Détermination de la pureté des matières grasses laitières par analyse chromatographique en phase gazeuse des triglycérides (ISO 17678:2019)

Milch und Milcherzeugnisse - Bestimmung der Reinheit des Milchfetts durch gaschromatographische Triglyceridanalyse (Referenzverfahren) (ISO 17678:2019)

This European Standard was approved by CEN on 6 March 2018.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword

This document (EN ISO 17678:2019) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 302 “Milk and milk products - Methods of sampling and analysis” the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2019, and conflicting national standards shall be withdrawn at the latest by December 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 17678:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17678:2019 has been approved by CEN as EN ISO 17678:2019 without any modification.

This page is intentionally left blank

INTERNATIONAL STANDARD

ISO 17678

IDF 202

Second edition
2019-06

Milk and milk products — Determination of milk fat purity by gas chromatographic analysis of triglycerides

Lait et produits laitiers — Détermination de la pureté des matières grasses laitières par analyse chromatographique en phase gazeuse des triglycérides

Reference numbers
ISO 17678:2019(E)
IDF 202:2019(E)

COPYRIGHT PROTECTED DOCUMENT

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

International Dairy Federation
Silver Building • Bd Auguste Reyers 70/B
B-1030 Brussels
Phone: +32 2 325 67 40
Fax: +32 2 325 67 41
Email: info@fil-idf.org
Website: www.fil-idf.org

Published in Switzerland

Contents

Page

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products*, and the International Dairy Federation (IDF). It is being published jointly by ISO and IDF.

This second edition cancels and replaces the first edition (ISO 17678 | IDF 202:2010), which has been technically revised. The following changes have been made:

— the Scope has been restricted to exclude milk fat obtained from special feeding practices and from whey;

— the Scope has been extended to include milk fat obtained from cheese showing low lipolysis;

— the Normative references have been updated to reflect the modified scope;

— a method has been added for the fat extraction from cheese;

— the Bibliography has been expanded.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

IDF (the International Dairy Federation) is a non-profit private sector organization representing the interests of various stakeholders in dairying at the global level. IDF members are organized in National Committees, which are national associations composed of representatives of dairy-related national interest groups including dairy farmers, dairy processing industry, dairy suppliers, academics and governments/food control authorities.

ISO and IDF collaborate closely on all matters of standardization relating to methods of analysis and sampling for milk and milk products. Since 2001, ISO and IDF jointly publish their International Standards using the logos and reference numbers of both organizations.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. IDF shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

This document was prepared by the IDF *Standing Committee on Analytical Methods for Composition* and ISO Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 5, *Milk and milk products.* It is being published jointly by ISO and IDF.

The work was carried out by the Joint ISO/IDF Action Team C23 of the *Standing Committee on Analytical Methods for Composition* under the aegis of its project leader, Mr J. Molkentin (DE).

INTERNATIONAL STANDARD

ISO 17678:2019(E)
IDF 202:2019(E)

Milk and milk products — Determination of milk fat purity by gas chromatographic analysis of triglycerides

1 Scope

This document specifies a reference method for the determination of milk fat purity using gas chromatographic analysis of triglycerides. The method utilizes the differences in triglyceride fingerprint of milk fat from the individual triglyceride fingerprints of other fats and oils to determine samples which are outside the range normally observed for milk fat. This is achieved by using the defined triglyceride formulae based on the normalized weighted sum of individual triglyceride peaks which are sensitive to the integrity of the milk[6][7]. The integrity of the milk fat can be determined by comparing the result of these formulae with those previously observed for a range of pure milk fat samples[12]. Both vegetable fats and animal fats such as beef tallow and lard can be detected.

The method is applicable to bulk milk, or products made thereof, irrespective of the variation in common feeding practices, breed or lactation conditions. In particular, the method is applicable to fat extracted from milk products purporting to contain pure milk fat with unchanged composition, such as butter, cream, milk and milk powder.

Because a false-positive result can occur, the method does not apply to milk fat related to these circumstances:

a) obtained from bovine milk other than cow's milk;

b) obtained from single cows;

c) obtained from cows whose diet contained a particularly high proportion of vegetable oils such as rapeseed, cotton or palm oil, etc.;

d) obtained from cows suffering from serious underfeeding (strong energy deficit);

e) obtained from colostrum;

f) subjected to technological treatment such as removal of cholesterol or fractionation;

g) obtained from skim milk, buttermilk or whey;

h) obtained from cheeses showing increased lipolysis;

i) extracted using the Gerber, Weibull–Berntrop or Schmid–Bondzynski–Ratzlaff methods, or that has been isolated using detergents (e.g. the Bureau of Dairy Industries method).

With the extraction methods specified in i), substantial quantities of partial glycerides or phospholipids can pass into the fat phase.

NOTE 1 In nature, butyric (*n*-butanoic) acid (C4) occurs exclusively in milk fat and enables quantitative estimations of low to moderate amounts of milk fat in vegetable and animal fats to be made. Due to the large variation of C4, for which the approximate content ranges from 3,1 % fat mass fraction to 3,8 % fat mass fraction, it is difficult to provide qualitative and quantitative information for foreign fat to pure milk fat ratios of up to 20 % mass fraction[11].

NOTE 2 In practice, quantitative results cannot be derived from the sterol content of vegetable fats, because they depend on production and processing conditions. Furthermore, the qualitative determination of foreign fat using sterols is ambiguous.