



**NSAI**  
Standards

Irish Standard  
I.S. EN IEC 62271-107:2019

High-voltage switchgear and controlgear -  
Part 107: Alternating current fused circuit-  
switchers for rated voltages above 1 kV  
up to and including 52 kV

**I.S. EN IEC 62271-107:2019**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN IEC 62271-107:2019

*Published:*

2019-07-12

*This document was published under the authority of the NSAI and comes into effect on:*

2019-07-26

ICS number:

29.130.10

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN IEC 62271-107:2019 is the adopted Irish version of the European Document EN IEC 62271-107:2019, High-voltage switchgear and controlgear - Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN IEC 62271-107**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2019

ICS 29.130.10

Supersedes EN 62271-107:2012 and all of its amendments and corrigenda (if any)

English Version

**High-voltage switchgear and controlgear - Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV  
(IEC 62271-107:2019)**

Appareillage à haute tension - Partie 107: Circuits-switchers à fusibles pour courant alternatif de tension assignée supérieure à 1 kV et jusqu'à 52 kV inclus  
(IEC 62271-107:2019)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 107: Wechselstrom-Leistungsschalter-Sicherungs-Kombinationen für Bemessungsspannungen über 1 kV bis einschließlich 52 kV  
(IEC 62271-107:2019)

This European Standard was approved by CENELEC on 2019-07-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## **EN IEC 62271-107:2019 (E)**

### **European foreword**

The text of document 17A/1216/FDIS, future edition 3 of IEC 62271-107, prepared by SC 17A "Switching devices" of IEC/TC 17 "High-voltage switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62271-107:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-04-02
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-07-02

This document supersedes EN 62271-107:2012 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### **Endorsement notice**

The text of the International Standard IEC 62271-107:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62271-102	NOTE	Harmonized as EN IEC 62271-102
IEC 62271-200	NOTE	Harmonized as EN 62271-200
IEC 62271-201	NOTE	Harmonized as EN 62271-201

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60282-1	2009	High-voltage fuses - Part 1: Current-limiting fuses	EN 60282-1	2009
+ A1	2014		+ A1	2014
IEC 62271-1	2017	High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear	EN 62271-1	2017
IEC 62271-100	2008	High-voltage switchgear and controlgear - Part 100: Alternating current circuit-breakers	EN 62271-100	2009
+ A1	2012		+ A1	2012
+ A2	2017		+ A2	2017
IEC 62271-103	2011	High-voltage switchgear and controlgear - Part 103: Switches for rated voltages above 1 kV up to and including 52 kV	EN 62271-103	2011
IEC 62271-105	2012	High-voltage switchgear and controlgear - Part 105: Alternating current switch-fuse combinations for rated voltages above 1 kV up to and including 52 kV	EN 62271-105	2012

This page is intentionally left blank





**IEC 62271-107**

Edition 3.0 2019-05

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**

---

**High-voltage switchgear and controlgear –  
Part 107: Alternating current fused circuit-switchers for rated voltages  
above 1 kV up to and including 52 kV**

**Appareillage à haute tension –  
Partie 107: Circuits-switchers à fusibles pour courant alternatif de tension  
assignée supérieure à 1 kV et jusqu'à 52 kV inclus**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



**IEC 62271-107**

Edition 3.0 2019-05

# **INTERNATIONAL STANDARD**

# **NORME INTERNATIONALE**

---

**High-voltage switchgear and controlgear –  
Part 107: Alternating current fused circuit-switchers for rated voltages  
above 1 kV up to and including 52 kV**

**Appareillage à haute tension –  
Partie 107: Circuits-switchers à fusibles pour courant alternatif de tension  
assignée supérieure à 1 kV et jusqu'à 52 kV inclus**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.130.10

ISBN 978-2-8322-6924-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions .....	10
3.1 General terms and definitions .....	10
3.2 Assemblies of switchgear and controlgear .....	10
3.3 Parts of assemblies .....	10
3.4 Switching devices .....	10
3.5 Parts of switchgear and controlgear .....	10
3.6 Operational characteristics of switchgear and controlgear.....	11
3.7 Characteristic quantities .....	11
3.101 Fuses .....	14
4 Normal and special service conditions .....	14
5 Ratings.....	15
5.1 General.....	15
5.2 Rated voltage ( $U_r$ ) .....	15
5.3 Rated insulation level ( $U_d$ , $U_p$ , $U_s$ ) .....	15
5.4 Rated frequency ( $f_r$ ).....	15
5.5 Rated continuous current ( $I_r$ ) .....	15
5.6 Rated short-time withstand current ( $I_k$ ) .....	15
5.7 Rated peak withstand current ( $I_p$ ) .....	15
5.8 Rated duration of short-circuit ( $t_k$ ).....	16
5.9 Rated supply voltage of auxiliary and control circuits ( $U_a$ ) .....	16
5.10 Rated supply frequency of auxiliary and control circuits .....	16
5.11 Rated pressure of compressed gas supply for controlled pressure systems .....	16
5.101 Rated short-circuit breaking current ( $I_{SC}$ ) .....	16
5.102 Rated short-circuit making current ( $I_{ma}$ ) .....	16
5.103 Rated take-over current ( $I_{to}$ ).....	17
6 Design and construction .....	18
6.1 Requirements for liquids in fused circuit-switchers .....	18
6.2 Requirements for gases in fused circuit-switchers.....	18
6.3 Earthing of fused circuit-switchers .....	18
6.4 Auxiliary and control equipment and circuits .....	18
6.5 Dependent power operation .....	18
6.6 Stored energy operation.....	18
6.7 Independent unlatched operation (independent manual or power operation) .....	18
6.8 Manually operated actuators .....	18
6.9 Operation of releases.....	18
6.10 Pressure/level indication .....	18
6.11 Nameplates .....	18
6.12 Locking devices .....	20
6.13 Position indication.....	20

6.14	Degrees of protection provided by enclosures.....	20
6.15	Creepage distances for outdoor insulators .....	20
6.16	Gas and vacuum tightness .....	20
6.17	Tightness for liquid systems.....	20
6.18	Fire hazard (flammability) .....	20
6.19	Electromagnetic compatibility (EMC).....	20
6.20	X-ray emission .....	20
6.21	Corrosion .....	21
6.22	Filling levels for insulation, switching and/or operation .....	21
6.101	Basic requirements for fuses.....	21
6.102	Linkages between the fuse striker(s) and the circuit-switcher release .....	21
6.103	Low over-current conditions (long fuse-pre-arcing time conditions) .....	21
6.104	Rated continuous current values .....	21
7	Type tests .....	22
7.1	General.....	22
7.2	Dielectric tests .....	22
7.3	Radio interference voltage (RIV) test .....	22
7.4	Resistance measurement.....	22
7.5	Continuous current tests .....	22
7.6	Short-time withstand current and peak withstand current tests .....	22
7.7	Verification of the protection .....	22
7.8	Tightness tests .....	23
7.9	Electromagnetic compatibility tests (EMC) .....	23
7.10	Additional tests on auxiliary and control circuits .....	23
7.11	X-radiation test for vacuum interrupters .....	23
7.101	Making and breaking tests .....	23
7.101.1	General .....	23
7.101.2	Conditions for performing the tests .....	23
7.101.3	Test duty procedures .....	29
7.101.4	Behaviour of the fused circuit-switcher during tests .....	35
7.101.5	Condition of the apparatus after tests .....	35
7.102	Mechanical operation tests .....	36
7.102.1	General .....	36
7.102.2	Test procedure .....	36
7.102.3	Condition of fused circuit-switcher during and after mechanical operation tests.....	37
7.102.4	Condition of the fuses during and after mechanical operation tests .....	37
7.103	Extension of validity of type tests.....	37
7.103.1	General .....	37
7.103.2	Dielectric properties.....	38
7.103.3	Continuous current tests.....	38
7.103.4	Making and breaking .....	38
8	Routine tests .....	38
8.1	General.....	38
8.2	Dielectric test on the main circuit .....	38
8.3	Tests on auxiliary and control circuits .....	38
8.4	Measurement of the resistance of the main circuit.....	39
8.5	Tightness test .....	39
8.6	Design and visual checks.....	39

8.101	Mechanical operating tests .....	39
9	Guide to the selection of fused circuit-switchers (informative).....	40
9.1	General.....	40
9.2	Selection of rated values.....	40
9.3	Cable interface consideration.....	40
9.4	Continuous or temporary overload due to changed service conditions.....	40
9.5	Environmental aspects.....	40
9.101	Additional criteria.....	40
9.102	Rated short-circuit breaking current .....	41
9.103	Rated continuous current .....	41
9.104	Currents between rated continuous current and $I_3$ of the fuses .....	41
9.105	Transfer current .....	41
9.106	Take-over current .....	41
9.107	Extension of the validity of type tests .....	42
9.108	Operation.....	42
9.109	Comparison of performances of fused circuit-switchers with performances of switch-fuse combinations and circuit-breakers .....	43
10	Information to be given with enquiries, tenders and orders (informative).....	43
10.1	General.....	43
10.2	Information with enquiries and orders .....	43
10.3	Information with tenders.....	43
11	Transport, storage, installation, operating instructions and maintenance .....	44
12	Safety.....	44
13	Influence of the product on the environment .....	44
Annex A (informative)	Applicability of the rated take-over current test duty .....	45
A.1	Problem formulation.....	45
A.2	Background .....	45
A.3	Terms, definitions and symbols.....	46
A.4	Assumptions about the fuse melting process.....	47
A.4.1	General .....	47
A.4.2	First phase .....	47
A.4.3	Second phase.....	47
A.4.4	Modelling of the "application margin" .....	48
A.5	Mathematical expression of the application requirements.....	48
A.5.1	General .....	48
A.5.2	First pole-to-clear .....	48
A.5.3	Second pole-to-clear .....	48
A.6	Analysis .....	50
A.6.1	Applications with fuse strikers.....	50
A.6.2	Applications with protection relays.....	51
A.7	Conclusions .....	52
Annex B (informative)	Particular conditions existing in certain countries .....	53
Bibliography	.....	54
Figure 1	– Characteristics for determining the take-over current .....	17
Figure 2	– Arrangement of test circuits for test duties $TD_{Ir}$ , $TD_{ISC}$ , $TD_{Ito}$ and $TD_{Ilow}$ .....	26

Figure 3 – Representation of a specified TRV by a two-parameter reference line and a delay line .....	28
Figure 4 – Example of a two parameters envelope for a TRV .....	29
Figure 5 – Measurement of the power frequency recovery voltage with striker operation.....	31
Figure A.1 – Visualization of the application margin for a given fuse .....	47
Table 1 – Nameplate information .....	19
Table 2 – Summary of test parameters for test duties .....	34
Table 3 – Comparison between switch-fuse combination and fused circuit-switcher .....	43
Table 4 – Comparison between fused circuit-switcher and circuit breaker .....	43
Table A.1 – Minimum application margin $A_m$ according to fuse characteristic.....	51
Table A.2 – Minimum protection time delay.....	51
Table A.3 – Examples of possible need for time delay .....	52
Table B.1 – Voltages used in the Czech Republic .....	53
Table B.2 – Rated insulation levels for voltage ratings of Table B.1 .....	53

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –****Part 107: Alternating current fused circuit-switchers for  
rated voltages above 1 kV up to and including 52 kV**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-107 has been prepared by subcommittee 17A: Switching devices, of IEC technical committee 17: High-voltage switchgear and controlgear

This third edition cancels and replaces the second edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) technical changes introduced by the second edition of IEC 62271-1 are applied, where relevant;
- b) rated TRV is removed and TRV is now treated as a test parameter, as in IEC 62271-100;
- c) the term "thermal current" is no longer used; the rated continuous current is linked to the installed fuse-links, and values shall be provided by the manufacturer together with the list of the acceptable fuse-links; for tests purpose, the highest rated continuous current listed



is referred, where previously the wording was "rated maximum thermal current", for consistency with IEC 62271-105;

- d) making and breaking test duties are independent type tests (as some may be omitted if the switching device has been validated as a load-break switch). However,  $TD_{I_{t0}}$  and  $TD_{I_{low}}$  are kept as a sequence as they are linked to the same rated value ( $I_{t0}$ );
- e) differentiation has been introduced between requirements expressed for fulfilling the function expected from a fused circuit-switcher, from requirements only relevant when the function is performed by a stand-alone device. The goal is to avoid duplication or conflicts of requirements with a standard dealing with assemblies, when the function is implemented within such an assembly.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
17A/1216/FDIS	17A/1227/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 62271-1:2017, to which it refers and which is applicable unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses, are numbered from 101.

Particular conditions existing in certain countries are listed in Annex B.

A list of all parts in the IEC 62271 series, published under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

Earthing switches forming an integral part of a circuit-switcher are covered by IEC 62271-102 [1]<sup>1</sup>.

Installation in enclosure, if any, is covered either by IEC 62271-200 [2] or by IEC 62271-201 [3].

---

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

## HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

### Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV

#### 1 Scope

This part of IEC 62271 applies to three-pole-operated fused circuit-switchers designed with rated voltages above 1 kV up to and including 52 kV for use on three-phase alternating current systems of either 50 Hz or 60 Hz.

They can be designed either as stand-alone devices, or be embedded in a switchgear and controlgear assembly.

They are intended to be used for circuits or applications requiring only a normal mechanical and electrical endurance capability. Such applications cover protection of HV/LV transformers for instance, but exclude distribution lines or cables, as well as motor circuits and capacitor bank circuits.

Short-circuit conditions with low currents, up to the fused circuit-switcher rated take-over current, are dealt with by supplementary devices (strikers, relays, etc.), properly arranged, tripping the circuit-switcher. Current-limiting fuses are incorporated in order to ensure that the short-circuit breaking capacity of the device is above that of the circuit-switcher alone.

NOTE 1 In this document, the term "fuse" is used to designate either the fuse or the fuse-link where the general meaning of the text does not result in ambiguity.

NOTE 2 Other circuit-switchers exist; see reference [4].

Devices that require a dependent manual operation are not covered by this document.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60282-1:2009, *High-voltage fuses – Part 1: Current-limiting fuses*  
IEC 60282-1:2009/AMD1:2014

IEC 62271-1:2017, *High-voltage switchgear and controlgear – Part 1: Common specifications*

IEC 62271-100:2008, *High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers*  
IEC 62271-100:2008/AMD1:2012  
IEC 62271-100:2008/AMD2:2017

IEC 62271-103:2011, *High-voltage switchgear and controlgear – Part 103: Switches for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-105:2012, *High-voltage switchgear and controlgear – Part 105: Alternating current switch-fuse combinations for rated voltages above 1 kV up to and including 52 kV*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-