

Irish Standard I.S. EN 13358:2019

Bitumen and bituminous binders -Determination of the distillation characteristics of cut-back and fluxed bituminous binders made with mineral fluxes

© CEN 2019 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 13358:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN 13358:2019 *Published:* 2019-07-17

This document was published		ICS number:	
and comes into effect on:		91.100.50	
2019-08-04			
		NOTE: If blank see CEN/CENELEC cover page	
NSAI	T +353 1	1 807 3800 Sales:	
1 Swift Square,	F +353 1	1 807 3838 T +353 1 857 6730	
Northwood, Santry	E standa	ards@nsai.ie F +353 1 857 6729	
Dublin 9	W NSAI.i	.ie W standards.ie	
Úda	rác um Cha	aighdaáin Náisiúnta na hÉireann	

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 13358:2019 is the adopted Irish version of the European Document EN 13358:2019, Bitumen and bituminous binders - Determination of the distillation characteristics of cut-back and fluxed bituminous binders made with mineral fluxes

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN 13358:2019

EUROPEAN STANDARD NORME EUROPÉENNE

EN 13358

EUROPÄISCHE NORM

July 2019

ICS 91.100.50

Supersedes EN 13358:2010

English Version

Bitumen and bituminous binders - Determination of the distillation characteristics of cut-back and fluxed bituminous binders made with mineral fluxes

Bitumes et liants bitumineux - Détermination des caractéristiques de distillation des bitumes fluidifiés et fluxés par des fluxants d'origine minérale Bitumen und bitumenhaltige Bindemittel -Bestimmung der Destillationseigenschaften von mit Mineralölfluxmitteln verschnittenen und gefluxten bitumenhaltigen Bindemitteln

This European Standard was approved by CEN on 19 May 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a free page sample. Access the full version online. I.S. EN 13358:2019 $\label{eq:sample_sample_sample}$

EN 13358:2019 (E)

Contents

Europ	ean foreword	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Apparatus	4
6	Procedure	6
6.1	General	6
6.2	Preparation of test samples	6
6.3	Preparation of apparatus	6
6.4	Test procedure	7
7	Calculation	9
7.1	Bituminous residue after distillation	9
7.2	Total distillate	9
7.3	Distillate fractions	9
8	Expression of results	0
9	Provision 1	~
		υ
9.1	Repeatability	0
9.1 9.2	Repeatability	0 0 0
9.1 9.2 10	Repeatability	0 0 0 0
9.1 9.2 10 Annex	Repeatability	0 0 0 0 4

European foreword

This document (EN 13358:2019) has been prepared by Technical Committee CEN/TC 336 "Bitumen and bituminous binders", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2020, and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13358:2010.

The main technical changes in comparison to the previous edition are:

- Clause 5: an electric heating plate or heating mantle may be used as alternatives to the gas burner;
- Clause 5: mercury stem thermometers are replaced by temperature measuring devices allowing similar temperature determinations to be made. Annex A (characteristics of mercury stem thermometer) becomes informative;
- Subclause 6.4.2: requirements on distillation rate (drops per minute) may be replaced by a minimum rate of temperature increase in cases where the distillation process has a very low yield;
- Subclause 6.4.3: volumes of distillate are to be recorded at least at the reference corrected temperatures mentioned in EN 15322;
- Clauses 6.4.3 and 10: the possibility to record volumes of distillate to a precision of 0,1 ml is abandoned.

This document is based on ASTM D 402-97.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies a method for the determination of the distillation characteristics of cut-back and fluxed bituminous binders made with mineral fluxes.

WARNING — The use of this document may involve hazardous materials, operations and equipment. This document does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and to determine the applicability of regulatory limitations prior to use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 58, Bitumen and bituminous binders — Sampling bituminous binders

EN 12594, Bitumen and bituminous binders — Preparation of test samples

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <u>http://www.electropedia.org/</u>

— ISO Online browsing platform: available at https://www.iso.org/obp

3.1

distillation

process of evaporation and condensation of a liquid

3.2

mineral flux

flux which may be of carbochemical or petrochemical origin or a mixture of both

4 Principle

Petroleum cut-back and fluxed bituminous binders are distilled at a controlled rate until the temperature of the liquid reaches 360 °C. The volumes of distillate and residue obtained over specified temperature ranges are measured. The residue from the distillation and also the distillate can be tested as required.

5 Apparatus

Usual laboratory apparatus and glassware, together with the following:

5.1 Distillation flask, 500 ml and with side-arm, of dimensions given in Figure 1.

5.2 Heating system. Equipment needed when using a gas burner or equivalent (see Figure 3).

5.2.1 Shield, of steel, lined with 3 mm of suitable thermal insulation material and fitted with transparent mica windows of the form and dimensions shown in Figure 2, which is used to protect the distillation flask from air currents and to reduce radiation.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation