



**NSAI**  
Standards

Irish Standard  
I.S. EN 50518:2019

# Monitoring and Alarm Receiving Centre

**I.S. EN 50518:2019**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 50518:2019

*Published:*

2019-08-16

*This document was published under the authority of the NSAI and comes into effect on:*

2019-09-03

ICS number:

13.320

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN 50518:2019 is the adopted Irish version of the European Document EN 50518:2019, Monitoring and Alarm Receiving Centre

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN 50518**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2019

ICS 13.320

Supersedes EN 50518-1:2013, EN 50518-2:2013, EN 50518-3:2013 and all of its amendments and corrigenda (if any)

English Version

## Monitoring and Alarm Receiving Centre

Centre de contrôle et de réception d'alarme

Alarmempfangsstelle

This European Standard was approved by CENELEC on 2019-02-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## EN 50518:2019 (E)

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>6</b>
<b>Introduction</b> .....	<b>7</b>
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms, definitions and abbreviations</b> .....	<b>10</b>
3.1 Terms and definitions .....	10
3.2 Abbreviations .....	14
<b>4 Planning</b> .....	<b>15</b>
4.1 Categorization .....	15
4.2 Site selection .....	15
<b>5 Construction – ARC structure</b> .....	<b>15</b>
5.1 General.....	15
5.2 Walls, floor and ceiling – resistance against physical attack .....	15
5.2.1 Category I.....	15
5.2.2 Category II.....	16
5.3 Perimeter doorsets – resistance against physical attack and bullet attack .....	16
5.4 Glazed areas .....	16
5.4.1 Category I.....	16
5.4.2 Category II.....	16
5.5 Resistance against fire and smoke .....	16
5.6 Protection against the effect of lightning .....	16
5.7 Openings .....	16
5.7.1 General.....	16
5.7.2 Entrance to the ARC.....	17
5.7.3 Emergency entry .....	17
5.7.4 Emergency exit(s).....	17
5.7.5 Ventilation.....	17
5.7.6 Service inlets and outlets .....	18
5.7.7 Transfer hatch / chute.....	18
5.8 Location of data processing equipment.....	18
5.8.1 Category I.....	18
5.8.2 Category II.....	19
5.9 Communication cables .....	20
5.9.1 Category I.....	20
5.9.2 Category II.....	20
5.10 Facilities .....	20
5.10.1 Category I.....	20
5.10.2 Category II .....	20
<b>6 Alarm systems of the ARC</b> .....	<b>20</b>
6.1 Category I.....	20
6.1.1 General.....	20
6.1.2 External attack.....	21
6.1.3 Glazed areas .....	21
6.1.4 Fire .....	21
6.1.5 Entry / exit .....	21
6.1.6 Gas.....	21
6.1.7 Hold-up.....	21
6.1.8 Safety monitoring.....	21

6.1.9	Messages from the ARC alarm systems .....	22
6.1.10	Video surveillance system.....	22
6.2	Category II.....	22
<b>7</b>	<b>Electrical power supplies .....</b>	<b>22</b>
7.1	Mains supply.....	22
7.2	Standby power supplies.....	22
7.2.1	General.....	22
7.2.2	UPS.....	22
7.2.3	Standby generators .....	23
<b>8</b>	<b>Alarm Management System .....</b>	<b>23</b>
8.1	General.....	23
8.2	Time synchronization of equipment .....	25
8.3	Recording and logging of events.....	25
8.4	Storage of master data .....	25
<b>9</b>	<b>Operation of the ARC .....</b>	<b>26</b>
9.1	Procedures – General.....	26
9.1.1	General.....	26
9.1.2	Creation, modification and cancellation of services or customer accounts .....	26
9.1.3	Message handling.....	26
9.1.4	Communication with response services .....	26
9.1.5	Individual services provided by the ARC.....	26
9.1.6	Alarm verification .....	26
9.1.7	Unexpected increase in alarm signals.....	26
9.1.8	Alarm transmission path failures .....	26
9.1.9	Controls to maintain quality of service.....	27
9.1.10	Installation, maintenance, protection, removal and reuse of assets under the control of the ARC .....	27
9.1.11	Monitoring and testing of equipment .....	27
9.1.12	Fault procedures and reporting .....	27
9.1.13	Information management .....	28
9.1.14	Data back-up .....	28
9.1.15	Confidentiality and classification of information .....	28
9.1.16	Relationships with essential suppliers .....	28
9.1.17	Administrative procedures .....	28
9.1.18	Physical access .....	28
9.1.19	Remote access .....	29
9.1.20	Operational continuity and emergencies .....	29
9.1.21	Emergency evacuation and re-entry .....	29
9.1.22	Emergency entry.....	29
9.1.23	Key performance indicators .....	29
9.2	Performance criteria – message handling.....	29
<b>10</b>	<b>General Principles, Leadership, Governance, Management, and Staffing.....</b>	<b>30</b>
10.1	General.....	30
10.2	Governance and Strategy .....	30
10.3	Legal and operational set-up .....	30
10.4	Management System.....	30
10.5	Staffing .....	32
10.5.1	General.....	32
10.5.2	Security screening and vetting .....	32
10.5.3	Training.....	32
<b>Annex A</b>	<b>(informative) Typical ARC layout category I.....</b>	<b>33</b>
<b>Annex B</b>	<b>(informative) Security and technical implications of remote access to ARC data .....</b>	<b>34</b>
<b>B.1</b>	<b>General .....</b>	<b>34</b>

**EN 50518:2019 (E)**

<b>B.2</b>	<b>Levels of access .....</b>	<b>34</b>
<b>B.3</b>	<b>Access to the system .....</b>	<b>34</b>
<b>B.4</b>	<b>Authorization for facilities .....</b>	<b>34</b>
<b>B.4.1</b>	<b>General .....</b>	<b>34</b>
<b>B.4.2</b>	<b>View only .....</b>	<b>34</b>
<b>B.4.3</b>	<b>Edit .....</b>	<b>35</b>
<b>B.4.4</b>	<b>Creation of a new record .....</b>	<b>35</b>
<b>B.4.5</b>	<b>Confirmation of changes made.....</b>	<b>35</b>
<b>B.5</b>	<b>Placing a system on test .....</b>	<b>35</b>
<b>B.6</b>	<b>Password management .....</b>	<b>35</b>
<b>Annex C</b>	<b>(informative) Alarm management system requirements .....</b>	<b>36</b>
<b>C.1</b>	<b>Structure of an AMS .....</b>	<b>36</b>
<b>C.1.1</b>	<b>General .....</b>	<b>36</b>
<b>C.1.2</b>	<b>Interface for interconnection with RCT (<math>I_{RCT}</math>).....</b>	<b>37</b>
<b>C.1.3</b>	<b>Interconnection with other AMS's (joining module) .....</b>	<b>37</b>
<b>C.1.4</b>	<b>Communication module.....</b>	<b>37</b>
<b>C.1.5</b>	<b>Information module .....</b>	<b>37</b>
<b>C.1.6</b>	<b>User Interface.....</b>	<b>37</b>
<b>C.2</b>	<b>Faults .....</b>	<b>37</b>
<b>C.2.1</b>	<b>General .....</b>	<b>37</b>
<b>C.2.2</b>	<b>Fault detection .....</b>	<b>37</b>
<b>C.2.3</b>	<b>Avoiding faults in manual data entries .....</b>	<b>37</b>
<b>C.2.4</b>	<b>Presentation of fault information.....</b>	<b>37</b>
<b>C.3</b>	<b>Message .....</b>	<b>38</b>
<b>C.3.1</b>	<b>Message acknowledgement .....</b>	<b>38</b>
<b>C.3.2</b>	<b>Alarm messages .....</b>	<b>38</b>
<b>C.3.3</b>	<b>Fault messages.....</b>	<b>38</b>
<b>C.3.4</b>	<b>Expected messages .....</b>	<b>38</b>
<b>C.3.5</b>	<b>Other received messages .....</b>	<b>38</b>
<b>C.3.6</b>	<b>Message queue.....</b>	<b>38</b>
<b>C.3.7</b>	<b>Input priorities .....</b>	<b>39</b>
<b>C.3.8</b>	<b>Alert indication .....</b>	<b>39</b>
<b>C.3.9</b>	<b>Message acceptance.....</b>	<b>39</b>
<b>C.4</b>	<b>Information to be presented .....</b>	<b>39</b>
<b>C.4.1</b>	<b>Information to be presented relating to messages .....</b>	<b>39</b>
<b>C.4.2</b>	<b>Information to be presented relating to fault information received from alarm systems</b>	<b>40</b>
<b>C.4.3</b>	<b>Failure of the means of presentation of information .....</b>	<b>40</b>
<b>C.5</b>	<b>Logging .....</b>	<b>40</b>
<b>C.5.1</b>	<b>General .....</b>	<b>40</b>



<b>C.5.2</b>	<b>Time stamps for logging</b> .....	<b>40</b>
<b>C.5.3</b>	<b>Master data log (Log M1)</b> .....	<b>41</b>
<b>C.5.4</b>	<b>Event log's</b> .....	<b>41</b>
<b>C.5.5</b>	<b>Access levels</b> .....	<b>42</b>
<b>C.5.6</b>	<b>Access to database</b> .....	<b>42</b>
<b>C.5.7</b>	<b>Access to alarm management system</b> .....	<b>42</b>
<b>C.5.8</b>	<b>Access to alarm management system configuration data</b> .....	<b>42</b>
<b>C.5.9</b>	<b>Access to log data</b> .....	<b>42</b>
<b>C.6</b>	<b>Monitoring of interconnection with the receiving centre transceiver</b> .....	<b>43</b>
	<b>Bibliography</b> .....	<b>44</b>

## **EN 50518:2019 (E)**

### **European foreword**

This document (EN 50518:2019) has been prepared by CLC/TC 79, "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-02-06
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-02-06

This documents supersedes EN 50518-1:2013, EN 50518-2:2013 and EN 50518-3:2013.

EN 50518:2017 includes the following significant technical changes with respect to EN 50518-1:2013, EN 50518-2:2013 and EN 50518-3:2013:

- referenced based standards were updated to the latest versions;
- definitions were updated;
- the scope was extended to include fire, access, CCTV, social alarms and other alarms;
- two categories ARC's are described, category I and category II. A category I ARC will be designed, constructed and operated to a higher standard with respect to construction, security and integrity than a category II ARC;
- a chapter was added which describes the management tools that shall be in place in the ARC;
- an informative annex was added which describes security and technical implications of remote access to ARC data;
- an informative annex was added which describes requirements for an alarm management system.

This revision was prepared to bring the procedures up-to-date with current technical developments, taking account of changes in the basic standards and the experience gained in the use of the standard.

## Introduction

This European Standard applies to all Monitoring and Alarm Receiving Centres (MARC's) that monitor and/or receive and/or process (alarm) messages that require an emergency response.


The abbreviation MARC describes the full functional scope of a Monitoring and Alarm Receiving centre. In all existing EN 50131 series under CLC/TC 79, "Alarm systems", the abbreviation ARC is used. To avoid confusion and to achieve consistency in terminology the abbreviation ARC will be used throughout this standard, where MARC is equivalent to ARC.

The function of receiving, processing and initiating response actions by (human or non-human) intervention is not limited to only those messages as generated by Intruder and Hold-up Alarm Systems (I&HAS). The whole series of standards under CLC/TC 79, "Alarm systems", encompasses video surveillance systems (EN 62676), social alarm systems (EN 50134), access control systems (EN 60839-11) and audio and video door entry systems. All of these systems can send information, including alarms, to one or more ARC's for further processing, evaluation and intervention.

Alarm information generated by other systems such as fire detection and fire alarm systems, (vehicle) tracking and tracing systems, man guarding or telecommunication network supervision is regularly transmitted to one or more ARC's for further processing, evaluation and intervention.

In all of these circumstances, criminal action and/or emergency situations can jeopardize the safety and security of people and/or properties. The central locations where the receiving, processing and initiation of intervention take place should comply with the requirements of this standard.

Figure 1 shows the chain of events of the total alarm process.



**Figure 1 — Chain diagram of the total alarm process**

It is noted that this European Standard cannot supersede any legislative requirements deemed necessary by a National Government to control the security sector on a national basis. This standard cannot interfere with all those items that are regulated by (inter)national regulations concerning external services (for example water, waste water, fuel supplies for gas and/or oil and mains power supplies).

## **EN 50518:2019 (E)**

### **1 Scope**

This document specifies the minimum requirements for monitoring, receiving and processing of alarm messages generated by alarm systems taking place as a part of the total fire, safety and security solution.

For the purpose of this document, the term “alarm” is used in the broad sense to include fault, status and other messages received from one or more of a range of safety and security alarm systems such as but not limited to fire detection and fire alarm systems, fixed firefighting systems, intrusion and hold-up alarm systems, access control systems, video surveillance systems, social alarms systems and combinations of such systems.

This document gives requirements for two categories of ARC, category I and category II. A category I ARC will be designed, constructed and operated to a higher standard with respect to construction, security and integrity than a category II ARC.

The categorization is determined according to the type(s) of alarm messages handled.

Category I: ARCs handling messages from security applications:

- I&HAS's;
- access control systems;
- VSS in security applications that require an emergency response (for example loss prevention);
- people monitoring, lone workers and object tracking systems for security applications;
- alarm messages handled by category II ARCs;
- combinations of the above systems.

Category II: ARC's handling messages from non-security applications:

- fire alarm systems;
- fixed firefighting systems;
- social alarm systems;
- audio/video door entry systems;
- VSS in non-security applications (for example traffic flow);
- people monitoring, lone workers and object tracking systems for non-security applications;
- lifts emergency systems;
- combinations of the above systems.

The requirements apply to ARC's (whether established in single or multiple sites) monitoring and processing alarms generated by systems installed at other locations and also to ARC's monitoring solely alarms from systems within their own site.

The document includes functional and specific requirements supporting the services of an ARC.

The document does NOT apply to:

- alarm systems used for non-civil purposes;
- alarm systems for medical or health applications.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-