



NSAI
Standards

Irish Standard
I.S. EN 50131-2-6:2008&IS1:2014

Alarm systems - Intrusion and hold-up systems -- Part 2-6: Opening contacts (magnetic)

I.S. EN 50131-2-6:2008&IS1:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN 50131-2-6:2008/IS1:2014

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50131-2-6:2008

Published:

2008-09-26

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-03-11

ICS number:

13.320

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

INTERPRETATION SHEET

EN 50131-2-6/IS1

FEUILLE D'INTERPRETATION

INTERPRETATIONSBLATT

February 2014

ICS 13.320

English version

**Alarm systems -
Intrusion and hold-up systems -
Part 2-6: Opening contacts (magnetic)**

Systèmes d'alarme -
Systèmes d'alarme contre l'intrusion et les
hold-up -
Partie 2-6: Détecteurs d'ouverture à
contacts (magnétiques)

Alarmanlagen -
Einbruch- und Überfallmeldeanlagen -
Teil 2-6: Anforderungen an
Öffnungsmelder (Magnetkontakte)

This European Standard was approved by CENELEC on 2013-12-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 50131-2-6:2008/IS1:2014 (E)

Contents

Page

Foreword	3
Clause:	4
Question:	4
Interpretation:	4
Validity:	4

Foreword

This Interpretation Sheet to the European Standard EN 50131-2-6:2008 was prepared by CLC/TC 79 "Alarm systems".

EN 50131-2-6:2008/IS1:2014 (E)

Text of IS1 to EN 50131-2-6:2008

Clause:

Annex A and Figure A.1

Question:

Would it be allowed for test purposes (for test houses and manufacturers) to use the NeoDym magnet listed below instead of the AlNiCo version described in Annex A and Figure A.1 for reproducible tests ?

Interpretation:

Yes, because this will allow stable and reproducible test results, which is not guaranteed while using the AlNiCo magnet due to the nature of the magnet material. Furthermore, the test magnet described below allows a high-level degree of backward compatibility for already tested products, while it gives the stability required.

Therefore, when the NeoDym magnet is used for test purposes (for test houses and manufacturers), the text below may be used in place of Annex A.

Validity:

This interpretation remains valid until an amendment or updated standard dealing with this issue is published by CENELEC.

Annex A **(normative)**

Dimensions & requirements of standardized interference test magnets

A.1 Normative references

The interference test magnets shall comprise a magnet identical to the corresponding magnet supplied with the detector and one of the following specified independent test magnets according to whether the detector is surface or flush mounted.

The following standards will form the base for the selection of the independent test magnet:

EN 60404-5, *Magnetic materials – Part 5: Permanent magnet (magnetically hard) materials – Methods of measurement of magnetic properties (IEC 60404-5)*

EN 60404-14, *Magnetic materials – Part 14: Methods of measurement of the magnetic dipole moment of a ferromagnetic material specimen by the withdrawal or rotation method (IEC 60404-14)*

IEC 60404-8-1, *Magnetic materials – Part 8-1: Specifications for individual materials – Magnetically hard materials*

A.2 Requirements

The field strength of the magnet determined by the magnetic material, by remanence (B_r) in mT and the product of energy $(BH)_{\max}$ in kJ/m³, which are material dependent as the values describe the full saturation of that material should be measured before any calibration took place.

The field strength of the test magnet needs to be adjusted at the polarization of the working point in mT as defined.


The relevant value, dimensions and measurement point for the test magnet can be found in the following drawings and tables. For calculations, measurements and calibration of the test magnets, the norms cited above shall be used.

The independent test magnet for surface mount opening magnetic contacts is described in Figure A.1.

To get the magnets in question adjusted to the proper values and calibrated (e.g. polarization in working point), it is strongly suggested to perform adjustments of the magnetic values for ordered magnets performed by an accredited test house for magnetic fields. One potential source could be the following:

MAGNET-PHYSIK
Dr. Steingroever GmbH
Emil-Hoffmann-Strasse 3
50966 Cologne, Germany
www.magnet-physik.de

EN 50131-2-6:2008/IS1:2014 (E)



Key

- 1 North pole
- 2 South pole
- 3 North pole

Material	NdFeB N40 (REFeB 310/130 - Code number R5-1-11)
Remanence B_r min	1 275 mT \pm 2 %
Product of energy $(BH)_{max}$	310 kJ/m ³ \pm 3 %
Polarization of working point	0,835 T \pm 2 %

Figure A.1 – Test magnet for surface mount opening magnetic contacts

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50131-2-6

September 2008

ICS 13.320

Supersedes CLC/TS 50131-2-6:2004

English version

**Alarm systems -
Intrusion and hold-up systems -
Part 2-6: Opening contacts (magnetic)**

Systèmes d'alarme -
Systèmes d'alarme contre l'intrusion
et les hold-up -
Partie 2-6: Détecteurs d'ouverture
à contacts (magnétiques)

Alarmanlagen -
Einbruch- und Überfallmeldeanlagen -
Teil 2-6: Anforderungen
an Öffnungsmelder
(Magnetkontakte)

This European Standard was approved by CENELEC on 2008-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 79, Alarm systems.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50131-2-6 on 2008-05-01.

This European Standard supersedes CLC/TS 50131-2-6:2004.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2009-05-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-05-01

EN 50131 will consist of the following parts, under the general title *Alarm systems – Intrusion and hold-up systems*:

- Part 1 System requirements
- Part 2-2 Intrusion detectors – Passive infrared detectors
- Part 2-3 Requirements for microwave detectors
- Part 2-4 Requirements for combined passive infrared and microwave detectors
- Part 2-5 Requirements for combined passive infrared and ultrasonic detectors
- Part 2-6 Intrusion detectors – Opening contacts (magnetic)
- Part 2-7-1 Intrusion detectors – Glass break detectors – Acoustic
- Part 2-7-2 Intrusion detectors – Glass break detectors – Passive
- Part 2-7-3 Intrusion detectors – Glass break detectors – Active
- Part 3 Control and indicating equipment
- Part 4 Warning devices
- Part 5-3 Requirements for interconnections equipment using radio frequency techniques
- Part 6 Power supplies
- Part 7 Application guidelines
- Part 8 Security fog devices

Contents

	Page
Introduction.....	5
1 Scope.....	6
2 Normative references	6
3 Definitions and abbreviations.....	7
3.1 Definitions	7
3.2 Abbreviations	8
4 Functional requirements	8
4.1 Events.....	8
4.2 Signals or messages	9
4.3 Detection.....	10
4.4 Operational requirements	11
4.5 Tamper security	11
4.6 Electrical requirements.....	12
4.7 Environmental classification and conditions.....	13
5 Marking, identification and documentation.....	14
5.1 Marking and/or identification.....	14
5.2 Documentation	14
6 Testing	14
6.1 Generalities.....	14
6.2 General test conditions.....	15
6.3 Basic test of detection capability	15
6.4 Verification of detection performance	15
6.5 Switch-on delay, time interval between signals, and indication of detection	16
6.6 Tamper security	16
6.7 Electrical tests.....	17
6.8 Environmental classification and conditions.....	19
6.9 Marking, identification and documentation	20
Annex A (normative) Dimensions & requirements of standardized interference test magnets.....	21
Annex B (normative) General testing matrix.....	23
Annex C (informative) List of small tools suitable for testing immunity of casing to unauthorised access.....	24
Annex D (normative) Axes of movement	25
Annex E (normative) Test surfaces for ferromagnetic material	26
Annex F (normative) Test faces for interference test magnets.....	27
Bibliography.....	29

Figures

Figure A.1 – Testmagnet for surface mount opening magnetic contacts	22
Figure A.2 – Testmagnet for flush mount opening magnetic contacts	22
Figure D.1 – Flush mount style	25
Figure D.2 – Surface mount style	25
Figure D.3 – Roller shutter style	25
Figure F.1 – Surface mount interference test, corresponding magnet.....	27
Figure F.2 – Surface mount interference test, independent magnet.....	27
Figure F.3 – Flush mount interference test, independent magnet	28

Tables

Table 1 – Events to be processed by grade	9
Table 2 – Generation of signals or messages	10
Table 3 – Electrical requirements	12
Table 4 – Environmental tests, operational	20
Table 5 – Environmental tests, endurance	20

Introduction

This European Standard is for opening contacts (magnetic) used as part of intrusion and hold-up alarm systems (I&HAS) installed in buildings. It includes four security grades and four environmental classes.

The purpose of an opening contact (magnetic) is to detect a displacement of a door or window from the defined closed position. The opening contact comprises two separate parts, the active connection between which is at least one magnetic field. Separating the two parts disturbs the connection and produces an intruder signal or message.

The number and scope of these signals or messages will be more comprehensive for systems that are specified at the higher grades.

This European Standard is only concerned with the requirements and tests for opening contacts (magnetic). Other types of detectors are covered by other documents identified in the EN 50131 series and in the EN 50131-2 series.

1 Scope

This European Standard provides for security grades 1 to 4, (see EN 50131-1) specific or non-specific wired or wire-free opening contacts (magnetic), and includes the requirements for four environmental classes covering applications in internal and outdoor locations as specified in EN 50130-5.

A detector shall fulfil all the requirements of the specified grade.

Functions additional to the mandatory functions specified in this European Standard may be included in the detector, providing they do not influence the correct operation of the mandatory functions.

The two separate parts of the opening contact (magnetic) shall be referred to in the body of this European Standard as the detector.

This European Standard does not apply to system interconnections.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10130	Cold rolled low carbon steel flat products for cold forming – Technical delivery conditions
EN 50130-4	Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder and social alarm systems
EN 50130-5	Alarm systems – Part 5: Environmental test methods
EN 50131-1	Alarm systems – Intrusion and hold-up systems – Part 1: System requirements
EN 50131-6	Alarm systems – Intrusion and hold-up systems – Part 6: Power supplies
EN 60068-1	Environmental testing – Part 1: General and guidance (IEC 60068-1)
EN 60068-2-52	Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution) (IEC 60068-2-52)
EN 61000-6-3	Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments (IEC 61000-6-3)

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-