



NSAI
Standards

Irish Standard
I.S. EN 50131-2-3:2008&IS1:2014

Alarm systems - Intrusion and hold-up systems -- Part 2-3: Requirements for microwave detectors

I.S. EN 50131-2-3:2008&IS1:2014

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN 50131-2-3:2008/IS1:2014

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50131-2-3:2008

Published:

2008-09-26

*This document was published
under the authority of the NSAI
and comes into effect on:*

2014-03-11

ICS number:

13.320

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

INTERPRETATION SHEET

EN 50131-2-3/IS1

FEUILLE D'INTERPRETATION

INTERPRETATIONSBLATT

February 2014

ICS 13.320

English version

**Alarm systems -
Intrusion and hold-up systems -
Part 2-3: Requirements for microwave detectors**

Systèmes d'alarme -
Systèmes d'alarme contre l'intrusion et les
hold-up -
Partie 2-3: Exigences pour détecteurs à
hyperfréquences

Alarmanlagen -
Einbruch- und Überfallmeldeanlagen -
Teil 2-3: Anforderungen an
Mikrowellenmelder

This European Standard was approved by CENELEC on 2013-12-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

EN 50131-2-3:2008/IS1:2014 (E)

Contents

Page

Foreword	3
Clause:	4
Question:	4
Interpretation:	4
Validity:	4

Foreword

This Interpretation Sheet to the European Standard EN 50131-2-3:2008 was prepared by CLC/TC 79 "Alarm systems".

EN 50131-2-3:2008/IS1:2014 (E)

Text of IS1 to EN 50131-2-3:2008

Clause:

Annex A and Figure A.1

Question:

Would it be allowed for test purposes (for test houses and manufacturers) to use the NeoDym magnet listed below instead of the AlNiCo version described in Annex A and Figure A.1 for reproducible tests ?

Interpretation:

Yes, because this will allow stable and reproducible test results, which is not guaranteed while using the AlNiCo magnet due to the nature of the magnet material. Furthermore, the test magnet described below allows a high-level degree of backward compatibility for already tested products, while it gives the stability required.

Therefore, when the NeoDym magnet is used for test purposes (for test houses and manufacturers), the text below may be used in place of Annex A.

Validity:

This interpretation remains valid until an amendment or updated standard dealing with this issue is published by CENELEC.

Annex A (normative)

Dimensions & requirements of the standardised test magnets

A.1 Normative references

The interference test magnets shall comprise a magnet identical to the corresponding magnet supplied with the detector and one of the following specified independent test magnets according to whether the detector is surface or flush mounted.

The following standards will form the base for the selection of the independent test magnet:

EN 60404-5, *Magnetic materials – Part 5: Permanent magnet (magnetically hard) materials – Methods of measurement of magnetic properties (IEC 60404-5)*

EN 60404-14, *Magnetic materials – Part 14: Methods of measurement of the magnetic dipole moment of a ferromagnetic material specimen by the withdrawal or rotation method (IEC 60404-14)*

IEC 60404-8-1, *Magnetic materials – Part 8-1: Specifications for individual materials – Magnetically hard materials*

A.2 Requirements

The field strength of the magnet determined by the magnetic material, by remanence (B_r) in mT and the product of energy $(BH)_{\max}$ in kJ/m^3 , which are material dependent as the values describe the full saturation of that material should be measured before any calibration took place.

The field strength of the test magnet needs to be adjusted at the polarization of the working point in mT as defined.


The relevant value, dimensions and measurement point for the test magnet can be found in the following drawings and tables. For calculations, measurements and calibration of the test magnets, the norms cited above shall be used.

The independent test magnet for Test Magnet Type 1 is described in Figure A.1.

To get the magnets in question adjusted to the proper values and calibrated (e.g. polarization in working point), it is strongly suggested to perform adjustments of the magnetic values for ordered magnets performed by an accredited test house for magnetic fields. One potential source could be the following:

MAGNET-PHYSIK
Dr. Steingroever GmbH
Emil-Hoffmann-Strasse 3
50966 Cologne, Germany
www.magnet-physik.de

EN 50131-2-3:2008/IS1:2014 (E)



Key

- 1 North pole
- 2 South pole
- 3 North pole

Material	NdFeB N40 (REFeB 310/130 - Code number R5-1-11)
Remanence B_r min	1 275 mT \pm 2 %
Product of energy $(BH)_{\max}$	310 kJ/m ³ \pm 3 %
Polarization of working point	0,835 T \pm 2 %

Figure A.1 — Test magnet – Magnet Type 1

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50131-2-3

September 2008

ICS 13.320

Supersedes CLC/TS 50131-2-3:2004

English version

**Alarm systems -
Intrusion and hold-up systems -
Part 2-3: Requirements for microwave detectors**

Systèmes d'alarme -
Systèmes d'alarme contre l'intrusion
et les hold-up -
Partie 2-3: Exigences pour détecteurs
à hyperfréquences

Alarmanlagen -
Einbruch- und Überfallmeldeanlagen -
Teil 2-3: Anforderungen
an Mikrowellenmelder

This European Standard was approved by CENELEC on 2008-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 79, Alarm systems.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50131-2-3 on 2008-05-01.

This European Standard supersedes CLC/TS 50131-2-3:2004.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 2009-05-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 2011-05-01

EN 50131 will consist of the following parts, under the general title *Alarm systems – Intrusion and hold-up systems*:

- Part 1 System requirements
- Part 2-2 Intrusion detectors – Passive infrared detectors
- Part 2-3 Requirements for microwave detectors
- Part 2-4 Requirements for combined passive infrared and microwave detectors
- Part 2-5 Requirements for combined passive infrared and ultrasonic detectors
- Part 2-6 Intrusion detectors – Opening contacts (magnetic)
- Part 2-7-1 Intrusion detectors – Glass break detectors – Acoustic
- Part 2-7-2 Intrusion detectors – Glass break detectors – Passive
- Part 2-7-3 Intrusion detectors – Glass break detectors – Active
- Part 3 Control and indicating equipment
- Part 4 Warning devices
- Part 5-3 Requirements for interconnections equipment using radio frequency techniques
- Part 6 Power supplies
- Part 7 Application guidelines
- Part 8 Security fog devices

Contents

	Page
Introduction.....	5
1 Scope.....	6
2 Normative references	6
3 Definitions and abbreviations.....	6
3.1 Definitions	6
3.2 Abbreviations	7
4 Functional requirements	7
4.1 Event processing.....	7
4.2 Detection.....	9
4.3 Operational requirements	10
4.4 Immunity to incorrect operation	10
4.5 Tamper security	11
4.6 Electrical requirements.....	12
4.7 Environmental classification and conditions.....	13
5 Marking, identification and documentation	13
5.1 Marking and/or identification.....	13
5.2 Documentation	13
6 Testing	14
6.1 General test conditions.....	14
6.2 Basic detection test	15
6.3 Walk testing	15
6.4 Switch-on delay, time interval between signals and indication of detection	18
6.5 Self tests	18
6.6 Immunity to incorrect operation	18
6.7 Tamper security	18
6.8 Electrical tests.....	20
6.9 Environmental classification and conditions.....	22
6.10 Marking, identification and documentation	23
Annex A (normative) Dimensions & requirements of the standardised test magnets	24
Annex B (normative) General testing matrix.....	27
Annex C (informative) Walk test diagrams	28
Annex D (informative) Equipment for walk test velocity control.....	31
Annex E (informative) Immunity to microwave signal interference by fluorescent lights	32
Annex F (informative) Example list of small tools	33
Annex G (normative) Test for resistance to re-orientation of adjustable mountings	34
Bibliography.....	35

Figures

Figure A.1 – Test magnet - Magnet Type 1	25
Figure A.2 – Test magnet - Magnet Type 2	26
Figure C.1 – Detection across the boundary	28
Figure C.2 – Detection within the boundary.....	28
Figure C.3 – High velocity and intermittent movement.....	29
Figure C.4 – Close-in detection.....	29
Figure C.5 – Significant range reduction	30
Figure E.1 – Immunity to fluorescent lamp interference.....	32
Figure G.1 – Re-orientation test.....	34

Tables

Table 1 – Events to be processed by grade	8
Table 2 – Generation of signals or messages	8
Table 3 – General walk test velocity and attitude requirements	9
Table 4 – Tamper security requirements	12
Table 5 – Electrical requirements.....	12
Table 6 – Range of materials for masking tests.....	20
Table 7 – Operational tests.....	23
Table 8 – Endurance tests	23

Introduction

This standard deals with microwave detectors (to be referred to as the detector) used as part of intrusion alarm systems installed in buildings. It includes four security grades and four environmental classes.

The purpose of a detector is to emit microwave radiation and analyse returned signals to detect an intruder and to provide the necessary range of signals or messages to be used by the rest of the intrusion alarm system.

The number and scope of these signals or messages will be more comprehensive for systems that are specified at the higher grades.

This specification is only concerned with the requirements and tests for the detector. Other types of detector are covered by other documents identified as EN 50131-2 series.

1 Scope

This European Standard is for microwave detectors installed in buildings and provides for security grades 1 to 4 (see EN 50131-1), specific or non-specific wired or wire-free detectors, and uses environmental classes I to IV (see EN 50130-5). This standard does not include requirements for microwave detectors intended for use outdoors.

A detector shall fulfil all the requirements of the specified grade.

Functions additional to the mandatory functions specified in this standard may be included in the detector, providing they do not influence the correct operation of the mandatory functions.

The standard does not apply to system interconnections.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4	Alarm systems – Part 4: Electromagnetic compatibility – Product family standard: Immunity requirements for components of fire, intruder and social alarm systems
EN 50130-5	Alarm systems – Part 5: Environmental test methods
EN 50131-1	Alarm systems – Intrusion and hold-up systems – Part 1: System requirements
EN 50131-6	Alarm Systems – Intrusion and hold-up systems – Part 6: Power supplies
EN 60068-1	Environmental testing – Part 1: General and guidance (IEC 60068-1)
EN 60068-2-52	Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution) (IEC 60068-2-52)

3 Definitions and abbreviations

For the purposes of this document, the following terms and definitions apply in addition to those given in EN 50131-1.

3.1 Definitions

3.1.1

basic detection target

microwave reflector designed to verify the operation of a detector

3.1.2

incorrect operation

physical condition that causes an inappropriate signal or message from a detector

3.1.3

masking

interference with the detector input capability by the introduction of a physical barrier such as metal, plastics, paper or sprayed paints or lacquers in close proximity to the detector

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-