



NSAI
Standards

Irish Standard
I.S. EN 14382:2019

Gas safety shut-off devices for inlet pressure up to 10 MPa (100 bar)

I.S. EN 14382:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 14382:2019

Published:

2019-08-21

This document was published under the authority of the NSAI and comes into effect on:

2019-09-08

ICS number:

23.060.40

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 14382:2019 is the adopted Irish version of the European Document EN 14382:2019, Gas safety shut-off devices for inlet pressure up to 10 MPa (100 bar)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 14382

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2019

ICS 23.060.40

Supersedes EN 14382:2005+A1:2009

English Version

Gas safety shut-off devices for inlet pressure up to 10 MPa (100 bar)

Clapets de sécurité pour pressions amont jusqu'à 10
MPa (100 bar)

Gas-Sicherheitsabsperreinrichtungen für
Eingangsrücke bis 10 MPa (100 bar)

This European Standard was approved by CEN on 23 April 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	5
1 Scope.....	7
2 Normative references.....	8
3 Terms and definitions.....	9
3.1 General terms and definition of type of gas safety shut-off devices.....	9
3.2 Terms and definition of components of safety devices.....	10
3.3 Terms, symbols and definitions related to the functional performance.....	16
3.4 Possible values of all variables.....	17
3.5 Terms, symbols and definitions related to the set value of the trip pressure.....	17
3.6 Terms, symbols and definitions related to the flow.....	18
3.7 Terms, symbols and definitions related to accuracy and some other performances.....	18
3.8 Terms, symbols and definitions related to the design and tests.....	19
3.9 Summary of symbols, terms, subclauses and units.....	21
4 Construction requirements.....	22
4.1 Basic requirements.....	22
4.2 Materials.....	25
4.3 Strength of housings and other parts.....	26
4.4 Strength of elastomeric diaphragms.....	29
5 Functional and characteristic requirements.....	30
5.1 General.....	30
5.2 Accuracy group.....	31
5.3 Response time.....	32
5.4 Relatching difference and unlatching.....	32
5.5 Closing force.....	32
5.6 Endurance and accelerated ageing.....	33
5.7 Strength of the trip mechanism, valve seat and closing member against the dynamic impact of flowing gas.....	33
5.8 Antistatic characteristics.....	33
5.9 Flow coefficient.....	33
5.10 Final visual inspection.....	33
6 Testing.....	34
6.1 General.....	34
6.2 Tests.....	34
6.3 Type test.....	35
6.4 Selection of test samples.....	35
6.5 Routine tests.....	36
6.6 Production surveillance.....	36
7 Test and verification methods.....	36
7.1 Dimensional check and visual inspection.....	36
7.2 Materials check.....	36
7.3 Verification of the strength of parts under pressure.....	36

7.4	Verification of the strength of parts transmitting actuating forces	36
7.5	Shell and inner metallic partition walls strength test.....	37
7.6	Alternative shell and inner metallic partition walls strength test	37
7.7	External tightness test	37
7.8	Internal sealing test.....	38
7.9	Test method and acceptance criteria to verify the antistatic characteristics	38
7.10	Accuracy group.....	38
7.11	Response time.....	43
7.12	Relatching difference and unlatching	44
7.13	Verification of closing force	45
7.14	Endurance and accelerated ageing	45
7.15	Resistance to gas of non-metallic parts	45
7.16	Verification of the strength of the trip mechanism, valve seat and closing member against dynamic impact of flowing gas	45
7.17	Final visual inspection	46
8	Field surveillance	46
9	Documentation	47
9.1	Documentation related to type test	47
9.2	Documentation related to the routine tests.....	47
9.3	Documentation related to production surveillance in accordance with 6.6.....	47
9.4	Operating instructions.....	48
9.5	Information on sizing.....	48
10	Marking	49
10.1	General requirements.....	49
10.2	Basic requirements.....	49
10.3	Other additional requirements	49
10.4	Markings for the various connections.....	50
10.5	Identification of auxiliary devices.....	50
11	Packaging and transportation of finished product	50
Annex A (informative) Ice formation.....		51
A.1	General	51
A.2	Requirements.....	51
A.3	Tests	51
Annex B (informative) Compliance evaluation)		52
B.1	General	52
B.2	Introduction.....	52
B.3	Procedure.....	52
B.4	Manufacturer's compliance evaluation	53
B.5	Issue of the certificate of compliance	53
Annex C (informative) Pressure drop and flow coefficient		54
C.1	Calculation method for pressure drop throughout the SSD.....	54
C.2	Test method for the determination of the flow coefficients	55
Annex D (normative) Alternative test method for verification of the strength of the trip mechanism, valve seat and closing member.....		56

EN 14382:2019 (E)

D.1	Test method	56
D.2	Test method for the determination of the dynamic factor C_T	56
D.3	Test method for a series of SSDs	57
Annex E (informative)	Sizing equation.....	59
Annex F (informative)	Inspection certificate	60
Annex G (informative)	Order specification.....	62
G.1	General.....	62
G.2	Minimum specifications.....	62
G.3	Optional specifications.....	63
Annex H (informative)	Acceptance test.....	64
Annex I (informative)	Suitability of safety shut-off device for damp operating conditions - Test procedure, requirement and acceptance criteria.....	65
Annex J (normative)	Vent limiter	66
J.1	General.....	66
J.2	Scope	66
J.3	Terms, symbols and definitions.....	66
J.4	Requirements	67
J.5	Testing and acceptance criteria.....	68
J.6	Documentation.....	69
J.7	Specific marking on vent limiter	69
Annex K (informative)	Glossary	70
Annex L (informative)	Environmental Provisions	73
Annex ZA (informative)	Relationship between this European Standard and the Essential Requirements of Directive 2014/68/EU aimed to be covered.....	76
Bibliography	78

European foreword

This document (EN 14382:2019) has been prepared by Technical Committee CEN/TC 235 “Gas pressure regulators and associated safety devices for use in gas transmission and distribution”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2020, and conflicting national standards shall be withdrawn at the latest by February 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14382:2005+A1:2009.

In comparison with the previous edition, the following technical modifications have been made:

- normative references have been updated;
- terms and definitions have been added;
- classification of two in series SSDs as safety accessory to PED;
- full reference to EN 334:2019 for end connections, flange rating, nominal and face to face dimensions, materials (metallic and non-metallic), verification of strength of pressure bearing parts;
- statistical strength test on the basis of PED provisions;
- antistatic characteristics;
- vent limiter as possible fixture to be assembled in the SSDs;
- integration of environmental requirements;
- alignment of normative references (Clause 2), Annex G, Annex ZA and its relevant clauses to CEN rules.

The standard has been editorially revised.

This document can be used as a guideline for gas safety shut off devices outside the ranges specified in this standard.

This edition has introduced the application of statistical strength testing for series produced pressure and safety accessories on the basis of EU Directive 2014/68/EU Annex I article 3.2.2 and Guideline H-14. Safety shut-off devices dealt with in this document are standard safety shut-off devices and, when used in pressure regulating stations complying with EN 12186 or EN 12279, they are considered as standard pressure equipment in accordance with Clause 2 a) of Art. 1 of Pressure Equipment Directive 2014/68/EU (PED).

EN 14382:2019 (E)

For standard safety shut-off devices used in pressure regulating stations complying with EN 12186 or EN 12279, Table ZA.1 given in Annex ZA includes all applicable Essential Requirements given in Annex I of PED except external corrosion resistance for applications in corrosive environments.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Republic of North Macedonia, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies constructional, functional, testing marking and sizing requirements and documentation of gas safety shut-off devices:

- for inlet pressures up to 100 bar and nominal diameters up to DN 400;
- for an operating temperature range from -20 °C to $+60\text{ °C}$;

which operate with fuel gases of the 1st and 2nd family as defined in EN 437, used in the pressure regulating stations in accordance with EN 12186 or EN 12279, in transmission and distribution networks and also in commercial and industrial installations.

“Gas safety shut-off devices” will hereafter be called “SSDs” except in titles.

For standard safety shut-off devices when used in pressure regulating stations complying with EN 12186 or EN 12279, Annex ZA lists all applicable Essential Safety Requirements of Directive 2014/68/EU (PED).

This document considers the following temperature classes/types of SSDs:

- temperature class 1: operating temperature range from -10 °C to 60 °C ;
- temperature class 2: operating temperature range from -20 °C to 60 °C ;
- functional class A: SSDs that close when damage to the pressure detecting element occurs or when external power fails and whose re-opening, is possible only manually;
- functional class B: SSDs that do not close when damage to the pressure detecting element occurs but provide suitable and reliable protection and whose re-opening, is possible only manually;
- type IS: (integral strength type);
- type DS: (differential strength type).

SSDs complying with the requirements of this document may be declared as “in conformity with EN 14382” and bear the mark “EN 14382”.

The material and functional requirements specified in this document may be applied to SSDs which use thermal energy or the effects of electrical energy to trip the operation of the closing member. For these SSDs the operational parameters are not specified in this document.

The SSD may incorporate a vent limiter, complying with the requirements in Annex J.

This standard for some paragraphs and sub clauses makes full reference to EN 334:2019.

This document does not apply to:

- SSDs upstream from/on/in domestic gas-consuming appliances which are installed downstream of domestic gas meters;
- SSDs designed to be incorporated into pressure-regulating devices used in service lines¹ with volumetric flow rate $\leq 200\text{ m}^3/\text{h}$ at normal conditions and inlet pressure $\leq 5\text{ bar}$.

¹ The service lines are those defined in EN 12279

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-