

Irish Standard I.S. EN 3847:2019

Aerospace series - Paints and varnishes - Determination of sedimentation rating

© CEN 2019 No copying without NSAI permission except as permitted by copyright law.

I.S. EN 3847:2019

2019-10-07

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

Published:

This document is based on:

EN 3847:2019 2019-09-18

This document was published ICS number:

under the authority of the NSAI
and comes into effect on:
49.040

NOTE: If blank see CEN/CENELEC cover page

NSAI T +353 1 807 3800 Sales:

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN 3847:2019 is the adopted Irish version of the European Document EN 3847:2019, Aerospace series - Paints and varnishes - Determination of sedimentation rating

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN 3847

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 49.040

English Version

Aerospace series - Paints and varnishes - Determination of sedimentation rating

Série aérospatiale - Peinture et vernis - Détermination de l'indice de sédimentation

Luft- und Raumfahrt - Lacke und Anstrichstoffe -Bestimmung der Verlandungszahl

This European Standard was approved by CEN on 14 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 3847:2019 (E)

Contents		Page
Europ	oean foreword	
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Apparatus	4
6	Preparation of the test material	4
7	Procedure	5
8	Expression of results	5
9	Test report	

EN 3847:2019 (E)

European foreword

This document (EN 3847:2019) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 3847:2019 (E)

1 Scope

This document specifies the method of test for evaluating the tendency of paints and varnishes towards sedimentation of their pigments.

The procedure describes a method where the pigmented paint is allowed to settle at a specified temperature and for a specified time.

The procedure is not applicable to products which possess a pot life inferior to the specified measuring time.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2431, Paints and varnishes — Determination of flow time by use of flow cups

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Principle

Leave the paints to settle (at their consistency for use in the case of a mixture) at a specified temperature and for a specified time.

5 Apparatus

- apparatus specified in ISO 2431;
- 100 ml measuring cylinder. The distance between the reference lines 0 ml and 100 ml shall be approximately 18 cm;
- stopper;
- enclosure regulated at (23 ± 2) °C.

6 Preparation of the test material

6.1 Sampling

The paint containers, base, activator and thinners, shall be thoroughly homogenised prior to any samples being extracted for testing.



This is a free preview. Purchase the entire publication at the link below

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation